

表 3-1 昭和52年度収去野菜・果実中の塩素系農薬、カルバリル及び重金属

昭和52年度

Sample	No of Sample	1 2 3	B H C					D D T					ド リ ン				クロル ベンジ レート	ジ コ ホー ル	キャブ タ ン	カブタ ホー ル	As ₂ O ₃	Pb	Sn	カルバ リ ル
			α-BHC	β-BHC	γ-BHC	δ-BHC	総-BHC	op-DDT	pp-DDT	pp'-DDD	pp'-DDD	総-DDT	アルドリン	デリス	総トリン	エントリン								
こ ま つ な	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
な つ み か ん	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.13	—	nd
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.15	—	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.14	—	nd
な つ み か ん (外果皮)	3	1	0.002	nd	nd	nd	0.002	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	0.25	0.90	—	nd
		2	0.002	nd	0.001	nd	0.003	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.30	—	nd
		3	0.001	nd	nd	nd	0.001	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.23	—	nd
ほ う れ ん そ う	3	1	0.001	0.005	0.001	nd	0.007	nd	0.001	nd	nd	0.001	nd	nd	nd	nd	—	—	—	—	nd	0.35	—	nd
		2	0.001	0.001	0.001	nd	0.003	nd	0.001	nd	nd	0.001	nd	nd	nd	nd	—	—	—	—	nd	0.25	—	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	nd	0.23	—	nd
か ぶ	3	1	nd	nd	0.001	nd	0.001	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—	—	—	—	—
		2	nd	0.002	0.001	nd	0.003	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—	—	—	—	—
		3	nd	0.002	0.002	nd	0.004	0.001	0.001	nd	nd	0.002	—	—	—	—	—	—	—	—	—	—	—	—
か ぶ (葉)	3	1	0.001	0.002	0.001	nd	0.004	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—	—	—	—	—
		2	0.001	0.003	nd	nd	0.004	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—	—	—	—	—
		3	0.002	0.004	0.001	nd	0.007	nd	0.003	nd	nd	0.003	—	—	—	—	—	—	—	—	—	—	—	—
レ タ ス	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		2	nd	0.003	nd	nd	0.003	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
は な や さ い	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
セ ル リ ー	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
な す	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	nd	—	—	—	—	—
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	nd	—	—	—	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	nd	—	—	—	—	—
き ゅ う り	3	1	0.001	0.001	nd	nd	0.002	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	nd	nd	—	nd	0.15	—	—
		2	0.001	nd	nd	nd	0.001	nd	nd	nd	nd	nd	0.002	0.001	0.003	nd	—	0.047	nd	—	nd	0.11	—	—
		3	0.001	nd	0.001	nd	0.002	nd	0.004	nd	0.001	0.005	0.002	0.002	0.004	nd	—	nd	nd	—	nd	0.14	—	—
も も	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.08	—	nd
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.08	—	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.12	—	nd

(単位: ppm, nd: 不検出)

表3-2 昭和52年度収去野菜・果実中の塩素系農薬、カルバリル及び重金属

昭和52年度

Sample	No. of Sample	1 2 3	B H C					D D T					ド リ ン				クロル ベンジ レート	ジ コ ホー ル	キャブ タ ン	カブタ ホー ル	As ₂ O ₃	pb	Sn	カルバ リ ル
			α-BHC	β-BHC	γ-BHC	δ-BHC	総-BHC	op-DDT	pp-DDT	pp-DDD	pp-DDE	総-DDT	アルドリン	デリン	総ドリン	エントリン								
す い か	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
ビ ー マ ン	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—
ト ャ ト	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	—	nd	0.18	—	—
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	—	nd	0.16	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	—	nd	0.11	—	—
ぶ ど う	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.14	—	nd
		2	nd	nd	nd	nd	nd	nd	0.003	nd	0.003	0.006	nd	nd	nd	nd	nd	nd	—	—	nd	0.07	—	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	nd	0.09	—	nd
とうもろこし	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—
だ い こ ん	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	nd	—	—	—	nd
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	nd	—	—	—	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	nd	—	—	—	nd
だ い こ ん (葉)	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	nd	—	—	—	nd
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	nd	—	—	—	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	nd	—	—	—	nd
は く さ い	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	nd
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	nd
ご ぼ う	1	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	—	—	—	—	—	—	—	—	—	—	—	—
り ん ご	3	1	nd	nd	nd	nd	nd	nd	nd	nd	0.004	0.004	nd	nd	nd	nd	nd	0.070	nd	nd	nd	0.08	nd	nd
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.057	nd	nd	nd	0.04	nd	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	0.002	0.002	nd	nd	nd	nd	nd	0.075	nd	nd	nd	0.07	nd	nd
ば れ い し ょ	1	1	nd	nd	nd	nd	nd	nd	nd	nd	0.002	0.002	nd	nd	nd	nd	—	—	—	—	nd	0.26	—	nd

(単位: ppm, nd: 不検出)

表4 昭和52年度収去野菜・果実中の有機農薬

昭和52年度

Sample	% of Sample	1 2 3	パラチ オン	EPN	マラチ オン	ダイア ジノン	フェニ トロ チオン	フェン チオン	ジクロ ルボス	フェント エート	ジメト エート	クロル フェン ビン ホス	Sample	% of Sample	1 2 3	パラチ オン	EPN	マラチ オン	ダイア ジノン	フェニ トロ チオン	フェン チオン	ジクロ ルボス	フェント エート	ジメト エート	クロル フェン ビン ホス
こまつな	3	1 2 3	nd nd nd	— — —	nd nd nd	— — —	— — —	— — —	— — —	— — —	— — —	— — —	すいか	3	1 2 3	nd nd nd	— — —	— — —	nd nd nd	— — —	— — —	— — —	— — —	— — —	
なつみかん	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	— — —	— — —	nd nd nd	— — —	ピーマン	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	nd nd nd	— — —	— — —	
なつみかん 外果皮	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	— — —	— — —	nd nd nd	— — —	トマト	3	1 2 2	nd nd nd	nd nd	nd nd	nd nd	nd nd	nd nd	— — —	— — —	— — —	
ほうれん草	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	nd nd nd	— — —	— — —	— — —	ねぎ	3	1 2 3	nd nd nd	— — —	— — —	nd nd nd	— — —	— — —	— — —	— — —	— — —	
かぶ	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	— — —	— — —	— — —	— — —	ぶどう	3	1 2 3	nd nd nd	nd nd nd	— — —	nd nd nd	nd nd nd	— — —	nd nd nd	— — —	— — —	
かぶの葉	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	— — —	— — —	— — —	— — —	とうもろこし	3	1 2 3	nd nd nd	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	
レタス	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	— — —	— — —	— — —	だいこん	3	1 2 3	nd nd nd	nd 0.005 nd	nd nd nd	nd nd nd	— — —	— — —	nd nd nd	— — —	— — —	
はなやさい	3	1 2 3	nd nd nd	nd nd nd	— — —	nd nd nd	— — —	— — —	— — —	— — —	— — —	— — —	だいこん の葉	3	1 2 3	nd nd nd	0.006 0.006 nd	nd nd nd	nd nd nd	— — —	— — —	nd nd nd	— — —	— — —	
パセリ	3	1 2 3	nd nd nd	— — —	nd nd nd	nd nd nd	— — —	— — —	— — —	— — —	— — —	— — —	はくさい	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	— — —	— — —	— — —	
セルリー	3	1 2 3	nd nd nd	— — —	nd nd nd	— — —	— — —	— — —	nd nd nd	— — —	— — —	— — —	ごぼう	1	1	nd	nd	nd	nd	— — —	— — —	— — —	— — —	— — —	
なす	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	nd nd nd	— — —	— — —	— — —	りんご	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	0.001 0.005 nd	nd nd nd	— — —	— — —	— — —	— — —	
きゅうり	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	— — —	— — —	— — —	たまねぎ	3	1 2 3	nd nd nd	— — —	— — —	— — —	nd nd nd	— — —	— — —	— — —	— — —	
もも	3	1 2 3	nd nd nd	nd nd nd	nd nd nd	nd nd nd	nd nd nd	— — —	— — —	nd nd nd	— — —	— — —	ばれいしょ	1	1	nd	nd	nd	nd	— — —	nd — —	— — —	— — —	nd nd	
しゅんぎく	3	1 2 3	nd nd nd	— — —	nd nd nd	nd nd nd	0.022 nd 0.003	— — —	— — —	— — —	— — —	— — —													

(単位: ppm, nd: 不検出)

表5 牛及び豚の肝臓中の塩素系農薬及びPCB

昭和52年度

Sample	No of Sample	No	B H C					D D T					ディルドリン	P C B
			α -BHC	β -BHC	γ -BHC	δ -BHC	総-BHC	OP'-DDT	PP'-DDT	PP'-DDD	PP'-DDE	総-DDT		
牛の肝臓	3	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
豚の肝臓	7	1	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
		2	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
		3	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
		4	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
		5	nd	nd	nd	nd	nd	nd	nd	0.003	0.003	0.006	nd	nd
		6	nd	0.001	nd	nd	0.001	nd	nd	0.003	0.002	0.005	nd	nd
		7	nd	0.001	nd	nd	0.001	nd	nd	0.003	0.002	0.005	nd	nd

(単位：ppm，nd：不検出)