

5. 騒音調査結果

5. 騒音調査結果

(1) 施設の稼働に係る騒音調査結果

1) 事業実施区域敷地境界 (東)

ア. 現工場と破碎工場ともに停止時

測定地点：事業実施区域敷地境界 (東)

測定日時：2025年6月10日(火)12時～11日(水)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/06/10 12:00		64.6	72.7	70.6	63.5	58.0	56.3
2025/06/10 13:00		66.0	73.0	70.9	64.0	58.3	57.4
2025/06/10 14:00		66.6	74.4	71.5	63.3	58.1	56.9
2025/06/10 15:00		66.5	73.9	71.0	63.0	57.7	56.1
2025/06/10 16:00		65.8	72.9	70.5	62.3	54.7	53.5
2025/06/10 17:00		64.6	70.6	68.4	62.7	57.8	56.3
2025/06/10 18:00		62.7	70.2	67.8	61.9	56.0	53.7
2025/06/10 19:00		60.6	66.9	64.7	56.8	50.1	48.8
2025/06/10 20:00		57.5	67.2	65.0	51.5	45.2	44.7
2025/06/10 21:00		56.6	63.7	60.5	49.6	46.9	46.7
2025/06/10 22:00		59.1	66.6	61.3	51.9	49.1	48.6
2025/06/10 23:00		56.6	64.9	61.1	51.0	48.3	47.9
2025/06/11 0:00		58.9	68.2	65.6	54.5	49.6	48.7
2025/06/11 1:00		56.6	62.2	57.1	47.6	45.0	44.7
2025/06/11 2:00		54.2	60.9	57.1	49.0	46.0	45.5
2025/06/11 3:00		56.5	63.6	59.2	49.2	45.4	44.7
2025/06/11 4:00		58.3	69.3	65.0	52.0	49.3	48.0
2025/06/11 5:00		59.6	68.1	64.2	53.6	49.9	49.0
2025/06/11 6:00		61.5	69.0	66.7	59.4	52.6	51.6
2025/06/11 7:00		65.5	71.8	70.3	64.2	58.9	57.6
2025/06/11 8:00		66.5	73.3	71.1	64.2	59.0	57.6
2025/06/11 9:00		67.4	74.4	72.1	64.7	58.5	57.6
2025/06/11 10:00		66.6	74.1	71.5	63.3	58.9	57.4
2025/06/11 11:00		66.7	73.6	71.3	63.3	58.0	57.3
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	65.0	71.4	69.0	61.1	55.5	54.3
	夜間(22時～6時)	57.8	65.5	61.3	51.1	47.8	47.1
規制基準	朝(6時～8時)	63.9	70.4	68.5	61.8	55.8	54.6
	昼間(8時～19時)	66.0	73.0	70.6	63.3	57.7	56.4
	夕(19時～22時)	58.6	65.9	63.4	52.6	47.4	46.7
	夜間(22時～6時)	57.8	65.5	61.3	51.1	47.8	47.1

※基準時間帯平均は、L_{Aeq} はエネルギー平均、その他は算術平均により算出した。

イ. 現工場のみ稼働時

測定地点：事業実施区域敷地境界(東)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/07/03 12:00		66.8	73.8	71.2	62.9	57.2	55.6
2025/07/03 13:00		67.6	75.7	73.8	66.5	60.0	58.6
2025/07/03 14:00		67.1	73.8	71.7	64.7	59.6	58.7
2025/07/03 15:00		68.5	75.1	73.4	66.5	59.9	58.7
2025/07/03 16:00		65.1	71.7	69.3	62.0	57.0	56.2
2025/07/03 17:00		64.7	71.5	69.1	62.8	57.5	56.4
2025/07/03 18:00		63.6	71.1	68.6	61.1	56.4	55.3
2025/07/03 19:00		61.2	69.4	66.6	57.5	52.0	50.2
2025/07/03 20:00		58.0	65.0	62.6	55.4	50.4	49.6
2025/07/03 21:00		57.3	63.1	60.6	52.1	49.5	48.9
2025/07/03 22:00		60.8	69.0	65.0	53.0	50.9	50.4
2025/07/03 23:00		57.9	66.4	63.2	50.6	47.4	47.0
2025/07/04 0:00		58.7	68.4	65.8	52.0	48.6	47.9
2025/07/04 1:00		57.1	65.5	59.9	50.0	47.0	46.4
2025/07/04 2:00		55.7	67.0	61.8	50.6	47.6	47.1
2025/07/04 3:00		55.1	66.0	62.1	48.6	44.8	44.3
2025/07/04 4:00		57.2	64.9	60.0	50.7	46.9	46.3
2025/07/04 5:00		60.2	68.4	65.5	52.6	46.1	45.5
2025/07/04 6:00		62.6	71.6	69.1	61.5	51.2	49.6
2025/07/04 7:00		65.1	72.0	70.4	63.9	55.4	53.8
2025/07/04 8:00		66.4	73.5	71.1	64.2	57.8	56.7
2025/07/04 9:00		67.8	75.2	72.8	64.9	59.2	57.7
2025/07/04 10:00		67.2	74.3	72.4	64.8	58.8	57.0
2025/07/04 11:00		67.4	74.5	72.4	64.8	59.0	57.3
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	65.7	72.0	69.7	62.2	56.3	55.0
	夜間(22時～6時)	58.2	67.0	62.9	51.0	47.4	46.9
規制基準	朝(6時～8時)	64.0	71.8	69.8	62.7	53.3	51.7
	昼間(8時～19時)	66.8	73.7	71.4	64.1	58.4	57.1
	夕(19時～22時)	59.2	65.8	63.3	55.0	50.6	49.6
	夜間(22時～6時)	58.2	67.0	62.9	51.0	47.4	46.9

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

ウ. 現工場と破砕工場ともに稼働時

測定地点：事業実施区域敷地境界(東)

測定日時：2025年9月3日(水)11時～4日(木)11時

測定日時(補足)：2025年9月5日(金)10時～11時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/09/03 11:00		66.9	73.4	71.0	64.6	57.7	55.8
2025/09/03 12:00		65.9	73.3	70.1	62.7	56.4	55.2
2025/09/03 13:00		66.8	73.2	71.6	63.7	57.9	56.8
2025/09/03 14:00		67.4	74.6	72.3	65.4	59.6	58.5
2025/09/03 15:00		67.6	74.7	72.8	64.6	58.3	56.5
2025/09/03 16:00		66.4	73.9	71.3	63.2	57.5	56.0
2025/09/03 17:00		65.0	71.7	69.2	63.5	58.1	56.7
2025/09/03 18:00		63.2	70.2	67.5	61.5	56.4	54.5
2025/09/03 19:00		60.9	67.5	64.8	57.9	52.0	50.8
2025/09/03 20:00		57.7	68.0	65.0	55.6	49.7	48.9
2025/09/03 21:00		59.2	67.6	62.9	51.8	49.8	49.5
2025/09/03 22:00		60.6	69.5	65.3	53.1	51.6	51.4
2025/09/03 23:00		58.2	71.0	67.2	53.4	48.3	48.0
2025/09/04 0:00		59.9	69.2	65.1	51.4	49.2	48.9
2025/09/04 1:00		56.8	66.3	60.7	50.9	48.0	47.8
2025/09/04 2:00		54.6	60.1	55.7	49.5	47.6	47.3
2025/09/04 3:00		57.7	66.9	62.9	51.7	48.2	47.9
2025/09/04 4:00		57.2	63.0	60.2	51.5	47.8	47.6
2025/09/04 5:00		61.0	69.7	66.1	52.7	48.9	48.3
2025/09/04 6:00		61.5	69.7	67.1	58.6	51.0	49.4
2025/09/04 7:00		65.0	71.7	70.3	64.1	57.7	55.9
2025/09/04 8:00		66.6	73.6	71.0	63.9	57.6	56.2
2025/09/04 9:00		67.3	74.1	71.8	64.4	58.9	57.0
2025/09/05 10:00 ^注		67.5	74.2	71.9	65.0	58.6	57.1
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	65.5	72.0	69.4	61.9	56.1	54.7
	夜間(22時～6時)	58.7	67.0	62.9	51.8	48.7	48.4
規制基準	朝(6時～8時)	63.6	70.7	68.7	61.4	54.4	52.7
	昼間(8時～19時)	66.6	73.4	71.0	63.9	57.9	56.4
	夕(19時～22時)	59.5	67.7	64.2	55.1	50.5	49.7
	夜間(22時～6時)	58.7	67.0	62.9	51.8	48.7	48.4

注) 機器トラブルによって、4日(木)10時台の測定に欠測が生じたため、5日(金)10時台に再測定を実施し、その結果を10時台の結果として補完した。

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

2) 近接施設側敷地境界(西)

ア. 現工場と破碎工場ともに停止時

測定地点：近接施設側敷地境界(西)

測定日時：2025年6月10日(火)12時～11日(水)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/06/10 12:00		63.8	72.7	68.3	65.9	62.7	62.5
2025/06/10 13:00		62.3	69.5	66.1	60.4	59.3	59.0
2025/06/10 14:00		61.0	65.6	63.5	62.3	61.7	61.5
2025/06/10 15:00		55.8	63.4	59.7	50.6	48.4	47.9
2025/06/10 16:00		55.5	62.7	60.1	50.7	48.3	47.9
2025/06/10 17:00		53.0	62.8	59.9	49.9	46.4	46.0
2025/06/10 18:00		50.1	55.4	52.6	47.2	45.4	45.1
2025/06/10 19:00		46.2	50.7	48.9	44.9	42.8	42.5
2025/06/10 20:00		45.6	49.4	47.7	44.4	43.0	42.7
2025/06/10 21:00		45.4	49.3	47.8	44.7	43.8	43.6
2025/06/10 22:00		45.7	49.2	47.6	45.5	44.3	44.1
2025/06/10 23:00		45.9	48.3	47.3	45.8	44.7	44.4
2025/06/11 0:00		46.7	50.8	50.0	46.9	45.6	45.3
2025/06/11 1:00		45.8	49.2	47.9	45.4	44.3	44.0
2025/06/11 2:00		46.0	49.2	48.1	45.6	44.4	44.1
2025/06/11 3:00		46.6	49.6	48.4	45.8	44.6	44.3
2025/06/11 4:00		47.1	52.2	49.9	46.6	45.1	44.9
2025/06/11 5:00		48.1	54.1	50.8	48.7	47.2	46.9
2025/06/11 6:00		51.2	55.2	53.5	50.9	49.8	49.5
2025/06/11 7:00		53.7	59.8	57.6	51.0	49.3	48.9
2025/06/11 8:00		56.8	62.6	60.5	55.0	51.4	51.0
2025/06/11 9:00		58.6	66.2	63.2	56.8	53.3	52.3
2025/06/11 10:00		58.2	68.4	65.2	56.0	50.1	49.6
2025/06/11 11:00		59.5	68.1	65.7	57.2	54.9	54.6
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	57.8	61.4	58.8	53.0	50.7	50.3
	夜間(22時～6時)	46.6	50.3	48.8	46.3	45.0	44.8
規制基準	朝(6時～8時)	52.6	57.5	55.6	51.0	49.6	49.2
	昼間(8時～19時)	59.2	65.2	62.3	55.6	52.9	52.5
	夕(19時～22時)	45.7	49.8	48.1	44.7	43.2	42.9
	夜間(22時～6時)	46.6	50.3	48.8	46.3	45.0	44.8

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 現工場のみ稼働時

測定地点：近接施設側敷地境界(西)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/07/03 12:00		60.3	69.6	63.9	58.1	54.8	54.7
2025/07/03 13:00		59.5	66.0	63.1	58.2	57.8	57.7
2025/07/03 14:00		59.8	68.2	64.9	57.7	55.7	55.5
2025/07/03 15:00		55.4	60.9	58.4	53.8	52.1	51.5
2025/07/03 16:00		55.9	62.5	60.0	53.3	51.5	51.2
2025/07/03 17:00		54.9	63.3	60.7	53.3	51.0	50.6
2025/07/03 18:00		51.9	57.9	55.3	50.7	49.4	49.1
2025/07/03 19:00		51.8	55.3	53.1	51.0	49.7	49.4
2025/07/03 20:00		50.1	52.9	52.3	50.5	49.3	49.1
2025/07/03 21:00		50.0	52.3	51.0	49.1	47.9	47.7
2025/07/03 22:00		48.5	51.5	50.8	49.1	48.2	48.0
2025/07/03 23:00		48.3	50.1	49.6	48.3	47.5	47.4
2025/07/04 0:00		48.4	50.7	49.8	48.5	47.8	47.6
2025/07/04 1:00		48.4	50.0	49.6	48.6	47.9	47.7
2025/07/04 2:00		48.1	49.3	49.0	48.2	47.5	47.3
2025/07/04 3:00		48.0	49.5	48.9	48.1	47.5	47.3
2025/07/04 4:00		49.5	52.1	51.1	49.4	48.5	48.2
2025/07/04 5:00		50.0	54.4	52.2	50.0	48.6	48.3
2025/07/04 6:00		51.3	53.6	52.6	50.6	49.3	48.4
2025/07/04 7:00		54.3	61.1	58.8	51.7	50.1	49.9
2025/07/04 8:00		58.8	65.1	63.1	59.0	50.5	50.0
2025/07/04 9:00		59.3	68.0	63.5	53.2	50.2	50.0
2025/07/04 10:00		59.0	65.5	62.5	52.8	48.7	48.2
2025/07/04 11:00		60.5	67.4	64.3	60.8	60.0	59.8
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	57.2	61.9	59.2	54.0	51.8	51.4
	夜間(22時～6時)	48.7	51.0	50.1	48.8	47.9	47.7
規制基準	朝(6時～8時)	53.1	57.4	55.7	51.2	49.7	49.2
	昼間(8時～19時)	58.4	64.9	61.8	55.5	52.9	52.6
	夕(19時～22時)	50.7	53.5	52.1	50.2	49.0	48.7
	夜間(22時～6時)	48.7	51.0	50.1	48.8	47.9	47.7

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

ウ. 現工場と破砕工場ともに稼働時

測定地点：近接施設側敷地境界(西)

測定日時：2025年9月3日(水)11時～4日(木)11時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/09/03 11:00		61.7	68.3	67.0	62.5	61.4	61.2
2025/09/03 12:00		62.4	65.9	65.6	64.5	61.3	61.1
2025/09/03 13:00		59.2	64.4	63.8	59.3	57.1	56.8
2025/09/03 14:00		59.1	67.6	61.9	57.5	55.8	55.3
2025/09/03 15:00		61.8	67.2	66.6	63.1	61.3	60.8
2025/09/03 16:00		60.1	63.5	62.3	60.4	58.7	58.5
2025/09/03 17:00		55.8	61.8	59.6	56.0	52.9	52.5
2025/09/03 18:00		54.5	58.4	57.0	54.3	52.8	52.5
2025/09/03 19:00		53.6	61.3	58.8	52.7	51.7	51.4
2025/09/03 20:00		51.7	60.1	57.2	50.3	48.8	48.6
2025/09/03 21:00		54.4	61.2	60.4	54.2	48.8	48.5
2025/09/03 22:00		51.4	61.0	60.2	51.6	48.5	48.4
2025/09/03 23:00		48.9	51.5	51.0	49.5	48.9	48.8
2025/09/04 0:00		49.3	51.7	51.1	49.8	48.9	48.8
2025/09/04 1:00		53.2	59.9	59.0	52.4	48.9	48.7
2025/09/04 2:00		50.9	59.6	58.5	50.0	48.8	48.6
2025/09/04 3:00		49.9	54.1	53.7	50.7	48.8	48.7
2025/09/04 4:00		56.6	62.7	61.8	58.6	50.8	50.4
2025/09/04 5:00		51.7	58.8	57.4	50.1	48.9	48.7
2025/09/04 6:00		52.9	57.7	55.7	52.3	51.4	51.2
2025/09/04 7:00		55.7	59.8	58.8	57.0	52.4	50.8
2025/09/04 8:00		57.1	68.6	62.9	55.1	52.2	51.8
2025/09/04 9:00		57.7	64.5	62.2	55.8	53.2	52.8
2025/09/04 10:00		59.3	66.3	61.9	55.7	52.0	51.4
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	58.5	63.5	61.4	56.9	54.5	54.1
	夜間(22時～6時)	52.2	57.4	56.6	51.6	49.1	48.9
規制基準	朝(6時～8時)	54.5	58.8	57.3	54.7	51.9	51.0
	昼間(8時～19時)	59.6	65.1	62.8	58.6	56.2	55.9
	夕(19時～22時)	53.4	60.9	58.8	52.4	49.8	49.5
	夜間(22時～6時)	52.2	57.4	56.6	51.6	49.1	48.9

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

3) 近接施設側敷地境界(北)

ア. 現工場と破碎工場ともに停止時

測定地点: 近接施設側敷地境界(北)

測定日時: 2025年6月10日(火)12時~11日(水)12時

単位: dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/06/10 12:00		64.7	71.4	68.8	63.0	59.4	59.1
2025/06/10 13:00		65.0	72.7	69.7	61.9	59.8	59.3
2025/06/10 14:00		64.9	72.9	69.6	61.7	58.9	58.4
2025/06/10 15:00		64.5	72.1	69.6	60.0	57.5	57.2
2025/06/10 16:00		64.8	72.5	70.4	60.7	57.1	56.8
2025/06/10 17:00		64.7	71.1	68.5	62.1	59.5	59.2
2025/06/10 18:00		64.0	70.6	68.9	62.7	59.5	59.2
2025/06/10 19:00		62.2	67.7	65.1	60.4	59.2	59.1
2025/06/10 20:00		60.4	67.0	62.7	59.6	58.9	58.6
2025/06/10 21:00		61.3	64.6	61.9	61.0	60.5	60.4
2025/06/10 22:00		62.0	66.3	64.6	61.4	60.9	60.8
2025/06/10 23:00		63.0	65.4	64.8	61.8	60.9	60.6
2025/06/11 0:00		63.2	66.2	65.3	62.3	61.4	61.2
2025/06/11 1:00		63.1	65.5	65.2	62.7	61.9	61.7
2025/06/11 2:00		63.1	65.5	65.3	62.7	61.7	61.5
2025/06/11 3:00		63.1	65.3	65.1	62.4	61.5	61.3
2025/06/11 4:00		62.6	65.7	65.2	62.4	61.5	61.2
2025/06/11 5:00		62.9	67.1	64.4	62.2	61.5	61.3
2025/06/11 6:00		63.9	69.1	66.7	62.6	61.8	61.6
2025/06/11 7:00		65.9	71.5	70.0	64.5	62.8	62.6
2025/06/11 8:00		65.3	71.7	69.6	62.9	61.2	60.9
2025/06/11 9:00		65.3	72.7	70.0	62.6	59.2	58.5
2025/06/11 10:00		64.8	71.2	69.0	62.1	58.1	57.7
2025/06/11 11:00		65.5	72.6	70.9	62.2	59.0	58.3
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時~22時)	64.4	70.7	68.2	61.9	59.5	59.2
	夜間(22時~6時)	62.9	65.9	65.0	62.2	61.4	61.2
規制基準	朝(6時~8時)	65.0	70.3	68.4	63.6	62.3	62.1
	昼間(8時~19時)	64.9	72.0	69.5	62.0	59.0	58.6
	夕(19時~22時)	61.4	66.4	63.2	60.3	59.5	59.4
	夜間(22時~6時)	62.9	65.9	65.0	62.2	61.4	61.2

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 現工場のみ稼働時

測定地点：近接施設側敷地境界(北)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/07/03 12:00		65.1	72.1	68.3	62.9	60.2	59.9
2025/07/03 13:00		65.6	73.2	70.3	62.1	58.9	58.6
2025/07/03 14:00		65.1	71.9	70.3	62.4	60.0	59.4
2025/07/03 15:00		66.4	73.6	71.2	63.8	61.0	60.7
2025/07/03 16:00		64.0	71.1	68.8	61.4	59.7	59.4
2025/07/03 17:00		64.5	70.4	68.3	62.3	59.9	59.5
2025/07/03 18:00		63.4	70.5	67.7	61.6	59.3	59.1
2025/07/03 19:00		62.7	69.5	66.7	59.7	58.5	58.3
2025/07/03 20:00		60.7	66.0	62.9	59.0	58.1	58.0
2025/07/03 21:00		60.4	64.4	63.2	61.4	59.3	59.0
2025/07/03 22:00		62.1	67.4	64.0	61.5	59.9	59.4
2025/07/03 23:00		62.2	63.5	62.7	62.0	61.5	61.3
2025/07/04 0:00		62.2	64.2	63.1	62.0	61.5	61.4
2025/07/04 1:00		62.2	64.5	62.8	61.6	61.1	61.0
2025/07/04 2:00		61.6	62.7	62.3	61.6	61.0	60.8
2025/07/04 3:00		61.8	63.0	62.6	62.1	61.5	61.3
2025/07/04 4:00		62.2	65.3	63.1	61.9	61.3	61.1
2025/07/04 5:00		63.5	69.1	66.2	63.0	62.4	62.3
2025/07/04 6:00		62.9	70.4	67.5	61.7	60.8	60.4
2025/07/04 7:00		64.3	71.2	68.0	61.5	59.0	58.7
2025/07/04 8:00		64.6	72.1	69.7	61.9	58.4	58.1
2025/07/04 9:00		65.6	73.0	69.9	61.6	58.6	58.3
2025/07/04 10:00		65.3	72.4	69.7	62.0	59.5	59.0
2025/07/04 11:00		66.1	73.3	71.1	63.1	60.5	60.1
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	64.5	70.9	68.4	61.8	59.5	59.2
	夜間(22時～6時)	62.3	65.0	63.4	62.0	61.3	61.1
規制基準	朝(6時～8時)	63.7	70.8	67.8	61.6	59.9	59.6
	昼間(8時～19時)	65.1	72.1	69.6	62.3	59.6	59.3
	夕(19時～22時)	61.4	66.6	64.3	60.0	58.6	58.4
	夜間(22時～6時)	62.3	65.0	63.4	62.0	61.3	61.1

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

ウ. 現工場と破砕工場ともに稼働時

測定地点：近接施設側敷地境界(北)

測定日時：2025年9月3日(水)11時～4日(木)11時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/09/03 11:00		67.9	73.5	71.6	66.3	64.2	64.0
2025/09/03 12:00		66.8	72.1	70.6	66.3	64.6	64.4
2025/09/03 13:00		65.9	71.9	70.2	64.2	61.1	60.7
2025/09/03 14:00		66.9	72.5	70.8	67.0	64.4	63.8
2025/09/03 15:00		68.1	72.4	71.3	68.6	66.7	66.1
2025/09/03 16:00		67.8	72.6	71.0	68.1	66.6	66.0
2025/09/03 17:00		66.7	71.8	69.9	66.8	65.5	65.3
2025/09/03 18:00		66.4	70.7	69.5	66.3	65.0	64.6
2025/09/03 19:00		65.7	70.2	68.8	65.6	64.6	64.5
2025/09/03 20:00		65.7	69.0	67.3	66.3	66.0	65.9
2025/09/03 21:00		65.4	68.8	68.1	67.3	66.7	66.5
2025/09/03 22:00		65.8	68.7	68.5	67.5	66.9	66.8
2025/09/03 23:00		65.3	69.3	68.9	67.1	66.6	66.5
2025/09/04 0:00		66.4	68.2	67.9	67.4	67.0	66.9
2025/09/04 1:00		65.0	68.0	67.7	67.1	66.5	66.4
2025/09/04 2:00		65.4	68.8	68.6	68.1	67.6	67.4
2025/09/04 3:00		65.5	69.7	68.7	68.2	67.7	67.6
2025/09/04 4:00		64.2	67.6	67.4	67.0	66.5	66.4
2025/09/04 5:00		66.7	69.0	68.7	68.1	67.6	67.5
2025/09/04 6:00		65.6	70.9	68.9	65.5	64.6	64.5
2025/09/04 7:00		65.7	71.4	69.6	66.0	65.0	62.9
2025/09/04 8:00		66.2	71.6	69.6	66.3	65.6	65.5
2025/09/04 9:00		64.8	71.2	69.2	61.6	58.0	57.8
2025/09/04 10:00		65.2	72.4	69.0	60.8	58.1	57.6
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	66.4	71.4	69.7	65.8	64.2	63.8
	夜間(22時～6時)	65.6	68.7	68.3	67.6	67.1	66.9
規制基準	朝(6時～8時)	65.7	71.2	69.3	65.8	64.8	63.7
	昼間(8時～19時)	66.7	72.1	70.2	65.7	63.6	63.3
	夕(19時～22時)	65.6	69.3	68.1	66.4	65.8	65.6
	夜間(22時～6時)	65.6	68.7	68.3	67.6	67.1	66.9

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

4) 事務所側敷地境界(南)

ア. 現工場と破碎工場ともに停止時

測定地点：事務所側敷地境界(南)

測定日時：2025年6月10日(火)12時～11日(水)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/06/10 12:00		59.8	70.4	65.2	56.5	54.1	53.7
2025/06/10 13:00		59.0	67.5	63.6	54.8	51.3	50.3
2025/06/10 14:00		60.7	65.6	62.7	57.6	52.0	51.6
2025/06/10 15:00		56.0	65.4	60.9	51.0	48.7	48.5
2025/06/10 16:00		51.9	58.8	55.3	48.7	46.9	46.7
2025/06/10 17:00		54.9	64.1	60.2	51.7	48.6	48.1
2025/06/10 18:00		50.9	56.5	54.3	49.8	48.5	48.3
2025/06/10 19:00		47.1	50.5	48.6	45.5	44.8	44.6
2025/06/10 20:00		45.6	48.8	47.5	45.3	44.6	44.5
2025/06/10 21:00		46.0	49.7	48.5	46.3	45.1	45.0
2025/06/10 22:00		47.3	51.7	50.4	47.6	46.1	45.9
2025/06/10 23:00		48.7	52.1	50.8	48.7	47.0	46.8
2025/06/11 0:00		50.4	57.0	54.9	50.9	48.1	47.8
2025/06/11 1:00		48.4	51.9	51.0	48.9	47.3	46.9
2025/06/11 2:00		49.3	53.3	51.8	48.7	46.9	46.6
2025/06/11 3:00		49.5	53.0	51.8	49.1	47.3	47.0
2025/06/11 4:00		49.2	52.9	51.7	49.5	47.8	47.4
2025/06/11 5:00		48.9	54.8	53.2	51.6	47.1	46.8
2025/06/11 6:00		52.5	55.8	54.1	52.2	51.4	51.3
2025/06/11 7:00		55.2	64.7	60.6	51.3	49.0	48.6
2025/06/11 8:00		57.5	68.4	65.0	54.5	51.7	51.3
2025/06/11 9:00		55.5	62.8	58.8	52.5	50.6	50.2
2025/06/11 10:00		56.8	65.0	60.2	52.9	51.0	50.6
2025/06/11 11:00		57.9	66.2	62.7	54.0	51.2	50.8
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	56.1	61.3	58.0	51.5	49.3	49.0
	夜間(22時～6時)	49.0	53.3	52.0	49.4	47.2	46.9
規制基準	朝(6時～8時)	54.1	60.3	57.4	51.8	50.2	50.0
	昼間(8時～19時)	57.3	64.6	60.8	53.1	50.4	50.0
	夕(19時～22時)	46.3	49.7	48.2	45.7	44.8	44.7
	夜間(22時～6時)	49.0	53.3	52.0	49.4	47.2	46.9

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 現工場のみ稼働時

測定地点：事務所側敷地境界(南)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/07/03 12:00		58.7	65.8	62.1	56.3	55.7	55.5
2025/07/03 13:00		57.9	66.6	63.0	54.5	52.5	52.4
2025/07/03 14:00		58.5	66.5	61.3	56.9	55.1	54.9
2025/07/03 15:00		59.4	68.0	62.2	57.0	53.8	53.3
2025/07/03 16:00		56.6	63.7	61.4	54.8	52.2	51.8
2025/07/03 17:00		56.1	64.1	62.4	56.2	52.7	52.2
2025/07/03 18:00		52.8	58.1	55.6	52.6	51.3	51.1
2025/07/03 19:00		53.2	58.7	56.7	52.4	51.3	51.1
2025/07/03 20:00		53.8	59.0	57.1	54.1	52.2	51.9
2025/07/03 21:00		52.4	57.2	54.7	51.5	50.8	50.7
2025/07/03 22:00		50.8	52.6	52.1	50.9	50.4	50.3
2025/07/03 23:00		50.6	51.5	51.3	50.8	50.3	50.2
2025/07/04 0:00		50.7	52.9	52.2	50.9	50.3	50.2
2025/07/04 1:00		50.6	52.2	51.7	50.6	50.0	49.8
2025/07/04 2:00		50.5	51.8	51.5	50.6	50.0	49.8
2025/07/04 3:00		50.9	52.3	51.7	50.9	50.4	50.3
2025/07/04 4:00		51.8	53.8	52.8	51.8	51.0	50.7
2025/07/04 5:00		50.9	53.7	52.7	52.1	51.5	50.3
2025/07/04 6:00		52.5	57.6	54.6	51.1	50.0	49.8
2025/07/04 7:00		54.8	61.8	59.3	53.2	51.3	50.8
2025/07/04 8:00		57.7	67.7	62.2	55.2	50.7	50.5
2025/07/04 9:00		59.0	64.5	61.4	54.0	52.0	51.8
2025/07/04 10:00		59.1	66.7	62.9	54.9	52.1	51.8
2025/07/04 11:00		59.4	67.7	64.4	55.6	52.9	52.6
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	57.1	63.4	60.1	54.4	52.3	52.0
	夜間(22時～6時)	50.9	52.6	52.0	51.1	50.5	50.2
規制基準	朝(6時～8時)	53.8	59.7	57.0	52.2	50.7	50.3
	昼間(8時～19時)	58.1	65.4	61.7	55.3	52.8	52.5
	夕(19時～22時)	53.2	58.3	56.2	52.7	51.4	51.2
	夜間(22時～6時)	50.9	52.6	52.0	51.1	50.5	50.2

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

ウ. 現工場と破砕工場ともに稼働時

測定地点：事務所側敷地境界(南)

測定日時：2025年9月3日(水)11時～4日(木)11時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/09/03 11:00		59.4	65.7	63.2	57.5	55.2	54.6
2025/09/03 12:00		60.7	67.8	63.5	56.9	55.0	54.7
2025/09/03 13:00		60.5	67.4	64.2	57.7	55.1	54.7
2025/09/03 14:00		60.3	66.6	65.0	59.1	57.3	57.0
2025/09/03 15:00		59.1	65.7	62.5	57.4	55.5	55.1
2025/09/03 16:00		57.3	62.6	60.4	55.9	54.0	53.7
2025/09/03 17:00		55.6	61.9	59.6	55.3	53.4	53.1
2025/09/03 18:00		53.4	58.4	55.7	52.3	51.7	51.6
2025/09/03 19:00		52.8	56.9	56.5	53.1	51.8	51.7
2025/09/03 20:00		51.4	55.5	54.0	50.8	50.2	50.0
2025/09/03 21:00		50.5	52.3	51.2	50.3	49.8	49.7
2025/09/03 22:00		51.0	52.8	52.2	50.5	50.1	50.0
2025/09/03 23:00		50.3	51.0	50.8	50.4	50.0	50.0
2025/09/04 0:00		50.4	51.1	50.8	50.3	49.9	49.8
2025/09/04 1:00		50.3	51.2	50.9	50.3	49.9	49.9
2025/09/04 2:00		50.3	50.9	50.8	50.3	49.9	49.9
2025/09/04 3:00		50.3	52.2	51.4	50.5	50.0	49.9
2025/09/04 4:00		50.2	51.3	50.9	50.4	50.1	49.9
2025/09/04 5:00		50.9	51.8	51.2	50.6	50.2	50.1
2025/09/04 6:00		53.6	56.6	54.6	52.5	51.8	51.7
2025/09/04 7:00		55.1	61.6	58.5	50.9	49.8	49.7
2025/09/04 8:00		55.9	61.9	58.8	52.0	50.0	49.8
2025/09/04 9:00		56.8	62.3	58.9	52.7	50.6	50.3
2025/09/04 10:00		57.8	66.9	61.2	53.1	50.9	50.5
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	57.3	61.9	59.2	54.2	52.6	52.4
	夜間(22時～6時)	50.5	51.5	51.1	50.4	50.0	49.9
規制基準	朝(6時～8時)	54.4	59.1	56.6	51.7	50.8	50.7
	昼間(8時～19時)	58.4	64.3	61.2	55.4	53.5	53.2
	夕(19時～22時)	51.7	54.9	53.9	51.4	50.6	50.5
	夜間(22時～6時)	50.5	51.5	51.1	50.4	50.0	49.9

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

5) 最寄住居 1 (北側)

ア. 現工場と破碎工場ともに停止時

測定地点：最寄住居 1 (北側)

測定日時：2025年6月10日(火)12時～11日(水)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/06/10 12:00		62.7	65.1	64.8	63.9	60.7	60.5
2025/06/10 13:00		62.3	67.3	65.1	62.3	61.4	61.2
2025/06/10 14:00		60.9	63.3	62.5	60.8	59.7	59.4
2025/06/10 15:00		58.8	62.7	61.4	59.8	58.0	57.8
2025/06/10 16:00		56.8	60.8	59.8	57.1	55.5	55.2
2025/06/10 17:00		60.4	62.2	61.9	61.0	60.1	59.9
2025/06/10 18:00		60.9	63.0	62.6	61.1	59.6	59.3
2025/06/10 19:00		60.9	63.4	62.6	61.2	59.9	59.4
2025/06/10 20:00		63.9	65.9	65.8	65.4	64.5	64.0
2025/06/10 21:00		65.4	67.9	67.7	67.1	66.6	66.4
2025/06/10 22:00		67.2	68.2	68.1	67.4	66.8	66.6
2025/06/10 23:00		66.5	67.7	67.5	66.8	66.2	66.0
2025/06/11 0:00		66.4	67.5	67.3	66.5	65.6	65.4
2025/06/11 1:00		66.9	71.3	69.5	67.4	66.9	66.7
2025/06/11 2:00		67.1	68.1	68.0	67.3	66.6	66.4
2025/06/11 3:00		67.2	68.2	68.1	67.3	66.6	66.4
2025/06/11 4:00		67.4	68.7	68.5	67.9	67.3	67.2
2025/06/11 5:00		67.3	68.5	68.3	67.7	67.1	66.9
2025/06/11 6:00		67.2	68.5	68.0	67.4	66.8	66.7
2025/06/11 7:00		66.9	67.8	67.5	67.0	66.5	66.4
2025/06/11 8:00		64.3	67.6	67.1	66.4	65.9	65.7
2025/06/11 9:00		58.8	62.6	61.5	59.8	58.7	58.3
2025/06/11 10:00		61.0	64.5	63.9	62.3	60.0	59.8
2025/06/11 11:00		60.5	63.8	63.3	61.5	60.6	60.4
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	62.9	64.8	64.1	62.8	61.5	61.3
	夜間(22時～6時)	67.0	68.5	68.2	67.3	66.6	66.5
規制基準	朝(6時～8時)	67.1	68.2	67.8	67.2	66.7	66.6
	昼間(8時～19時)	61.1	63.9	63.1	61.5	60.0	59.8
	夕(19時～22時)	63.8	65.7	65.4	64.6	63.7	63.3
	夜間(22時～6時)	67.0	68.5	68.2	67.3	66.6	66.5

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 現工場のみ稼働時

測定地点：最寄住居 1 (北側)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/07/03 12:00		63.2	66.3	64.6	63.3	62.7	62.6
2025/07/03 13:00		62.8	67.6	65.3	63.0	62.4	62.2
2025/07/03 14:00		63.4	66.9	64.8	63.6	62.8	62.6
2025/07/03 15:00		63.9	66.5	65.6	64.2	63.0	62.9
2025/07/03 16:00		62.5	65.5	65.0	63.5	62.7	62.5
2025/07/03 17:00		61.4	64.4	64.0	61.5	60.1	59.9
2025/07/03 18:00		62.0	65.4	64.2	62.1	61.3	61.1
2025/07/03 19:00		63.6	66.0	65.6	64.6	63.9	63.7
2025/07/03 20:00		62.9	64.8	64.4	63.4	62.1	61.9
2025/07/03 21:00		65.0	66.8	66.5	65.9	65.2	65.0
2025/07/03 22:00		65.8	71.3	67.8	66.6	63.8	63.7
2025/07/03 23:00		66.1	68.0	67.7	67.0	64.6	63.8
2025/07/04 0:00		66.2	68.0	67.8	67.2	65.5	63.9
2025/07/04 1:00		66.2	67.9	67.7	67.2	66.6	66.4
2025/07/04 2:00		66.6	68.8	68.5	67.4	66.5	66.2
2025/07/04 3:00		66.6	68.4	68.3	67.3	65.2	64.8
2025/07/04 4:00		66.9	68.8	68.5	67.7	66.8	66.6
2025/07/04 5:00		65.8	68.9	68.7	67.6	65.6	64.9
2025/07/04 6:00		64.8	66.5	65.9	64.8	63.9	63.6
2025/07/04 7:00		65.7	69.3	69.1	65.8	63.8	63.5
2025/07/04 8:00		63.7	69.9	69.3	65.1	63.4	63.3
2025/07/04 9:00		63.5	65.9	65.1	64.0	63.5	63.3
2025/07/04 10:00		61.5	64.2	63.6	61.7	60.9	60.7
2025/07/04 11:00		63.5	66.2	65.4	64.1	63.5	63.3
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	63.5	66.4	65.5	63.8	62.8	62.6
	夜間(22時～6時)	66.3	68.8	68.1	67.3	65.6	65.0
規制基準	朝(6時～8時)	65.3	67.9	67.5	65.3	63.9	63.6
	昼間(8時～19時)	62.9	66.3	65.2	63.3	62.4	62.2
	夕(19時～22時)	63.9	65.9	65.5	64.6	63.7	63.5
	夜間(22時～6時)	66.3	68.8	68.1	67.3	65.6	65.0

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

ウ. 現工場と破砕工場ともに稼働時

測定地点：最寄住居 1 (北側)

測定日時：2025年9月3日(水)11時～4日(木)11時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/09/03 11:00		63.4	67.1	66.2	64.2	62.0	61.8
2025/09/03 12:00		64.3	67.1	66.2	64.9	63.8	63.6
2025/09/03 13:00		63.0	66.7	65.8	64.5	63.4	62.4
2025/09/03 14:00		70.4	72.4	72.3	71.9	71.5	71.4
2025/09/03 15:00		67.6	72.4	72.3	71.9	71.5	71.4
2025/09/03 16:00		61.3	65.7	64.3	60.2	57.9	57.5
2025/09/03 17:00		64.0	68.4	68.2	66.4	65.2	65.0
2025/09/03 18:00		62.2	65.4	64.3	62.8	62.0	61.8
2025/09/03 19:00		63.4	67.6	66.1	63.3	62.4	62.3
2025/09/03 20:00		64.0	65.9	65.1	64.5	64.2	64.1
2025/09/03 21:00		64.6	66.3	66.1	65.4	64.9	64.8
2025/09/03 22:00		66.0	68.0	67.8	67.2	66.8	66.7
2025/09/03 23:00		64.8	67.0	66.4	65.9	65.4	65.3
2025/09/04 0:00		64.4	65.4	65.3	64.9	64.4	64.3
2025/09/04 1:00		64.8	66.1	65.9	65.4	64.9	64.8
2025/09/04 2:00		65.5	68.2	67.9	65.9	65.5	65.4
2025/09/04 3:00		67.3	68.1	67.8	67.4	67.0	66.9
2025/09/04 4:00		68.5	71.2	71.1	69.2	68.6	68.4
2025/09/04 5:00		67.5	69.7	69.6	69.0	67.0	66.9
2025/09/04 6:00		65.9	69.9	68.3	67.7	66.5	66.3
2025/09/04 7:00		62.2	64.1	63.6	62.5	62.0	61.8
2025/09/04 8:00		62.9	66.6	65.6	64.3	62.5	62.4
2025/09/04 9:00		61.2	64.4	63.2	62.0	61.3	61.2
2025/09/04 10:00		60.4	63.4	61.9	60.4	59.6	59.4
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	64.6	67.1	66.2	64.8	63.8	63.6
	夜間(22時～6時)	66.3	68.0	67.7	66.9	66.2	66.1
規制基準	朝(6時～8時)	64.4	67.0	66.0	65.1	64.3	64.1
	昼間(8時～19時)	64.8	67.2	66.4	64.9	63.7	63.4
	夕(19時～22時)	64.0	66.6	65.8	64.4	63.8	63.7
	夜間(22時～6時)	66.3	68.0	67.7	66.9	66.2	66.1

※基準時間帯平均は、L_{Aeq} はエネルギー平均、その他は算術平均により算出した。

6) 最寄住居 2 (西側)

ア. 現工場と破碎工場ともに停止時

測定地点：最寄住居 2 (西側)

測定日時：2025年6月10日(火)12時～11日(水)12時

単位：dB

日時		L_{Aeq}	L_{A5}	L_{A10}	L_{A50}	L_{A90}	L_{A95}
2025/06/10 12:00		57.3	63.4	61.7	55.4	51.2	50.5
2025/06/10 13:00		57.4	63.9	61.8	55.5	50.9	49.9
2025/06/10 14:00		57.9	64.1	62.3	55.8	51.3	50.6
2025/06/10 15:00		57.0	62.9	62.1	54.6	50.8	50.0
2025/06/10 16:00		57.7	64.2	62.7	55.5	50.7	50.1
2025/06/10 17:00		57.7	63.4	61.7	56.1	50.7	49.9
2025/06/10 18:00		57.0	63.8	62.3	57.6	51.2	49.8
2025/06/10 19:00		55.0	61.8	59.7	51.8	46.8	45.9
2025/06/10 20:00		52.8	59.4	56.9	49.8	44.2	43.4
2025/06/10 21:00		51.3	58.2	56.0	48.0	43.6	43.0
2025/06/10 22:00		50.7	57.0	54.9	47.1	43.5	43.0
2025/06/10 23:00		50.2	57.4	55.0	47.1	44.0	43.3
2025/06/11 0:00		49.4	55.3	53.0	46.9	44.3	43.9
2025/06/11 1:00		48.8	55.7	53.3	46.4	43.4	42.9
2025/06/11 2:00		47.6	54.5	52.1	45.2	42.6	42.2
2025/06/11 3:00		48.1	55.5	52.4	44.3	42.3	42.0
2025/06/11 4:00		51.0	57.3	55.0	50.4	44.7	44.1
2025/06/11 5:00		52.7	60.3	58.2	50.8	48.2	47.6
2025/06/11 6:00		56.3	62.2	60.9	55.2	52.5	52.0
2025/06/11 7:00		57.4	63.9	62.1	56.0	51.8	51.2
2025/06/11 8:00		57.8	63.8	63.4	56.0	53.1	52.3
2025/06/11 9:00		57.7	64.0	61.9	56.2	54.0	53.5
2025/06/11 10:00		56.8	62.7	61.1	55.5	51.0	50.4
2025/06/11 11:00		57.4	65.0	63.4	56.1	50.8	50.3
基準時間帯平均		L_{Aeq}	L_{A5}	L_{A10}	L_{A50}	L_{A90}	L_{A95}
環境基準	昼間(6時～22時)	56.8	62.9	61.3	54.7	50.3	49.6
	夜間(22時～6時)	50.1	56.6	54.2	47.3	44.1	43.6
規制基準	朝(6時～8時)	56.9	63.1	61.5	55.6	52.2	51.6
	昼間(8時～19時)	57.4	63.7	62.2	55.8	51.4	50.7
	夕(19時～22時)	53.3	59.8	57.5	49.9	44.9	44.1
	夜間(22時～6時)	50.1	56.6	54.2	47.3	44.1	43.6

※基準時間帯平均は、 L_{Aeq} はエネルギー平均、その他は算術平均により算出した。

イ. 現工場のみ稼働時

測定地点：最寄住居 2 (西側)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/07/03 12:00		56.2	61.9	60.1	54.3	51.3	50.7
2025/07/03 13:00		57.0	62.6	60.9	55.3	52.5	52.1
2025/07/03 14:00		57.3	63.0	61.0	55.9	53.2	52.5
2025/07/03 15:00		58.1	63.7	62.6	57.5	53.6	53.0
2025/07/03 16:00		58.5	63.8	62.8	56.8	53.5	52.5
2025/07/03 17:00		57.1	63.2	61.9	55.9	53.0	52.4
2025/07/03 18:00		56.9	62.7	61.7	55.3	53.4	52.9
2025/07/03 19:00		56.4	61.9	60.5	54.9	51.8	51.4
2025/07/03 20:00		55.2	60.7	59.0	53.8	50.7	50.3
2025/07/03 21:00		54.6	61.5	59.9	52.5	48.7	48.2
2025/07/03 22:00		51.0	57.3	55.4	48.7	46.8	46.5
2025/07/03 23:00		50.2	57.4	54.9	47.4	45.7	45.4
2025/07/04 0:00		50.5	58.6	55.9	47.9	45.8	45.6
2025/07/04 1:00		49.1	54.8	52.7	47.1	45.6	45.3
2025/07/04 2:00		48.9	56.3	52.7	47.0	45.5	45.2
2025/07/04 3:00		49.4	55.0	52.2	47.0	45.3	45.0
2025/07/04 4:00		51.7	58.3	56.3	50.2	47.1	46.8
2025/07/04 5:00		53.4	59.8	58.3	50.6	46.5	46.0
2025/07/04 6:00		57.0	63.3	61.7	55.6	51.2	50.7
2025/07/04 7:00		59.2	65.1	63.9	57.4	53.1	52.4
2025/07/04 8:00		58.1	64.1	62.7	55.8	52.9	52.2
2025/07/04 9:00		58.6	64.7	63.3	57.2	52.8	51.8
2025/07/04 10:00		58.6	64.7	63.1	57.1	53.4	52.9
2025/07/04 11:00		57.3	64.2	61.9	55.2	52.6	52.3
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	57.4	63.2	61.7	55.7	52.4	51.8
	夜間(22時～6時)	50.8	57.2	54.8	48.2	46.0	45.7
規制基準	朝(6時～8時)	58.2	64.2	62.8	56.5	52.2	51.6
	昼間(8時～19時)	57.7	63.5	62.0	56.0	52.9	52.3
	夕(19時～22時)	55.5	61.4	59.8	53.7	50.4	50.0
	夜間(22時～6時)	50.8	57.2	54.8	48.2	46.0	45.7

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

ウ. 現工場と破砕工場ともに稼働時

測定地点：最寄住居 2 (西側)

測定日時：2025年9月3日(水)11時～4日(木)11時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/09/03 11:00		59.6	65.8	63.9	56.8	53.1	51.9
2025/09/03 12:00		58.6	64.7	63.0	56.4	52.7	51.8
2025/09/03 13:00		59.3	65.9	63.5	56.9	52.3	51.7
2025/09/03 14:00		59.1	64.4	63.1	57.1	53.0	52.3
2025/09/03 15:00		59.2	65.0	63.5	56.9	53.0	52.2
2025/09/03 16:00		58.7	64.7	63.1	57.9	52.2	51.4
2025/09/03 17:00		58.3	64.0	62.8	55.9	51.8	51.5
2025/09/03 18:00		57.4	63.8	62.3	55.4	51.2	50.8
2025/09/03 19:00		56.7	63.1	61.6	54.0	49.9	49.2
2025/09/03 20:00		54.8	62.0	59.4	52.4	48.9	48.0
2025/09/03 21:00		53.8	61.4	59.1	51.8	47.4	46.6
2025/09/03 22:00		53.3	60.0	58.2	50.2	45.9	45.2
2025/09/03 23:00		51.7	57.5	54.9	48.5	45.6	45.2
2025/09/04 0:00		51.2	57.7	54.9	49.2	46.3	45.6
2025/09/04 1:00		51.3	56.3	54.0	50.6	48.3	47.4
2025/09/04 2:00		51.1	57.2	54.1	50.1	46.9	46.2
2025/09/04 3:00		52.0	57.3	55.0	50.7	47.8	47.1
2025/09/04 4:00		53.5	58.4	56.5	52.9	50.4	49.8
2025/09/04 5:00		54.5	62.3	59.4	51.9	47.5	46.2
2025/09/04 6:00		57.7	64.2	62.6	55.1	52.0	51.3
2025/09/04 7:00		58.0	63.8	62.4	55.8	51.8	51.4
2025/09/04 8:00		58.0	63.9	62.4	55.5	51.7	51.1
2025/09/04 9:00		57.8	64.2	62.6	56.7	51.2	50.1
2025/09/04 10:00		57.9	63.7	62.0	55.0	51.1	50.3
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	58.0	64.0	62.3	55.6	51.5	50.7
	夜間(22時～6時)	52.5	58.3	55.9	50.5	47.3	46.6
規制基準	朝(6時～8時)	57.9	64.0	62.5	55.5	51.9	51.4
	昼間(8時～19時)	58.6	64.6	62.9	56.4	52.1	51.4
	夕(19時～22時)	55.3	62.2	60.0	52.7	48.7	47.9
	夜間(22時～6時)	52.5	58.3	55.9	50.5	47.3	46.6

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

(2) 道路交通騒音調査結果

1) 住居前 (追分通北側)

ア. 平日

測定地点：住居前 (追分通北側)

測定日時：2025年10月15日(水)12時～16日(木)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/15 12:00		64.0	70.2	68.9	61.9	58.3	57.8
2025/10/15 13:00		64.8	70.2	69.1	63.0	59.2	58.6
2025/10/15 14:00		65.7	71.7	70.8	63.5	58.1	57.1
2025/10/15 15:00		65.9	71.5	70.5	64.5	59.4	58.7
2025/10/15 16:00		65.4	72.1	71.1	64.7	57.0	56.2
2025/10/15 17:00		64.2	70.9	69.4	62.9	57.0	56.1
2025/10/15 18:00		63.2	70.6	69.6	60.4	56.2	55.5
2025/10/15 19:00		62.5	70.0	68.0	59.4	53.2	52.2
2025/10/15 20:00		61.8	69.6	67.8	57.9	53.9	52.9
2025/10/15 21:00		61.2	67.9	65.9	58.0	55.8	55.6
2025/10/15 22:00		59.6	66.8	65.0	56.2	54.4	53.9
2025/10/15 23:00		59.6	68.3	65.1	55.6	54.0	53.6
2025/10/16 0:00		59.1	68.6	65.3	55.9	54.1	53.9
2025/10/16 1:00		58.3	65.8	65.2	56.5	55.4	55.2
2025/10/16 2:00		58.3	62.8	61.0	57.2	56.5	56.2
2025/10/16 3:00		59.5	64.9	62.8	58.8	57.7	57.5
2025/10/16 4:00		61.0	67.2	65.3	59.4	58.2	58.0
2025/10/16 5:00		61.2	66.9	65.9	59.7	57.4	57.1
2025/10/16 6:00		64.5	71.1	69.7	63.2	61.5	59.8
2025/10/16 7:00		65.6	71.3	70.0	64.3	58.8	57.8
2025/10/16 8:00		65.3	70.8	69.6	63.8	58.5	57.8
2025/10/16 9:00		65.1	71.5	70.1	63.0	58.2	57.2
2025/10/16 10:00		64.5	70.5	69.0	62.7	58.0	57.4
2025/10/16 11:00		64.5	70.5	69.4	62.6	59.5	59.0
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	64.5	70.7	69.3	62.2	57.7	56.9
	夜間(22時～6時)	59.7	66.4	64.5	57.4	56.0	55.7
規制基準	朝(6時～8時)	65.1	71.2	69.9	63.8	60.2	58.8
	昼間(8時～19時)	64.8	71.0	69.8	63.0	58.1	57.4
	夕(19時～22時)	61.9	69.2	67.2	58.4	54.3	53.6
	夜間(22時～6時)	59.7	66.4	64.5	57.4	56.0	55.7

※基準時間帯平均は、L_{Aeq} はエネルギー平均、その他は算術平均により算出した。

イ. 休日

測定地点：住居前(追分通北側)

測定日時：2025年10月25日(土)12時～26日(日)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/25 12:00		70.7	73.4	72.8	70.3	69.3	69.2
2025/10/25 13:00		70.7	73.8	72.5	70.3	69.4	69.3
2025/10/25 14:00		71.1	73.8	73.2	70.7	69.8	69.6
2025/10/25 15:00		71.2	74.0	73.5	70.8	69.7	69.5
2025/10/25 16:00		68.3	73.9	72.9	70.3	69.4	69.3
2025/10/25 17:00		64.5	71.1	69.9	61.6	54.6	53.6
2025/10/25 18:00		63.3	69.7	69.0	59.1	53.6	52.4
2025/10/25 19:00		62.7	69.9	68.8	58.5	52.8	52.2
2025/10/25 20:00		62.4	70.5	68.3	58.0	52.0	51.5
2025/10/25 21:00		61.1	69.2	66.5	56.2	51.8	51.2
2025/10/25 22:00		60.2	68.0	66.0	56.3	50.8	50.5
2025/10/25 23:00		59.0	67.2	64.1	55.2	53.3	53.0
2025/10/26 0:00		59.0	66.2	64.4	57.1	53.7	52.9
2025/10/26 1:00		58.4	66.1	63.2	54.6	53.1	52.8
2025/10/26 2:00		56.1	62.7	59.5	55.1	53.6	53.3
2025/10/26 3:00		57.4	64.4	62.1	55.1	53.5	53.2
2025/10/26 4:00		57.8	64.8	61.6	55.4	53.8	53.5
2025/10/26 5:00		59.1	67.6	64.9	54.7	53.0	52.7
2025/10/26 6:00		60.4	67.1	65.0	55.1	51.6	50.9
2025/10/26 7:00		61.1	68.7	66.8	57.7	54.0	53.6
2025/10/26 8:00		62.6	69.8	68.1	58.0	52.2	51.5
2025/10/26 9:00		62.3	69.6	68.3	59.9	52.7	51.6
2025/10/26 10:00		63.1	70.2	68.8	60.4	54.6	53.8
2025/10/26 11:00		62.1	67.8	66.9	59.9	54.0	52.5
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	66.8	70.8	69.5	62.3	58.2	57.6
	夜間(22時～6時)	58.5	65.9	63.2	55.4	53.1	52.7
規制基準	朝(6時～8時)	60.8	67.9	65.9	56.4	52.8	52.3
	昼間(8時～19時)	67.9	71.6	70.5	64.7	60.8	60.2
	夕(19時～22時)	62.1	69.9	67.9	57.6	52.2	51.6
	夜間(22時～6時)	58.5	65.9	63.2	55.4	53.1	52.7

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

2) 住居前 (追分通南側)

ア. 平日

測定地点：住居前 (追分通南側)

測定日時：2025年10月15日(水)12時～16日(木)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/15 12:00		62.8	69.6	67.1	60.9	53.9	52.6
2025/10/15 13:00		63.2	70.2	68.2	60.9	54.2	53.1
2025/10/15 14:00		63.6	70.5	69.0	61.6	54.7	53.8
2025/10/15 15:00		63.9	70.9	68.5	61.1	54.6	53.2
2025/10/15 16:00		63.6	69.9	68.5	60.4	55.1	53.6
2025/10/15 17:00		62.3	69.0	67.8	60.1	54.7	54.1
2025/10/15 18:00		62.1	68.1	66.5	59.5	53.9	53.0
2025/10/15 19:00		60.7	67.4	65.7	57.5	50.7	49.7
2025/10/15 20:00		60.4	68.5	65.5	55.7	49.5	48.7
2025/10/15 21:00		59.9	66.1	63.5	58.5	56.1	55.7
2025/10/15 22:00		58.1	65.1	62.6	57.3	54.0	50.2
2025/10/15 23:00		56.8	65.5	62.7	51.1	46.4	45.5
2025/10/16 0:00		55.4	66.8	63.9	50.2	44.8	43.9
2025/10/16 1:00		53.9	60.8	56.9	48.3	44.8	44.3
2025/10/16 2:00		52.2	59.9	55.9	47.0	43.9	43.5
2025/10/16 3:00		53.6	61.1	56.9	47.4	44.1	43.7
2025/10/16 4:00		55.7	63.7	60.8	49.1	44.8	44.2
2025/10/16 5:00		57.9	66.1	63.3	52.3	47.0	46.5
2025/10/16 6:00		62.0	68.8	66.9	59.3	53.1	52.5
2025/10/16 7:00		64.0	70.1	68.4	61.2	57.0	56.6
2025/10/16 8:00		63.9	70.6	69.4	61.6	56.9	55.7
2025/10/16 9:00		63.4	69.8	68.3	60.6	54.1	52.8
2025/10/16 10:00		63.1	69.5	67.8	61.2	54.8	54.0
2025/10/16 11:00		62.8	69.1	67.0	61.2	54.9	54.0
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	62.8	69.3	67.4	60.1	54.3	53.3
	夜間(22時～6時)	55.9	63.6	60.4	50.3	46.2	45.2
規制基準	朝(6時～8時)	63.1	69.5	67.7	60.3	55.1	54.6
	昼間(8時～19時)	63.2	69.7	68.0	60.8	54.7	53.6
	夕(19時～22時)	60.3	67.3	64.9	57.2	52.1	51.4
	夜間(22時～6時)	55.9	63.6	60.4	50.3	46.2	45.2

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 休日

測定地点：住居前(追分通南側)

測定日時：2025年10月25日(土)12時～26日(日)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/25 12:00		63.1	69.5	68.0	60.8	55.8	54.4
2025/10/25 13:00		62.8	69.8	67.7	60.2	54.6	53.1
2025/10/25 14:00		62.4	69.1	67.5	60.3	54.3	52.9
2025/10/25 15:00		63.0	69.9	68.2	60.6	54.6	53.6
2025/10/25 16:00		62.8	68.3	67.1	61.1	55.7	54.7
2025/10/25 17:00		62.4	68.2	67.3	61.9	58.6	55.8
2025/10/25 18:00		61.9	68.8	67.2	59.9	55.1	54.4
2025/10/25 19:00		61.4	69.5	66.6	58.2	53.1	52.4
2025/10/25 20:00		60.3	67.1	65.2	56.1	51.0	50.2
2025/10/25 21:00		59.4	67.0	64.1	55.1	49.0	47.7
2025/10/25 22:00		58.8	66.8	64.2	53.6	48.1	47.1
2025/10/25 23:00		57.6	65.3	61.1	52.1	48.1	47.4
2025/10/26 0:00		56.8	65.3	62.2	51.1	46.6	45.8
2025/10/26 1:00		55.3	62.8	58.3	49.7	46.1	45.4
2025/10/26 2:00		52.6	60.3	56.1	46.9	43.4	42.9
2025/10/26 3:00		53.2	62.0	56.9	45.0	41.7	41.3
2025/10/26 4:00		55.0	63.9	58.9	46.5	42.1	41.7
2025/10/26 5:00		56.3	64.3	62.2	49.4	42.2	41.7
2025/10/26 6:00		58.4	66.8	63.9	53.4	47.3	46.7
2025/10/26 7:00		60.1	67.3	65.1	54.9	48.6	47.8
2025/10/26 8:00		61.4	68.7	66.3	56.9	50.7	49.7
2025/10/26 9:00		61.4	69.0	67.1	58.3	51.4	50.7
2025/10/26 10:00		61.4	67.7	66.4	58.8	54.1	52.9
2025/10/26 11:00		61.5	68.3	66.5	58.8	52.9	51.9
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	61.7	68.4	66.5	58.5	52.9	51.8
	夜間(22時～6時)	56.1	63.8	60.0	49.3	44.8	44.2
規制基準	朝(6時～8時)	59.3	67.1	64.5	54.2	48.0	47.3
	昼間(8時～19時)	62.2	68.8	67.2	59.8	54.3	53.1
	夕(19時～22時)	60.4	67.9	65.3	56.5	51.0	50.1
	夜間(22時～6時)	56.1	63.8	60.0	49.3	44.8	44.2

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

3) 北発寒公園(下手稲通西側)

ア. 平日

測定地点：北発寒公園(下手稲通西側)

測定日時：2025年10月15日(水)12時～16日(木)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/15 12:00		67.7	73.4	72.2	66.1	57.0	55.3
2025/10/15 13:00		67.8	73.4	72.1	66.5	57.9	56.2
2025/10/15 14:00		67.7	73.6	72.2	66.6	58.2	55.5
2025/10/15 15:00		67.9	73.9	72.3	66.2	57.4	54.9
2025/10/15 16:00		67.3	73.4	71.9	66.6	56.6	55.0
2025/10/15 17:00		67.7	73.1	72.1	66.6	55.2	53.0
2025/10/15 18:00		68.1	74.1	72.4	66.3	56.5	54.2
2025/10/15 19:00		67.4	74.0	72.3	65.2	54.5	51.7
2025/10/15 20:00		66.5	73.4	71.6	62.2	51.4	49.5
2025/10/15 21:00		65.0	72.4	70.6	60.2	48.9	47.5
2025/10/15 22:00		63.7	72.2	69.3	55.5	45.1	43.5
2025/10/15 23:00		62.4	70.9	68.4	53.2	44.2	43.1
2025/10/16 0:00		60.1	69.0	64.5	47.8	41.1	40.4
2025/10/16 1:00		61.1	69.4	65.9	46.3	40.7	40.2
2025/10/16 2:00		59.3	68.3	62.4	45.1	40.2	39.7
2025/10/16 3:00		59.7	67.3	62.2	46.2	39.8	39.0
2025/10/16 4:00		59.1	68.3	62.3	45.2	40.5	40.0
2025/10/16 5:00		63.4	72.7	70.2	55.9	45.5	43.9
2025/10/16 6:00		67.4	75.3	74.0	62.8	51.8	50.2
2025/10/16 7:00		69.7	75.9	74.6	68.5	57.4	55.6
2025/10/16 8:00		68.6	74.8	73.4	67.1	55.7	54.1
2025/10/16 9:00		68.3	74.4	73.0	66.1	55.3	52.9
2025/10/16 10:00		67.5	73.4	71.9	64.6	55.0	53.3
2025/10/16 11:00		67.6	74.4	73.0	67.1	57.6	55.2
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	67.7	73.9	72.5	65.5	55.4	53.4
	夜間(22時～6時)	61.5	69.8	65.7	49.4	42.1	41.2
規制基準	朝(6時～8時)	68.7	75.6	74.3	65.7	54.6	52.9
	昼間(8時～19時)	67.9	73.8	72.4	66.3	56.6	54.5
	夕(19時～22時)	66.4	73.3	71.5	62.5	51.6	49.6
	夜間(22時～6時)	61.5	69.8	65.7	49.4	42.1	41.2

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 休日

測定地点：北発寒公園(下手稲通西側)

測定日時：2025年10月25日(土)12時～26日(日)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/25 12:00		68.2	73.5	72.4	66.8	59.0	56.9
2025/10/25 13:00		67.9	73.3	72.1	66.7	56.8	53.5
2025/10/25 14:00		67.9	73.0	72.1	67.3	58.2	56.1
2025/10/25 15:00		67.6	73.2	71.9	67.2	58.6	55.6
2025/10/25 16:00		68.0	73.4	72.1	67.3	59.4	57.6
2025/10/25 17:00		67.7	73.1	71.7	66.9	58.0	56.0
2025/10/25 18:00		67.7	73.9	72.4	67.1	59.2	56.9
2025/10/25 19:00		67.8	74.0	72.4	65.5	57.0	55.1
2025/10/25 20:00		67.0	73.7	72.3	64.4	53.5	51.3
2025/10/25 21:00		65.8	73.6	71.7	60.3	51.3	50.2
2025/10/25 22:00		65.3	72.8	70.7	58.8	50.4	48.6
2025/10/25 23:00		64.7	73.2	70.8	56.7	48.0	46.9
2025/10/26 0:00		62.1	70.7	67.8	52.7	45.8	45.4
2025/10/26 1:00		61.2	70.4	66.3	51.0	44.3	43.7
2025/10/26 2:00		60.3	68.9	65.6	52.6	45.8	44.0
2025/10/26 3:00		58.8	67.6	64.1	47.2	40.6	39.9
2025/10/26 4:00		59.1	68.5	65.9	47.8	40.6	40.0
2025/10/26 5:00		60.7	69.2	65.1	48.0	42.0	41.2
2025/10/26 6:00		63.7	72.4	70.2	56.3	46.4	45.5
2025/10/26 7:00		66.6	74.2	72.5	62.2	50.2	49.1
2025/10/26 8:00		67.8	74.2	73.0	65.0	53.8	52.2
2025/10/26 9:00		67.4	74.0	72.5	65.7	55.9	54.5
2025/10/26 10:00		66.7	72.2	71.0	64.9	56.1	54.4
2025/10/26 11:00		67.4	73.0	72.0	67.1	56.4	55.2
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	67.3	73.4	72.0	65.0	55.6	53.8
	夜間(22時～6時)	62.1	70.2	67.0	51.9	44.7	43.7
規制基準	朝(6時～8時)	65.4	73.3	71.4	59.3	48.3	47.3
	昼間(8時～19時)	67.7	73.3	72.1	66.5	57.4	55.4
	夕(19時～22時)	66.9	73.8	72.1	63.4	53.9	52.2
	夜間(22時～6時)	62.1	70.2	67.0	51.9	44.7	43.7

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

4) 札幌整形外科前(下手稲通東側)

ア. 平日

測定地点：札幌整形外科前(下手稲通東側)

測定日時：2025年10月15日(水)12時～16日(木)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/15 12:00		70.6	76.7	75.1	67.4	56.0	55.1
2025/10/15 13:00		70.1	76.3	74.8	67.4	56.7	55.2
2025/10/15 14:00		70.1	76.1	74.5	67.3	56.8	55.3
2025/10/15 15:00		70.4	76.4	75.3	67.3	55.8	53.5
2025/10/15 16:00		70.0	76.2	75.0	67.3	56.2	53.8
2025/10/15 17:00		70.3	76.3	75.0	68.2	56.6	53.8
2025/10/15 18:00		70.3	76.6	74.9	67.9	56.0	53.8
2025/10/15 19:00		69.8	76.4	74.9	65.4	52.3	50.7
2025/10/15 20:00		69.1	76.2	74.6	63.5	51.7	50.3
2025/10/15 21:00		68.1	76.0	73.8	60.4	49.7	48.3
2025/10/15 22:00		67.1	75.5	73.3	58.6	46.6	45.4
2025/10/15 23:00		66.2	74.0	71.3	54.1	44.2	43.0
2025/10/16 0:00		64.9	73.6	70.0	50.6	43.0	42.6
2025/10/16 1:00		64.5	72.8	68.8	50.3	43.7	42.9
2025/10/16 2:00		64.1	72.7	69.4	49.5	45.6	45.4
2025/10/16 3:00		62.9	71.2	67.8	50.1	44.0	43.6
2025/10/16 4:00		63.7	72.5	69.3	50.1	42.8	42.2
2025/10/16 5:00		67.3	76.5	73.7	57.1	47.9	46.8
2025/10/16 6:00		71.0	78.2	76.7	65.7	51.8	50.8
2025/10/16 7:00		72.5	78.3	77.1	70.3	54.6	52.3
2025/10/16 8:00		71.5	78.2	76.6	70.1	57.1	54.7
2025/10/16 9:00		71.0	77.6	75.9	68.9	55.1	53.5
2025/10/16 10:00		70.6	76.7	75.5	68.2	56.8	54.5
2025/10/16 11:00		70.4	77.0	75.5	68.0	56.5	53.8
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	70.5	76.8	75.3	67.1	55.0	53.1
	夜間(22時～6時)	65.4	73.6	70.5	52.6	44.7	44.0
規制基準	朝(6時～8時)	71.8	78.3	76.9	68.0	53.2	51.6
	昼間(8時～19時)	70.5	76.7	75.3	68.0	56.3	54.3
	夕(19時～22時)	69.1	76.2	74.4	63.1	51.2	49.8
	夜間(22時～6時)	65.4	73.6	70.5	52.6	44.7	44.0

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 休日

測定地点：札幌整形外科前(下手稲通東側)

測定日時：2025年10月25日(土)12時～26日(日)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/25 12:00		70.5	76.3	75.1	68.8	57.9	55.3
2025/10/25 13:00		70.1	76.5	74.7	68.1	57.4	55.6
2025/10/25 14:00		70.2	75.8	74.6	68.4	56.4	54.5
2025/10/25 15:00		70.4	76.2	74.9	67.6	55.8	53.4
2025/10/25 16:00		70.1	76.4	75.1	67.1	57.5	56.2
2025/10/25 17:00		70.0	76.1	74.8	67.8	55.8	53.6
2025/10/25 18:00		69.8	76.3	74.6	67.0	57.6	55.8
2025/10/25 19:00		69.4	76.1	74.6	65.7	56.3	55.4
2025/10/25 20:00		68.9	75.7	74.2	64.3	52.4	50.4
2025/10/25 21:00		68.2	76.2	74.0	62.5	49.2	48.6
2025/10/25 22:00		67.5	75.3	73.2	59.0	50.2	49.0
2025/10/25 23:00		66.3	74.4	72.5	55.9	47.6	46.9
2025/10/26 0:00		65.3	74.5	71.6	52.4	47.1	46.1
2025/10/26 1:00		64.8	74.1	70.6	51.7	45.6	45.1
2025/10/26 2:00		63.0	71.7	68.6	48.9	43.7	43.2
2025/10/26 3:00		61.6	70.4	66.1	48.2	43.4	42.9
2025/10/26 4:00		63.2	72.6	68.8	51.8	44.5	43.6
2025/10/26 5:00		64.3	73.5	69.5	52.1	46.9	46.2
2025/10/26 6:00		67.4	75.1	72.7	58.6	47.8	46.5
2025/10/26 7:00		69.2	76.7	74.9	63.5	50.6	49.7
2025/10/26 8:00		70.0	76.7	75.2	65.3	51.0	49.9
2025/10/26 9:00		70.1	76.8	75.4	65.6	54.9	53.1
2025/10/26 10:00		69.8	75.7	74.3	67.1	57.6	55.5
2025/10/26 11:00		70.2	76.2	74.7	67.7	57.0	54.7
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	69.7	76.2	74.6	65.9	54.7	53.0
	夜間(22時～6時)	64.9	73.3	70.1	52.5	46.1	45.4
規制基準	朝(6時～8時)	68.4	75.9	73.8	61.1	49.2	48.1
	昼間(8時～19時)	70.1	76.3	74.9	67.3	56.3	54.3
	夕(19時～22時)	68.9	76.0	74.3	64.2	52.6	51.5
	夜間(22時～6時)	64.9	73.3	70.1	52.5	46.1	45.4

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

5) 新川カルガモ公園付近

ア. 平日

測定地点：新川カルガモ公園付近

測定日時：2025年10月15日(水)12時～16日(木)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/15 12:00		61.8	68.2	66.4	57.8	51.7	50.9
2025/10/15 13:00		62.1	68.1	66.3	60.0	52.4	51.4
2025/10/15 14:00		63.4	69.6	67.6	61.2	53.5	52.6
2025/10/15 15:00		63.5	69.9	67.7	60.1	52.9	51.5
2025/10/15 16:00		63.2	69.5	68.1	61.8	52.5	51.2
2025/10/15 17:00		63.1	68.5	67.0	61.8	53.8	52.7
2025/10/15 18:00		63.0	68.7	67.1	62.0	52.9	51.4
2025/10/15 19:00		61.6	68.2	66.9	57.1	48.8	48.2
2025/10/15 20:00		59.0	66.4	64.7	50.6	44.3	43.6
2025/10/15 21:00		56.1	64.7	60.7	47.4	42.2	41.5
2025/10/15 22:00		57.2	64.1	59.4	45.7	39.7	39.2
2025/10/15 23:00		54.4	63.7	58.3	41.2	36.1	35.5
2025/10/16 0:00		55.5	64.6	57.9	40.6	36.3	35.6
2025/10/16 1:00		53.3	60.4	54.6	40.8	35.5	35.1
2025/10/16 2:00		53.4	60.3	53.8	43.7	42.6	42.4
2025/10/16 3:00		53.1	63.8	55.9	43.9	42.7	42.5
2025/10/16 4:00		57.6	65.9	62.7	48.8	44.1	43.9
2025/10/16 5:00		59.1	68.2	65.1	52.2	42.6	41.7
2025/10/16 6:00		62.5	70.0	67.9	58.9	48.0	46.8
2025/10/16 7:00		64.4	70.6	68.3	62.0	51.7	50.0
2025/10/16 8:00		63.9	71.2	69.1	62.4	53.4	52.0
2025/10/16 9:00		63.2	70.3	68.1	61.4	51.5	49.3
2025/10/16 10:00		63.0	68.7	67.1	60.1	52.3	51.1
2025/10/16 11:00		63.1	69.6	67.3	61.3	55.4	53.9
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	62.6	68.9	66.9	59.1	51.1	49.9
	夜間(22時～6時)	56.0	63.9	58.5	44.6	40.0	39.5
規制基準	朝(6時～8時)	63.6	70.3	68.1	60.5	49.9	48.4
	昼間(8時～19時)	63.1	69.3	67.4	60.9	52.9	51.6
	夕(19時～22時)	59.5	66.4	64.1	51.7	45.1	44.4
	夜間(22時～6時)	56.0	63.9	58.5	44.6	40.0	39.5

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 休日

測定地点：新川カルガモ公園付近

測定日時：2025年10月25日(土)12時～26日(日)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/25 12:00		62.9	69.9	67.6	60.4	51.2	50.4
2025/10/25 13:00		62.3	69.0	67.2	58.4	49.4	48.5
2025/10/25 14:00		62.8	69.4	67.4	59.6	50.4	48.6
2025/10/25 15:00		63.5	69.7	68.0	61.3	48.8	47.3
2025/10/25 16:00		62.0	67.9	66.4	58.4	49.6	47.8
2025/10/25 17:00		62.5	68.5	66.9	60.1	50.0	49.1
2025/10/25 18:00		61.8	68.4	66.4	56.4	48.0	47.2
2025/10/25 19:00		59.8	67.8	65.9	55.9	48.7	47.3
2025/10/25 20:00		58.0	65.7	63.4	51.5	45.6	44.6
2025/10/25 21:00		57.7	67.5	63.5	47.8	43.0	42.1
2025/10/25 22:00		56.9	63.7	60.6	48.8	43.3	42.3
2025/10/25 23:00		56.8	64.7	59.4	43.6	40.9	40.5
2025/10/26 0:00		55.0	63.0	58.1	44.5	41.4	40.9
2025/10/26 1:00		55.4	62.9	57.6	42.2	40.3	40.0
2025/10/26 2:00		51.1	58.0	52.0	41.5	40.1	39.8
2025/10/26 3:00		53.9	62.1	53.5	42.3	41.0	40.7
2025/10/26 4:00		57.3	67.0	61.3	44.5	39.7	39.2
2025/10/26 5:00		55.9	63.7	59.5	45.9	41.1	40.8
2025/10/26 6:00		57.0	65.4	61.8	46.8	41.8	41.1
2025/10/26 7:00		58.3	67.2	64.2	49.5	44.4	43.9
2025/10/26 8:00		60.8	68.4	65.9	54.0	45.6	45.1
2025/10/26 9:00		61.4	68.4	66.2	56.0	46.9	45.8
2025/10/26 10:00		60.5	67.8	65.8	55.6	47.0	45.9
2025/10/26 11:00		61.6	68.7	66.7	55.9	49.7	48.8
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	61.2	68.1	65.8	55.5	47.5	46.5
	夜間(22時～6時)	55.6	63.1	57.8	44.2	41.0	40.5
規制基準	朝(6時～8時)	57.7	66.3	63.0	48.2	43.1	42.5
	昼間(8時～19時)	62.1	68.7	66.8	57.8	48.8	47.7
	夕(19時～22時)	58.6	67.0	64.3	51.7	45.8	44.7
	夜間(22時～6時)	55.6	63.1	57.8	44.2	41.0	40.5

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

6) 追分通横緑地

ア. 平日

測定地点：追分通横緑地

測定日時：2025年10月15日(水)12時～16日(木)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/15 12:00		65.1	71.2	69.9	62.7	57.4	56.3
2025/10/15 13:00		65.8	72.4	70.6	63.0	57.7	56.3
2025/10/15 14:00		65.8	72.0	70.5	63.4	58.1	57.0
2025/10/15 15:00		65.5	72.4	70.7	62.7	57.0	56.0
2025/10/15 16:00		65.7	71.7	70.3	63.1	57.5	56.8
2025/10/15 17:00		65.8	71.2	70.1	64.0	57.9	57.2
2025/10/15 18:00		65.5	71.5	70.5	63.9	56.3	55.2
2025/10/15 19:00		63.3	70.0	68.9	60.8	52.9	51.5
2025/10/15 20:00		61.5	69.0	67.1	57.2	49.9	47.9
2025/10/15 21:00		60.4	69.1	65.1	56.5	49.0	47.4
2025/10/15 22:00		58.5	66.5	63.0	51.8	45.2	44.2
2025/10/15 23:00		56.9	64.9	61.4	49.3	41.7	39.9
2025/10/16 0:00		54.7	61.5	57.3	46.0	39.8	38.9
2025/10/16 1:00		55.2	61.0	57.6	45.0	39.2	38.0
2025/10/16 2:00		53.9	61.4	57.8	44.7	37.9	36.9
2025/10/16 3:00		54.7	62.7	57.3	46.2	38.3	37.1
2025/10/16 4:00		56.4	64.6	60.3	48.4	40.3	39.4
2025/10/16 5:00		60.1	69.4	66.8	54.6	47.3	45.6
2025/10/16 6:00		64.2	72.0	70.3	62.1	53.9	52.7
2025/10/16 7:00		66.7	73.0	71.6	63.4	57.3	56.0
2025/10/16 8:00		67.3	73.4	72.1	64.4	58.4	56.8
2025/10/16 9:00		66.1	72.5	70.7	63.4	59.2	58.3
2025/10/16 10:00		66.0	72.1	70.1	63.5	56.8	55.4
2025/10/16 11:00		65.5	71.8	70.1	63.4	57.2	56.3
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	65.3	71.6	69.9	62.3	56.0	54.8
	夜間(22時～6時)	56.8	64.0	60.2	48.3	41.2	40.0
規制基準	朝(6時～8時)	65.6	72.5	71.0	62.8	55.6	54.4
	昼間(8時～19時)	65.9	72.0	70.5	63.4	57.6	56.5
	夕(19時～22時)	61.9	69.4	67.0	58.2	50.6	48.9
	夜間(22時～6時)	56.8	64.0	60.2	48.3	41.2	40.0

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。

イ. 休日

測定地点：追分通横緑地

測定日時：2025年10月25日(土)12時～26日(日)12時

単位：dB

日時		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
2025/10/25 12:00		64.7	71.1	69.4	61.6	57.4	56.2
2025/10/25 13:00		64.3	70.6	69.3	61.6	55.9	54.3
2025/10/25 14:00		64.0	70.5	69.1	61.1	55.7	54.5
2025/10/25 15:00		64.2	70.7	69.2	62.1	56.5	55.6
2025/10/25 16:00		64.7	70.6	69.0	62.0	56.7	55.5
2025/10/25 17:00		64.7	70.9	69.4	62.6	56.9	55.3
2025/10/25 18:00		64.3	70.5	69.0	61.8	55.6	54.5
2025/10/25 19:00		63.2	70.5	69.1	59.5	53.8	51.3
2025/10/25 20:00		62.1	70.1	67.5	58.1	52.5	51.4
2025/10/25 21:00		60.4	67.8	65.4	56.0	49.9	49.3
2025/10/25 22:00		58.7	66.8	63.8	53.4	48.7	47.9
2025/10/25 23:00		55.9	64.6	61.2	51.7	46.7	46.1
2025/10/26 0:00		56.6	64.9	61.7	50.8	45.5	45.2
2025/10/26 1:00		52.6	60.4	56.2	47.1	44.1	43.6
2025/10/26 2:00		51.8	59.7	55.2	45.8	43.2	42.9
2025/10/26 3:00		51.6	57.9	54.2	45.4	42.9	42.7
2025/10/26 4:00		53.4	61.4	56.7	47.3	43.5	43.0
2025/10/26 5:00		55.9	63.9	58.8	48.8	45.0	44.6
2025/10/26 6:00		59.3	67.3	63.8	52.7	45.8	44.5
2025/10/26 7:00		61.8	69.7	66.8	56.9	48.7	47.8
2025/10/26 8:00		62.5	70.1	67.9	58.0	52.2	50.4
2025/10/26 9:00		63.1	69.6	67.9	59.6	53.0	51.5
2025/10/26 10:00		64.3	71.2	69.6	61.1	53.8	52.1
2025/10/26 11:00		64.2	70.7	69.4	61.1	54.1	52.9
基準時間帯平均		L _{Aeq}	L _{A5}	L _{A10}	L _{A50}	L _{A90}	L _{A95}
環境基準	昼間(6時～22時)	63.5	70.1	68.2	59.7	53.7	52.3
	夜間(22時～6時)	55.2	62.5	58.5	48.8	45.0	44.5
規制基準	朝(6時～8時)	60.7	68.5	65.3	54.8	47.3	46.2
	昼間(8時～19時)	64.1	70.6	69.0	61.1	55.3	53.9
	夕(19時～22時)	62.0	69.5	67.3	57.9	52.1	50.7
	夜間(22時～6時)	55.2	62.5	58.5	48.8	45.0	44.5

※基準時間帯平均は、L_{Aeq}はエネルギー平均、その他は算術平均により算出した。