

7. 低周波音調査結果

7. 低周波音調査結果

(1) G 特性音圧レベル調査結果

1) 事業実施区域敷地境界 (東)

ア. 現工場と破碎工場ともに停止時

測定地点：事業実施区域敷地境界 (東)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/06/10 12:00	76.5	92.3	66.5
2025/06/10 13:00	77.3	94.6	68.3
2025/06/10 14:00	78.1	96.3	68.9
2025/06/10 15:00	77.5	92.6	68.8
2025/06/10 16:00	76.4	93.2	67.2
2025/06/10 17:00	75.1	94.7	65.4
2025/06/10 18:00	73.8	93.8	64.4
2025/06/10 19:00	71.1	92.3	62.9
2025/06/10 20:00	69.6	89.4	62.4
2025/06/10 21:00	68.8	90.5	61.6
2025/06/10 22:00	70.6	89.1	62.0
2025/06/10 23:00	71.9	95.1	61.2
2025/06/11 0:00	73.0	92.8	62.3
2025/06/11 1:00	70.0	92.8	61.5
2025/06/11 2:00	70.3	87.8	61.4
2025/06/11 3:00	71.3	91.4	61.2
2025/06/11 4:00	71.6	89.0	62.1
2025/06/11 5:00	72.8	94.6	62.4
2025/06/11 6:00	75.4	91.7	63.7
2025/06/11 7:00	76.4	92.2	66.4
2025/06/11 8:00	76.7	92.5	67.3
2025/06/11 9:00	78.6	95.2	68.7
2025/06/11 10:00	77.9	93.2	67.6
2025/06/11 11:00	77.9	96.6	67.0

イ. 現工場のみ稼働時

測定地点：事業実施区域敷地境界 (東)

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/07/03 12:00	79.1	100.1	68.2
2025/07/03 13:00	78.5	95.4	69.0
2025/07/03 14:00	79.2	97.1	69.0
2025/07/03 15:00	80.0	96.3	69.1
2025/07/03 16:00	77.4	92.2	68.4
2025/07/03 17:00	75.7	91.6	67.4
2025/07/03 18:00	74.3	91.9	65.7
2025/07/03 19:00	73.1	92.0	65.4
2025/07/03 20:00	71.5	86.6	65.1
2025/07/03 21:00	71.6	90.4	64.8
2025/07/03 22:00	73.5	91.6	64.9
2025/07/03 23:00	70.6	88.6	64.7
2025/07/04 0:00	72.4	95.4	64.3
2025/07/04 1:00	73.7	90.6	65.6
2025/07/04 2:00	72.0	88.7	64.5
2025/07/04 3:00	72.1	95.6	64.6
2025/07/04 4:00	71.9	92.3	64.8
2025/07/04 5:00	71.9	90.6	64.9
2025/07/04 6:00	74.2	93.9	65.7
2025/07/04 7:00	75.0	93.2	65.9
2025/07/04 8:00	76.4	92.9	67.7
2025/07/04 9:00	78.1	91.8	68.6
2025/07/04 10:00	77.8	94.2	68.1
2025/07/04 11:00	77.5	93.7	68.0

ウ. 現工場と破碎工場ともに稼働時

測定地点：事業実施区域敷地境界 (東)

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

測定日時 (補足)：2025 年 9 月 5 日(金)10 時～11 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/09/03 11:00	79.5	97.5	69.6
2025/09/03 12:00	79.0	97.1	69.3
2025/09/03 13:00	80.1	93.5	69.6
2025/09/03 14:00	80.3	93.3	69.2
2025/09/03 15:00	80.1	96.1	70.3
2025/09/03 16:00	78.2	94.4	69.5
2025/09/03 17:00	76.2	94.8	68.3
2025/09/03 18:00	74.2	96.4	66.9
2025/09/03 19:00	72.6	91.4	65.7
2025/09/03 20:00	69.7	83.6	65.1
2025/09/03 21:00	71.6	92.9	65.2
2025/09/03 22:00	72.1	92.8	65.0
2025/09/03 23:00	70.5	90.0	65.1
2025/09/04 0:00	71.5	93.5	65.6
2025/09/04 1:00	71.0	91.2	65.4
2025/09/04 2:00	69.3	88.1	64.3
2025/09/04 3:00	71.0	92.7	64.7
2025/09/04 4:00	71.5	94.0	65.1
2025/09/04 5:00	73.1	94.1	65.1
2025/09/04 6:00	73.3	92.1	65.9
2025/09/04 7:00	76.0	91.3	67.6
2025/09/04 8:00	76.8	92.8	68.1
2025/09/04 9:00	79.0	100.0	69.9
2025/09/05 11:00 ^注	78.0	94.1	68.8

注) 機器トラブルによって、4 日(木)10 時台の測定に欠測が生じたため、
5 日(金)10 時台に再測定を実施し、その結果を 10 時台の結果として
補完した。

2) 近接施設側敷地境界(西)

ア. 現工場と破碎工場ともに停止時

測定地点：近接施設側敷地境界(西)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/06/10 12:00	81.4	92.0	72.9
2025/06/10 13:00	79.0	91.0	70.2
2025/06/10 14:00	77.6	89.7	67.9
2025/06/10 15:00	73.1	91.1	65.7
2025/06/10 16:00	70.5	84.6	64.9
2025/06/10 17:00	69.3	82.2	64.5
2025/06/10 18:00	67.0	79.5	61.7
2025/06/10 19:00	65.3	76.3	60.9
2025/06/10 20:00	64.5	74.9	60.4
2025/06/10 21:00	64.4	79.2	59.5
2025/06/10 22:00	65.0	80.7	60.4
2025/06/10 23:00	66.1	85.5	59.6
2025/06/11 0:00	68.1	88.1	60.4
2025/06/11 1:00	65.1	77.5	60.5
2025/06/11 2:00	70.3	89.5	60.4
2025/06/11 3:00	71.0	91.0	61.0
2025/06/11 4:00	69.8	85.9	61.0
2025/06/11 5:00	69.1	84.1	61.8
2025/06/11 6:00	72.7	87.8	65.8
2025/06/11 7:00	72.9	88.8	66.2
2025/06/11 8:00	73.0	95.3	66.0
2025/06/11 9:00	73.2	86.5	67.0
2025/06/11 10:00	73.1	89.6	65.4
2025/06/11 11:00	75.3	90.9	67.3

イ. 現工場のみ稼働時

測定地点：近接施設側敷地境界(西)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/07/03 12:00	76.5	89.5	68.8
2025/07/03 13:00	78.5	97.6	70.2
2025/07/03 14:00	75.8	92.0	68.0
2025/07/03 15:00	73.5	91.5	67.5
2025/07/03 16:00	72.7	88.9	66.8
2025/07/03 17:00	72.3	92.5	66.9
2025/07/03 18:00	70.7	87.2	65.3
2025/07/03 19:00	69.2	86.5	64.9
2025/07/03 20:00	69.3	80.8	65.9
2025/07/03 21:00	69.6	85.5	64.8
2025/07/03 22:00	70.2	89.2	65.1
2025/07/03 23:00	70.1	86.9	65.3
2025/07/04 0:00	70.3	86.8	65.5
2025/07/04 1:00	70.6	88.7	65.4
2025/07/04 2:00	70.9	85.5	65.9
2025/07/04 3:00	68.8	83.2	65.4
2025/07/04 4:00	69.3	81.3	65.3
2025/07/04 5:00	71.1	92.3	66.2
2025/07/04 6:00	70.5	81.4	66.2
2025/07/04 7:00	72.1	85.7	66.3
2025/07/04 8:00	73.3	88.9	67.0
2025/07/04 9:00	72.3	84.1	67.6
2025/07/04 10:00	73.6	92.8	67.6
2025/07/04 11:00	73.5	89.0	67.6

ウ. 現工場と破碎工場ともに稼働時

測定地点：近接施設側敷地境界(西)

測定日時：2025年9月3日(水)11時～4日(木)11時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/09/03 11:00	80.5	94.9	75.4
2025/09/03 12:00	80.7	94.5	75.6
2025/09/03 13:00	81.0	97.5	75.2
2025/09/03 14:00	82.5	100.3	76.1
2025/09/03 15:00	82.1	97.1	76.8
2025/09/03 16:00	80.8	95.0	75.8
2025/09/03 17:00	79.0	92.3	75.7
2025/09/03 18:00	78.2	83.4	74.8
2025/09/03 19:00	76.6	87.5	69.3
2025/09/03 20:00	68.7	76.8	64.6
2025/09/03 21:00	68.3	79.4	64.7
2025/09/03 22:00	68.2	78.5	64.6
2025/09/03 23:00	68.3	79.2	64.7
2025/09/04 0:00	68.4	75.2	65.2
2025/09/04 1:00	68.0	75.9	64.6
2025/09/04 2:00	68.0	73.9	64.8
2025/09/04 3:00	68.2	80.7	64.4
2025/09/04 4:00	68.3	76.1	64.6
2025/09/04 5:00	68.9	77.7	65.1
2025/09/04 6:00	71.0	85.7	65.4
2025/09/04 7:00	72.8	86.4	67.0
2025/09/04 8:00	73.4	86.6	67.8
2025/09/04 9:00	73.6	89.2	68.5
2025/09/04 10:00	74.2	89.5	68.9

3) 近接施設側敷地境界(北)

ア. 現工場と破碎工場ともに停止時

測定地点: 近接施設側敷地境界(北)

測定日時: 2025 年 6 月 10 日(火)12 時~11 日(水)12 時

単位: dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/06/10 12:00	84.4	98.3	75.7
2025/06/10 13:00	83.8	97.3	73.6
2025/06/10 14:00	83.2	98.2	72.7
2025/06/10 15:00	80.0	96.2	70.5
2025/06/10 16:00	78.8	99.4	68.4
2025/06/10 17:00	77.2	97.8	68.1
2025/06/10 18:00	74.1	96.8	66.9
2025/06/10 19:00	73.4	93.5	67.0
2025/06/10 20:00	71.3	87.4	67.1
2025/06/10 21:00	72.0	95.3	67.2
2025/06/10 22:00	71.0	86.5	66.8
2025/06/10 23:00	72.6	92.0	67.6
2025/06/11 0:00	73.7	96.9	67.7
2025/06/11 1:00	72.5	86.8	68.2
2025/06/11 2:00	74.4	92.6	68.5
2025/06/11 3:00	74.5	92.3	69.3
2025/06/11 4:00	74.7	94.9	69.6
2025/06/11 5:00	75.0	94.1	70.0
2025/06/11 6:00	77.6	99.4	70.7
2025/06/11 7:00	78.5	97.3	72.3
2025/06/11 8:00	77.8	95.9	68.9
2025/06/11 9:00	78.1	97.5	68.3
2025/06/11 10:00	78.1	95.7	69.0
2025/06/11 11:00	80.2	98.0	70.2

イ. 現工場のみ稼働時

測定地点：近接施設側敷地境界(北)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/07/03 12:00	82.1	99.5	76.8
2025/07/03 13:00	81.4	97.0	76.6
2025/07/03 14:00	81.9	99.2	74.6
2025/07/03 15:00	81.5	103.5	73.3
2025/07/03 16:00	80.8	99.5	72.5
2025/07/03 17:00	78.6	100.1	72.1
2025/07/03 18:00	78.2	97.7	70.6
2025/07/03 19:00	77.3	95.1	71.3
2025/07/03 20:00	77.8	95.5	71.0
2025/07/03 21:00	77.1	97.2	70.7
2025/07/03 22:00	76.1	97.6	71.1
2025/07/03 23:00	75.8	95.5	71.4
2025/07/04 0:00	76.6	96.9	70.9
2025/07/04 1:00	76.6	94.8	71.9
2025/07/04 2:00	75.3	88.5	71.0
2025/07/04 3:00	75.7	94.5	72.0
2025/07/04 4:00	77.1	97.8	72.6
2025/07/04 5:00	76.4	94.5	70.8
2025/07/04 6:00	76.9	94.3	70.0
2025/07/04 7:00	77.9	96.3	71.5
2025/07/04 8:00	78.7	100.9	70.3
2025/07/04 9:00	79.7	98.1	71.5
2025/07/04 10:00	79.3	96.5	70.9
2025/07/04 11:00	79.3	96.7	71.2

ウ. 現工場と破碎工場ともに稼働時

測定地点：近接施設側敷地境界(北)

測定日時：2025年9月3日(水)11時～4日(木)11時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/09/03 11:00	87.1	99.5	80.3
2025/09/03 12:00	87.8	100.8	80.5
2025/09/03 13:00	88.9	102.2	80.4
2025/09/03 14:00	88.5	101.4	81.8
2025/09/03 15:00	88.7	98.8	83.7
2025/09/03 16:00	87.0	101.5	81.7
2025/09/03 17:00	85.2	96.0	81.1
2025/09/03 18:00	84.9	98.6	81.6
2025/09/03 19:00	83.7	93.3	77.3
2025/09/03 20:00	76.3	94.8	70.9
2025/09/03 21:00	74.7	93.1	70.7
2025/09/03 22:00	75.2	95.4	70.3
2025/09/03 23:00	74.3	95.5	70.2
2025/09/04 0:00	74.6	90.6	70.0
2025/09/04 1:00	74.6	89.2	70.1
2025/09/04 2:00	74.3	91.0	70.2
2025/09/04 3:00	74.5	92.0	70.4
2025/09/04 4:00	75.0	97.1	70.0
2025/09/04 5:00	75.2	95.7	70.6
2025/09/04 6:00	78.4	103.2	70.5
2025/09/04 7:00	79.4	96.8	73.7
2025/09/04 8:00	80.9	95.8	74.4
2025/09/04 9:00	81.0	103.3	73.0
2025/09/04 10:00	80.4	100.5	74.0

4) 事務所側敷地境界 (南)

ア. 現工場と破碎工場ともに停止時

測定地点：事務所側敷地境界 (南)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/06/10 12:00	79.9	92.3	72.1
2025/06/10 13:00	77.6	89.8	69.4
2025/06/10 14:00	78.0	91.2	68.2
2025/06/10 15:00	73.0	88.3	66.8
2025/06/10 16:00	70.3	82.3	65.8
2025/06/10 17:00	69.9	83.6	65.7
2025/06/10 18:00	68.0	81.3	63.5
2025/06/10 19:00	67.0	76.2	63.3
2025/06/10 20:00	66.4	73.5	62.5
2025/06/10 21:00	66.4	75.4	62.1
2025/06/10 22:00	69.2	86.0	63.1
2025/06/10 23:00	72.8	89.1	63.6
2025/06/11 0:00	76.9	93.3	64.8
2025/06/11 1:00	72.0	86.2	64.0
2025/06/11 2:00	76.2	94.1	63.9
2025/06/11 3:00	76.6	91.7	63.6
2025/06/11 4:00	75.5	91.0	64.0
2025/06/11 5:00	71.4	85.2	64.5
2025/06/11 6:00	74.5	88.7	67.2
2025/06/11 7:00	74.6	89.7	66.5
2025/06/11 8:00	73.3	90.4	66.1
2025/06/11 9:00	74.8	90.0	66.5
2025/06/11 10:00	75.4	93.1	68.8
2025/06/11 11:00	76.2	92.4	66.9

イ. 現工場のみ稼働時

測定地点：事務所側敷地境界(南)

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/07/03 12:00	77.5	91.6	70.3
2025/07/03 13:00	76.8	94.9	70.2
2025/07/03 14:00	76.1	89.0	70.1
2025/07/03 15:00	77.7	91.4	70.1
2025/07/03 16:00	76.8	88.7	69.1
2025/07/03 17:00	73.5	87.8	68.6
2025/07/03 18:00	74.5	89.3	68.3
2025/07/03 19:00	74.9	87.6	67.9
2025/07/03 20:00	71.6	79.9	67.7
2025/07/03 21:00	74.8	91.0	67.2
2025/07/03 22:00	72.3	87.2	67.7
2025/07/03 23:00	72.1	85.9	67.3
2025/07/04 0:00	75.0	91.7	67.6
2025/07/04 1:00	74.0	88.9	67.9
2025/07/04 2:00	74.2	90.8	67.7
2025/07/04 3:00	72.9	90.6	67.6
2025/07/04 4:00	74.7	88.0	67.9
2025/07/04 5:00	71.8	85.1	67.7
2025/07/04 6:00	72.4	87.5	67.5
2025/07/04 7:00	72.7	84.0	68.1
2025/07/04 8:00	74.7	89.4	68.3
2025/07/04 9:00	73.6	88.4	68.7
2025/07/04 10:00	74.3	91.9	68.3
2025/07/04 11:00	75.1	95.0	68.9

ウ. 現工場と破碎工場ともに稼働時

測定地点：事務所側敷地境界 (南)

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/09/03 11:00	84.1	98.0	73.4
2025/09/03 12:00	84.9	97.9	74.8
2025/09/03 13:00	85.5	100.4	74.4
2025/09/03 14:00	86.9	102.0	74.7
2025/09/03 15:00	86.0	103.4	74.6
2025/09/03 16:00	81.5	97.3	73.6
2025/09/03 17:00	79.3	93.8	73.7
2025/09/03 18:00	76.9	81.7	73.2
2025/09/03 19:00	75.9	92.2	70.5
2025/09/03 20:00	71.2	85.6	67.6
2025/09/03 21:00	71.0	79.5	67.6
2025/09/03 22:00	71.2	78.0	67.9
2025/09/03 23:00	70.9	76.2	67.3
2025/09/04 0:00	71.1	76.9	68.0
2025/09/04 1:00	71.0	76.9	67.0
2025/09/04 2:00	70.9	74.5	67.6
2025/09/04 3:00	70.9	75.8	67.6
2025/09/04 4:00	71.1	77.1	67.0
2025/09/04 5:00	71.1	77.7	67.6
2025/09/04 6:00	72.3	88.9	67.7
2025/09/04 7:00	73.5	91.4	69.1
2025/09/04 8:00	74.1	91.4	69.9
2025/09/04 9:00	74.3	89.1	69.7
2025/09/04 10:00	74.6	90.6	69.9

5) 最寄住居 1 (北側)

ア. 現工場と破碎工場ともに停止時

測定地点：最寄住居 1 (北側)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/06/10 12:00	79.5	85.5	73.9
2025/06/10 13:00	78.5	87.3	73.0
2025/06/10 14:00	78.9	88.2	73.7
2025/06/10 15:00	79.0	89.1	73.2
2025/06/10 16:00	75.9	87.9	67.5
2025/06/10 17:00	76.4	91.3	68.9
2025/06/10 18:00	73.1	87.9	66.2
2025/06/10 19:00	74.4	86.5	65.0
2025/06/10 20:00	73.2	82.8	67.1
2025/06/10 21:00	73.0	82.4	67.4
2025/06/10 22:00	73.8	83.4	67.0
2025/06/10 23:00	74.3	82.0	68.1
2025/06/11 0:00	74.3	85.1	68.8
2025/06/11 1:00	75.4	89.9	68.8
2025/06/11 2:00	77.3	86.1	70.5
2025/06/11 3:00	77.3	84.7	70.7
2025/06/11 4:00	77.4	84.1	72.3
2025/06/11 5:00	78.1	86.7	72.9
2025/06/11 6:00	78.5	85.8	71.9
2025/06/11 7:00	79.4	85.8	73.6
2025/06/11 8:00	76.9	90.9	68.3
2025/06/11 9:00	75.4	87.5	67.8
2025/06/11 10:00	76.8	86.7	70.3
2025/06/11 11:00	77.7	87.3	71.6

イ. 現工場のみ稼働時

測定地点：最寄住居 1 (北側)

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/07/03 12:00	82.2	89.3	77.6
2025/07/03 13:00	81.4	90.6	77.7
2025/07/03 14:00	81.5	88.6	76.5
2025/07/03 15:00	80.1	90.6	74.5
2025/07/03 16:00	76.9	89.4	69.3
2025/07/03 17:00	75.7	86.4	69.2
2025/07/03 18:00	75.5	90.8	69.4
2025/07/03 19:00	77.2	86.9	71.1
2025/07/03 20:00	77.5	87.0	71.3
2025/07/03 21:00	76.2	91.3	71.3
2025/07/03 22:00	76.0	89.2	70.1
2025/07/03 23:00	74.9	85.7	70.3
2025/07/04 0:00	75.3	85.2	71.1
2025/07/04 1:00	75.6	84.4	71.2
2025/07/04 2:00	75.6	88.2	70.8
2025/07/04 3:00	77.6	82.3	74.7
2025/07/04 4:00	77.8	84.6	74.2
2025/07/04 5:00	77.6	92.5	70.4
2025/07/04 6:00	77.8	93.6	70.7
2025/07/04 7:00	80.8	91.5	74.0
2025/07/04 8:00	78.6	92.2	70.3
2025/07/04 9:00	79.7	91.7	73.3
2025/07/04 10:00	78.5	89.6	71.9
2025/07/04 11:00	81.0	89.1	73.1

ウ. 現工場と破碎工場ともに稼働時

測定地点：最寄住居 1 (北側)

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/09/03 11:00	82.5	86.9	77.4
2025/09/03 12:00	83.6	98.3	77.4
2025/09/03 13:00	83.2	92.0	77.9
2025/09/03 14:00	82.4	92.5	78.2
2025/09/03 15:00	84.5	88.4	79.6
2025/09/03 16:00	82.6	90.2	77.0
2025/09/03 17:00	80.6	89.7	77.0
2025/09/03 18:00	80.7	88.1	77.0
2025/09/03 19:00	80.5	86.0	74.0
2025/09/03 20:00	76.6	83.9	71.3
2025/09/03 21:00	76.3	88.6	70.5
2025/09/03 22:00	76.6	83.2	70.5
2025/09/03 23:00	76.1	85.0	71.8
2025/09/04 0:00	76.3	87.1	71.2
2025/09/04 1:00	77.2	87.0	71.6
2025/09/04 2:00	77.5	87.7	73.1
2025/09/04 3:00	77.4	94.7	73.4
2025/09/04 4:00	77.7	86.1	73.4
2025/09/04 5:00	77.0	89.2	73.1
2025/09/04 6:00	77.2	89.0	72.1
2025/09/04 7:00	78.2	88.7	73.2
2025/09/04 8:00	78.4	88.3	72.1
2025/09/04 9:00	77.7	95.2	71.5
2025/09/04 10:00	77.2	91.1	71.0

6) 最寄住居 2 (西側)

ア. 現工場と破碎工場ともに停止時

測定地点：最寄住居 2 (西側)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/06/10 12:00	74.1	85.9	67.6
2025/06/10 13:00	74.7	86.2	67.5
2025/06/10 14:00	74.9	87.8	68.0
2025/06/10 15:00	73.4	86.0	67.0
2025/06/10 16:00	73.0	82.7	67.2
2025/06/10 17:00	72.4	84.7	66.0
2025/06/10 18:00	70.8	83.6	62.6
2025/06/10 19:00	68.6	83.0	60.4
2025/06/10 20:00	67.2	83.4	59.0
2025/06/10 21:00	66.1	81.1	57.9
2025/06/10 22:00	64.7	82.1	58.4
2025/06/10 23:00	67.1	84.7	58.1
2025/06/11 0:00	69.4	85.5	59.0
2025/06/11 1:00	67.7	83.8	58.3
2025/06/11 2:00	66.5	84.4	58.3
2025/06/11 3:00	66.0	87.2	57.8
2025/06/11 4:00	67.9	86.7	59.2
2025/06/11 5:00	69.2	86.6	59.1
2025/06/11 6:00	71.8	85.9	61.7
2025/06/11 7:00	73.5	87.1	66.2
2025/06/11 8:00	74.9	82.8	66.8
2025/06/11 9:00	74.7	89.1	67.3
2025/06/11 10:00	73.7	85.9	67.3
2025/06/11 11:00	74.6	86.2	67.9

イ. 現工場のみ稼働時

測定地点：最寄住居 2 (西側)

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/07/03 12:00	73.6	87.1	67.3
2025/07/03 13:00	73.6	85.4	67.9
2025/07/03 14:00	73.8	83.8	67.9
2025/07/03 15:00	74.1	86.8	67.4
2025/07/03 16:00	74.1	85.8	65.9
2025/07/03 17:00	72.5	89.4	65.2
2025/07/03 18:00	73.0	92.2	64.9
2025/07/03 19:00	71.4	88.0	62.5
2025/07/03 20:00	73.6	89.4	62.3
2025/07/03 21:00	71.1	90.2	61.2
2025/07/03 22:00	65.7	82.3	60.7
2025/07/03 23:00	66.9	85.0	60.7
2025/07/04 0:00	66.4	85.2	61.1
2025/07/04 1:00	66.2	83.1	60.8
2025/07/04 2:00	65.9	77.3	60.9
2025/07/04 3:00	66.4	78.2	61.4
2025/07/04 4:00	66.7	82.4	60.5
2025/07/04 5:00	68.8	82.5	61.5
2025/07/04 6:00	71.0	82.9	62.8
2025/07/04 7:00	73.5	84.3	66.5
2025/07/04 8:00	73.9	83.6	67.9
2025/07/04 9:00	73.8	87.7	67.7
2025/07/04 10:00	74.2	83.4	68.3
2025/07/04 11:00	75.0	87.7	68.7

ウ. 現工場と破碎工場ともに稼働時

測定地点：最寄住居 2 (西側)

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/09/03 11:00	75.2	89.9	69.8
2025/09/03 12:00	75.6	90.5	69.7
2025/09/03 13:00	76.7	91.8	69.0
2025/09/03 14:00	76.5	87.0	70.5
2025/09/03 15:00	76.4	92.2	70.9
2025/09/03 16:00	74.6	84.8	69.5
2025/09/03 17:00	73.6	82.8	69.1
2025/09/03 18:00	73.1	81.6	69.2
2025/09/03 19:00	71.0	82.0	63.4
2025/09/03 20:00	66.5	82.4	59.2
2025/09/03 21:00	67.0	85.5	59.9
2025/09/03 22:00	66.3	80.6	60.5
2025/09/03 23:00	66.6	87.4	62.2
2025/09/04 0:00	66.6	80.9	60.6
2025/09/04 1:00	65.2	82.9	60.2
2025/09/04 2:00	64.6	77.5	60.0
2025/09/04 3:00	65.9	87.3	59.9
2025/09/04 4:00	66.0	79.4	59.7
2025/09/04 5:00	68.1	84.0	60.8
2025/09/04 6:00	69.9	80.7	62.9
2025/09/04 7:00	72.7	82.8	64.9
2025/09/04 8:00	73.1	81.3	66.3
2025/09/04 9:00	73.0	85.0	65.9
2025/09/04 10:00	72.2	84.5	65.8

7) 現工場近傍

ア. 現工場と破碎工場ともに停止時

測定地点：現工場近傍

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/06/10 12:00	79.1	83.9	75.6
2025/06/10 13:00	79.1	85.1	75.7
2025/06/10 14:00	79.2	86.0	75.5
2025/06/10 15:00	79.8	85.5	76.0
2025/06/10 16:00	79.6	83.9	75.9
2025/06/10 17:00	79.5	83.7	76.2
2025/06/10 18:00	79.3	83.1	75.8
2025/06/10 19:00	79.2	82.7	75.4
2025/06/10 20:00	79.1	82.8	75.5
2025/06/10 21:00	79.1	82.2	75.0
2025/06/10 22:00	79.6	91.9	76.0
2025/06/10 23:00	80.9	96.7	75.7
2025/06/11 0:00	82.0	98.7	75.7
2025/06/11 1:00	79.8	90.3	75.5
2025/06/11 2:00	82.4	96.7	76.2
2025/06/11 3:00	82.4	97.6	75.9
2025/06/11 4:00	83.7	94.8	75.8
2025/06/11 5:00	82.0	97.4	76.0
2025/06/11 6:00	82.2	94.4	76.5
2025/06/11 7:00	80.9	94.5	76.8
2025/06/11 8:00	80.4	91.5	76.7
2025/06/11 9:00	81.5	99.0	77.1
2025/06/11 10:00	81.1	96.2	76.4
2025/06/11 11:00	82.0	96.5	76.4

イ. 現工場のみ稼働時

測定地点：現工場近傍

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/07/03 12:00	83	97.6	77.6
2025/07/03 13:00	82	95.9	77.1
2025/07/03 14:00	81	91.5	77.3
2025/07/03 15:00	82	95.4	77.2
2025/07/03 16:00	80	89.6	76.5
2025/07/03 17:00	81	90.0	77.0
2025/07/03 18:00	80	87.7	76.4
2025/07/03 19:00	80	88.2	76.5
2025/07/03 20:00	80	93.1	76.3
2025/07/03 21:00	80	86.2	76.3
2025/07/03 22:00	80	86.6	76.7
2025/07/03 23:00	80	89.7	76.5
2025/07/04 0:00	81	91.9	76.5
2025/07/04 1:00	81	95.9	76.6
2025/07/04 2:00	81	94.3	76.3
2025/07/04 3:00	80	87.9	76.7
2025/07/04 4:00	81	96.3	76.5
2025/07/04 5:00	80	95.4	76.5
2025/07/04 6:00	80	84.5	76.1
2025/07/04 7:00	81	86.4	77.3
2025/07/04 8:00	82	90.1	77.9
2025/07/04 9:00	81	86.2	76.7
2025/07/04 10:00	81	90.3	76.9
2025/07/04 11:00	81	88.9	76.6

ウ. 現工場と破碎工場ともに稼働時

測定地点：現工場近傍

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

日時	L _{Geq}	L _{Gmax}	L _{Gmin}
2025/09/03 11:00	82.7	90.5	78.1
2025/09/03 12:00	83.5	90.1	78.7
2025/09/03 13:00	81.7	88.9	78.1
2025/09/03 14:00	81.8	86.3	77.9
2025/09/03 15:00	81.8	86.6	77.1
2025/09/03 16:00	81.7	86.2	77.7
2025/09/03 17:00	81.6	86.9	78.2
2025/09/03 18:00	81.7	87.3	77.3
2025/09/03 19:00	81.6	85.6	77.8
2025/09/03 20:00	81.3	85.5	77.0
2025/09/03 21:00	81.3	85.8	77.8
2025/09/03 22:00	81.3	85.8	77.4
2025/09/03 23:00	81.2	85.1	77.5
2025/09/04 0:00	81.3	84.9	77.4
2025/09/04 1:00	81.3	85.2	77.5
2025/09/04 2:00	81.2	85.4	77.5
2025/09/04 3:00	81.2	85.2	77.0
2025/09/04 4:00	81.1	86.4	77.5
2025/09/04 5:00	81.3	88.4	77.2
2025/09/04 6:00	81.1	86.0	77.2
2025/09/04 7:00	81.5	95.6	77.6
2025/09/04 8:00	81.6	95.6	77.8
2025/09/04 9:00	81.6	86.8	77.3
2025/09/04 10:00	81.6	86.3	77.7

(2) 1/3 オクターブバンド中心周波数分析結果

1) 事業実施区域敷地境界 (東)

ア. 現工場と破碎工場ともに停止時

測定地点：事業実施区域敷地境界 (東)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	75.5	74.1	73.1	71.8	71.1	69.3	67.8	66.3	65.2	63.5	62.2	62.5	62.8	63.5	64.6	64.6	67.2	65.8	64.6	62.0
13時台	74.8	74.0	72.6	71.4	69.8	68.4	67.1	65.9	64.7	63.0	61.8	61.7	62.6	64.1	67.6	66.6	68.9	68.2	65.5	63.5
14時台	76.1	75.7	74.4	72.6	71.4	70.2	68.3	67.1	65.8	64.3	63.1	63.1	64.2	65.0	67.9	67.4	69.7	68.0	65.1	62.2
15時台	71.3	69.9	68.5	67.1	66.0	64.8	63.8	62.7	61.9	60.7	60.3	61.0	62.5	64.7	67.3	66.5	69.7	67.1	65.0	62.0
16時台	64.3	61.2	60.2	58.9	57.5	57.1	57.9	57.7	58.2	58.4	59.2	60.7	61.9	63.8	65.6	65.6	69.6	66.4	65.1	61.9
17時台	64.0	61.7	59.8	58.7	56.6	55.4	55.2	55.7	56.4	56.6	57.0	58.7	60.4	62.9	64.3	63.9	66.5	65.5	64.9	62.9
18時台	57.9	55.1	52.4	50.6	50.3	51.6	54.4	54.0	56.1	57.3	58.5	58.6	59.2	60.3	63.3	61.5	62.6	62.5	62.0	59.6
19時台	59.1	55.8	53.0	51.8	50.9	51.7	52.8	53.8	54.9	56.1	55.6	56.8	57.7	57.9	59.2	59.1	59.4	60.1	60.6	57.4
20時台	57.5	55.8	53.0	52.1	51.8	52.5	52.5	53.4	54.3	54.7	54.2	54.2	54.1	55.8	56.6	55.6	56.2	57.1	55.2	51.5
21時台	56.2	54.5	53.8	52.8	53.0	52.9	53.1	54.4	54.9	55.4	55.6	55.3	54.0	55.1	56.2	55.9	55.8	58.2	57.1	52.9
22時台	66.3	65.9	64.9	63.8	63.6	62.0	61.3	60.3	60.2	58.9	57.3	57.1	56.0	57.5	58.6	58.2	58.7	60.4	58.0	54.5
23時台	72.7	71.6	70.7	69.5	68.5	67.3	65.8	64.8	63.7	62.6	60.3	58.9	57.9	58.5	57.7	57.4	57.8	59.1	57.5	52.6
0時台	76.3	75.6	74.5	73.3	72.1	70.9	69.4	68.0	66.7	65.0	62.9	61.0	59.5	58.2	57.3	57.1	57.0	59.4	57.4	53.3
1時台	70.8	69.3	68.6	67.4	66.1	64.5	63.0	61.9	60.5	60.1	59.5	57.7	55.7	56.6	56.7	54.0	54.6	57.6	57.6	54.4
2時台	74.3	73.6	72.5	71.1	69.7	68.8	67.5	66.1	65.0	63.5	61.7	58.9	56.3	54.0	54.1	56.5	55.5	57.4	54.1	49.7
3時台	75.2	74.8	73.2	72.0	71.0	69.8	68.6	66.8	66.0	64.3	62.0	60.0	57.6	56.1	55.1	53.5	55.0	55.7	55.9	53.9
4時台	74.4	73.7	72.8	71.5	70.0	69.0	67.6	66.4	65.2	63.5	61.7	59.3	57.8	56.9	56.8	55.4	57.7	57.8	56.9	55.3
5時台	74.2	73.6	72.0	71.0	69.6	68.1	67.3	66.4	65.6	64.4	62.3	60.2	58.9	58.0	60.0	59.3	59.4	59.9	58.1	54.4
6時台	75.8	75.0	74.1	73.3	71.8	70.6	69.2	68.6	67.6	66.7	65.3	63.0	61.1	61.3	62.7	61.4	61.8	62.2	60.6	57.9
7時台	75.4	74.2	72.7	72.1	71.0	69.6	68.1	67.0	66.2	64.7	63.4	62.1	62.0	63.1	65.4	64.5	65.9	65.6	63.5	60.8
8時台	73.0	71.7	70.7	69.5	68.6	67.9	67.3	65.7	64.9	62.8	62.0	61.6	62.5	63.1	65.6	65.1	68.4	66.3	65.0	61.8
9時台	76.1	74.3	73.5	72.8	71.9	70.6	69.8	68.8	67.7	66.3	64.8	64.2	64.5	65.3	67.2	67.2	70.0	68.6	66.5	63.9
10時台	76.0	75.2	74.0	73.0	71.5	70.9	69.6	68.7	67.6	66.1	64.6	63.9	64.4	64.1	66.0	66.3	69.1	66.8	66.0	62.3
11時台	76.1	75.4	74.5	73.3	72.2	71.0	70.2	69.2	68.0	66.8	65.3	63.6	64.1	64.0	65.6	65.5	68.7	66.5	64.6	62.7
パワー平均値	73.5	72.6	71.4	70.3	69.1	67.9	66.7	65.5	64.5	63.2	61.8	60.9	61.0	61.7	63.7	63.3	65.8	64.4	62.7	59.9

備考：測定値は時間帯毎にエネルギー平均した値を示す。

イ. 現工場のみ稼働時

測定地点：事業実施区域敷地境界 (東)

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	77.5	76.7	75.3	74.4	73.5	72.2	71.5	70.6	69.5	68.8	67.4	66.4	65.6	65.3	65.6	66.2	68.7	67.7	65.5	62.9
13時台	77.0	76.3	75.3	73.9	73.0	71.7	70.4	69.4	68.7	67.3	66.1	64.7	64.3	65.2	66.1	66.9	70.4	69.9	65.9	63.8
14時台	76.4	75.3	74.5	73.3	71.6	70.6	69.5	68.6	67.6	66.8	65.4	65.0	65.2	66.0	67.6	68.3	70.7	69.6	68.6	66.3
15時台	77.7	77.1	76.0	74.3	73.0	71.8	70.8	69.8	68.9	67.6	66.1	65.5	66.0	67.2	68.2	68.1	70.7	70.1	68.1	65.4
16時台	76.8	75.7	74.4	73.1	71.7	70.4	69.2	67.6	66.7	65.1	63.8	63.4	63.5	64.2	65.2	65.5	67.3	66.6	65.0	62.7
17時台	73.4	72.1	71.0	69.3	68.2	66.4	65.1	64.5	63.8	62.8	61.6	60.6	61.0	62.4	65.6	66.0	66.5	66.5	65.6	64.1
18時台	73.2	72.2	71.3	69.8	68.3	66.6	65.5	64.4	63.4	62.4	61.2	60.3	60.2	60.9	63.2	62.8	62.7	63.4	63.8	60.5
19時台	73.7	72.3	71.6	70.0	68.4	67.2	66.1	65.1	63.5	62.3	60.8	60.1	59.5	59.2	60.7	59.6	61.0	62.8	61.0	58.8
20時台	75.2	73.8	72.5	71.2	69.9	68.5	67.1	66.2	64.5	63.3	61.5	59.7	58.4	58.7	60.4	57.9	58.5	60.7	58.0	54.0
21時台	70.7	69.9	68.7	67.2	66.3	65.1	63.7	62.9	62.3	61.3	60.6	59.2	57.0	57.3	57.4	56.1	59.1	56.8	57.9	56.1
22時台	73.1	71.6	70.4	69.6	68.4	67.1	66.1	65.6	65.4	64.7	63.4	61.6	59.8	60.0	60.8	60.8	60.8	62.6	61.3	55.6
23時台	70.5	69.1	68.1	67.4	66.2	65.3	64.4	64.3	64.0	63.4	62.2	60.2	58.9	58.3	58.5	57.3	58.8	58.1	58.8	53.8
0時台	72.2	71.8	70.2	69.0	67.6	66.8	65.8	65.1	64.4	63.1	61.7	59.4	58.1	58.6	59.0	57.9	58.8	59.4	59.4	53.8
1時台	75.3	74.3	73.4	72.4	71.4	69.4	68.5	67.6	67.2	66.6	65.6	63.6	60.4	59.5	58.5	56.6	57.4	56.9	57.8	53.0
2時台	75.1	74.6	72.9	71.6	70.1	69.1	67.3	66.6	66.3	65.7	64.3	61.5	58.9	58.1	57.5	55.6	57.6	58.2	58.5	52.5
3時台	71.1	69.6	68.3	66.7	65.5	64.5	63.3	62.9	61.8	60.9	58.8	59.9	58.0	59.1	56.8	56.0	59.3	59.1	59.0	55.0
4時台	73.8	72.3	71.4	70.4	69.7	68.6	67.3	66.1	65.7	64.4	62.0	61.7	59.6	58.8	57.5	56.8	58.7	59.2	60.7	55.6
5時台	66.7	64.9	63.6	62.6	61.1	60.1	59.3	59.5	59.6	59.4	58.2	57.6	58.1	59.0	59.4	59.1	62.8	62.9	61.6	56.7
6時台	67.4	65.7	64.7	62.8	61.5	60.4	59.9	59.7	59.2	58.7	58.8	58.6	60.4	61.5	63.0	63.0	63.0	63.8	61.2	59.8
7時台	66.8	63.9	62.0	61.1	60.0	58.9	58.2	58.2	58.1	58.1	58.5	59.2	60.5	62.4	64.3	64.9	67.4	65.1	62.9	60.6
8時台	71.6	69.8	68.1	66.7	65.2	64.0	63.1	62.4	61.5	60.9	60.3	61.0	61.8	63.7	65.9	65.9	68.7	68.7	65.3	63.1
9時台	69.9	67.9	65.9	64.5	63.4	62.5	62.1	61.8	61.3	60.7	60.7	62.1	64.2	65.5	66.9	67.3	70.1	69.3	66.6	64.8
10時台	63.6	61.2	59.0	57.3	56.6	57.5	57.8	57.6	58.6	59.1	60.3	61.9	63.8	65.1	66.9	67.3	69.6	69.8	66.3	64.0
11時台	69.4	67.9	66.2	65.2	63.6	63.2	61.9	61.4	60.6	60.3	61.2	62.0	63.9	64.6	66.1	67.1	70.3	69.6	67.1	64.3
パワー平均値	73.8	72.7	71.5	70.2	69.0	67.8	66.7	65.8	65.0	64.1	62.9	62.1	62.0	62.7	64.0	64.2	66.6	66.1	64.1	61.5

備考：測定値は時間帯毎にエネルギー平均した値を示す。

ウ. 現工場と破碎工場ともに稼働時

測定地点：事業実施区域敷地境界 (東)

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

測定日時 (補足)：2025 年 9 月 5 日(金)10 時～11 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	78.7	78.2	77.9	75.5	74.4	73.0	71.5	70.1	68.5	67.2	65.6	64.5	64.7	64.6	67.0	65.7	68.6	68.7	72.0	67.4
13時台	79.5	78.2	77.7	76.5	74.9	73.6	72.2	70.7	69.2	67.8	66.6	65.6	65.7	65.9	67.7	67.5	68.9	69.5	67.8	63.9
14時台	78.9	77.7	76.8	75.5	74.3	72.9	71.6	70.1	68.7	67.0	65.9	64.8	65.0	65.8	66.8	66.9	69.0	68.9	66.6	63.3
15時台	80.2	79.3	78.7	77.6	76.6	75.2	73.2	71.6	70.5	68.9	67.7	66.7	65.9	66.7	68.3	67.4	69.1	69.2	66.8	64.3
16時台	81.4	80.3	79.3	78.1	76.8	75.5	73.6	72.4	70.6	69.5	68.2	67.1	66.3	66.9	67.7	67.5	70.0	70.0	68.0	64.8
17時台	80.0	79.4	78.1	76.8	75.9	74.2	73.1	71.5	69.9	68.1	67.1	66.2	65.6	67.0	68.7	69.7	70.2	69.7	67.8	65.2
18時台	76.3	75.5	74.2	73.1	71.8	70.3	69.3	67.7	66.4	65.0	63.8	63.4	63.7	65.4	66.8	66.5	69.0	68.3	66.6	64.1
19時台	72.1	70.5	69.3	68.2	66.8	65.0	64.2	62.9	61.7	61.0	60.5	60.4	61.7	63.3	66.0	65.5	66.6	66.5	67.5	64.5
20時台	63.5	62.0	61.5	59.6	59.1	58.4	57.9	57.2	58.1	58.8	59.8	60.2	59.9	61.2	63.2	63.4	64.4	63.8	65.9	62.3
21時台	60.3	58.4	56.4	55.5	53.9	55.0	55.4	54.5	56.0	57.5	58.2	57.7	58.5	59.6	61.9	61.5	62.3	61.6	64.8	60.9
22時台	56.3	54.5	53.3	51.5	50.9	52.3	52.6	53.7	55.5	56.9	57.0	56.2	55.2	56.7	57.7	58.3	59.8	58.1	63.7	58.6
23時台	56.7	55.0	54.5	52.6	51.8	52.7	54.1	55.0	56.2	57.5	57.9	58.4	57.9	58.5	58.9	60.8	62.6	60.4	63.4	57.7
0時台	55.8	52.8	50.6	49.5	49.3	51.3	51.4	54.0	56.0	57.2	57.3	57.5	57.6	58.9	60.5	58.7	60.2	59.3	63.6	59.2
1時台	54.1	53.9	52.0	50.6	49.9	51.4	51.6	54.1	56.1	57.3	57.3	56.7	56.5	57.6	57.9	57.3	59.7	58.4	63.2	57.5
2時台	57.4	56.6	55.1	52.5	50.5	51.7	51.6	54.3	56.2	57.5	58.1	58.2	58.0	58.3	59.7	58.5	60.2	59.7	64.4	58.0
3時台	50.7	51.4	49.3	47.9	47.4	50.9	51.6	54.2	56.3	58.0	57.4	56.4	55.7	57.5	57.9	55.6	58.2	57.0	61.3	55.6
4時台	50.6	49.7	48.7	48.0	47.7	51.1	51.1	53.5	55.9	57.1	56.8	55.6	55.2	56.5	56.1	54.6	60.0	57.3	62.7	56.9
5時台	54.9	53.0	52.2	51.6	51.4	53.5	53.8	54.4	55.9	57.1	57.5	56.6	56.7	57.5	57.3	57.6	60.3	59.6	62.7	56.7
6時台	54.8	53.1	50.8	50.7	49.7	52.1	52.1	53.9	55.9	57.6	57.4	57.3	57.2	59.5	58.2	57.5	60.3	58.8	59.2	55.6
7時台	59.6	56.5	54.3	53.6	51.0	52.3	51.9	53.9	55.9	57.9	57.5	57.3	58.0	60.0	60.0	58.4	60.0	61.5	64.8	61.1
8時台	62.6	59.5	57.0	55.5	55.7	56.1	55.2	56.1	56.5	57.7	57.8	57.6	58.4	61.2	62.2	62.0	63.3	62.2	62.8	59.2
9時台	68.0	64.6	61.4	60.0	58.9	58.5	58.0	58.1	58.0	58.4	58.5	59.0	61.3	63.8	65.3	65.4	66.7	66.2	65.3	63.2
10時台 ^注	68.0	65.1	62.4	61.0	60.3	60.1	60.4	60.1	59.9	60.0	60.4	60.8	62.3	63.9	66.2	67.5	68.5	67.7	65.9	64.6
11時台	66.3	63.4	61.5	60.7	60.1	60.5	60.6	60.4	60.5	60.1	61.1	62.1	65.2	66.8	67.1	67.4	69.6	70.5	67.5	64.9
パワー平均値	69.8	68.3	67.0	66.2	65.1	63.9	63.2	62.6	62.4	61.8	61.1	61.4	63.9	65.4	67.1	67.6	69.9	69.3	67.4	64.6

注) 機器トラブルによって、4 日(木)10 時台の測定に欠測が生じたため、5 日(金)10 時台に再測定を実施し、その結果を 10 時台の結果として補完した。

備考：測定値は時間帯毎にエネルギー平均した値を示す。

2) 近接施設側敷地境界(西)

ア. 現工場と破碎工場ともに停止時

測定地点：近接施設側敷地境界(西)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	79.5	79.4	77.8	76.9	75.1	73.7	71.7	69.1	67.1	65.3	63.0	61.4	61.3	67.2	75.0	69.0	67.7	65.9	68.2	63.0
13時台	81.1	80.5	78.9	78.6	77.3	75.7	73.6	71.5	69.4	67.2	65.0	62.5	63.0	67.4	64.0	66.8	67.7	66.7	66.7	63.2
14時台	80.8	80.4	79.7	77.5	76.2	74.6	72.6	70.6	68.1	65.4	62.9	60.2	61.1	66.0	60.9	65.3	68.5	69.2	66.9	63.9
15時台	77.4	77.2	75.6	74.5	72.7	70.8	69.0	67.5	64.5	62.7	60.2	57.9	57.4	60.3	62.6	60.3	62.0	60.6	59.9	57.1
16時台	70.2	69.6	68.6	66.3	64.6	62.7	60.5	57.9	57.2	57.9	55.6	54.6	55.2	57.8	60.4	59.0	60.5	59.5	59.0	56.1
17時台	67.4	66.0	64.5	62.9	61.4	59.8	57.9	56.4	56.8	57.6	55.6	53.8	54.6	56.7	57.8	57.8	60.4	59.5	58.1	55.2
18時台	64.2	62.6	60.2	58.9	57.4	56.0	54.7	53.7	54.2	56.3	53.4	51.9	52.2	54.2	55.7	55.8	61.1	57.9	56.7	53.8
19時台	53.1	51.2	49.3	47.9	46.6	46.5	46.6	49.8	51.9	55.8	52.5	50.7	50.8	52.1	54.0	53.3	59.6	55.3	55.9	52.4
20時台	54.9	52.8	51.4	50.7	49.6	48.8	48.1	50.0	52.1	55.7	52.5	50.0	49.7	51.7	52.0	52.7	57.4	54.0	55.4	52.6
21時台	58.5	56.3	53.8	52.4	51.1	50.4	49.1	50.5	52.2	55.8	52.5	49.9	49.6	51.7	51.5	52.2	57.0	55.7	55.6	51.7
22時台	72.0	69.8	67.7	65.9	63.7	62.4	60.1	58.2	56.9	57.5	54.3	51.7	50.5	51.0	51.2	51.6	57.2	58.3	55.9	52.0
23時台	74.8	72.3	71.5	69.9	67.5	65.8	64.2	62.6	60.2	59.5	56.2	53.5	51.8	51.0	51.2	52.8	57.9	60.1	56.6	51.8
0時台	75.7	74.8	73.2	71.8	69.7	68.5	66.7	64.6	62.8	61.7	58.6	55.7	53.8	53.3	51.9	52.1	58.3	60.1	55.7	51.8
1時台	69.8	68.0	66.2	64.7	63.6	62.3	60.1	58.6	57.1	57.7	54.4	51.2	50.0	51.8	51.4	53.6	58.1	60.0	56.8	52.6
2時台	78.1	77.6	76.4	74.5	71.7	69.7	68.1	66.9	65.2	64.0	61.9	58.8	56.4	54.3	52.3	53.2	56.7	60.3	55.7	51.6
3時台	78.5	77.8	76.1	74.6	72.9	71.0	69.6	67.8	66.3	64.8	62.4	59.6	56.9	54.7	52.7	52.8	58.9	59.3	55.4	51.8
4時台	77.4	75.2	73.9	72.0	71.0	68.9	67.8	66.1	64.7	63.1	60.5	57.8	55.3	54.5	54.5	54.6	57.8	60.3	56.7	53.2
5時台	73.3	71.9	70.6	69.6	67.8	66.0	63.8	62.7	61.0	60.0	57.2	54.9	53.5	55.9	58.0	56.3	62.0	58.7	56.7	52.6
6時台	76.0	74.6	73.3	71.8	70.1	68.7	67.4	66.3	64.7	63.7	61.8	59.1	57.2	57.8	64.2	61.2	64.4	65.6	58.8	54.8
7時台	76.4	75.2	73.0	71.8	70.4	68.6	66.9	65.6	63.9	63.0	61.3	58.6	57.7	59.5	61.6	60.6	61.0	61.9	60.5	55.4
8時台	71.8	69.8	67.9	66.5	64.9	63.2	61.8	60.8	59.7	59.8	57.7	56.6	57.9	60.8	61.5	61.7	65.7	64.3	62.0	57.5
9時台	75.7	73.7	72.3	70.8	68.1	66.7	64.9	63.4	62.1	61.3	59.3	57.7	58.1	60.2	62.9	63.2	65.6	62.9	61.9	57.9
10時台	75.7	74.1	72.4	70.7	69.1	67.5	65.5	64.3	62.7	62.1	60.1	57.9	58.5	60.0	62.0	61.6	62.6	62.1	60.6	57.6
11時台	75.9	75.1	72.9	71.4	70.3	68.6	66.5	65.5	64.3	63.3	62.0	60.1	59.9	62.7	64.1	62.5	64.2	65.4	61.5	58.1
パワー平均値	75.9	75.0	73.6	72.2	70.6	68.9	67.1	65.3	63.5	62.1	59.8	57.5	57.1	60.4	63.5	61.1	63.0	62.6	61.1	57.3

備考：測定値は時間帯毎にエネルギー平均した値を示す。

イ. 現工場のみ稼働時

測定地点：近接施設側敷地境界(西)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	75.0	74.2	72.5	70.9	69.0	67.4	65.6	64.2	63.4	62.9	61.2	59.7	60.1	65.3	63.0	63.2	68.3	65.8	65.9	62.2
13時台	71.9	71.4	71.5	70.1	68.3	66.8	65.9	64.6	64.0	63.4	61.9	60.8	62.9	67.4	62.6	62.6	67.7	67.0	64.5	62.6
14時台	75.9	75.9	74.9	74.3	73.3	69.9	68.7	67.0	65.0	64.4	62.6	61.8	61.0	63.3	62.1	63.9	66.0	65.2	64.7	59.8
15時台	74.0	73.5	73.8	71.0	70.0	68.0	66.7	65.1	63.5	62.6	60.4	59.2	58.9	60.3	61.8	63.1	64.6	63.3	64.3	57.5
16時台	75.6	74.6	74.0	71.5	70.1	68.7	66.4	64.3	63.0	61.8	59.7	58.6	58.0	59.4	61.3	61.6	64.0	62.2	61.4	56.8
17時台	74.0	74.7	73.1	73.7	70.8	69.1	66.2	64.1	62.2	61.5	59.5	58.3	57.9	59.0	60.6	59.7	63.4	62.1	60.9	55.9
18時台	72.8	71.4	70.9	69.4	68.3	66.3	65.3	63.7	61.7	61.0	58.8	57.7	56.3	56.6	59.3	57.9	63.0	62.3	59.2	54.7
19時台	72.9	71.9	70.8	69.6	68.5	66.9	65.1	63.6	62.5	61.6	59.4	57.9	56.3	55.5	57.4	57.1	62.1	60.1	65.5	55.8
20時台	76.3	75.3	74.9	73.5	72.0	70.2	68.0	66.4	65.2	63.7	61.5	60.1	57.6	56.9	58.1	56.3	63.1	62.5	56.8	54.0
21時台	72.9	72.0	70.7	69.1	67.4	66.0	64.1	62.6	61.1	60.2	58.0	56.7	55.4	55.4	57.3	55.5	64.1	64.0	56.5	54.0
22時台	74.0	73.3	72.1	71.1	69.6	67.1	65.7	64.8	62.8	61.2	59.4	58.1	56.5	55.1	57.4	55.2	63.9	63.3	62.4	54.4
23時台	74.0	74.0	73.0	71.8	69.6	68.5	66.3	64.4	62.1	60.8	59.1	57.4	55.6	55.4	57.9	54.7	65.0	66.4	62.4	54.4
0時台	76.1	75.5	74.4	73.3	71.1	69.2	66.9	65.6	63.5	62.5	59.8	58.4	56.3	56.0	58.2	54.5	64.3	66.6	64.4	54.2
1時台	74.2	73.2	72.5	70.5	69.0	67.5	65.8	64.6	63.4	62.6	60.3	58.3	56.3	55.7	57.8	55.6	64.1	64.9	65.9	54.2
2時台	72.7	71.9	71.1	69.4	68.7	66.8	65.8	64.9	64.2	63.8	61.0	58.8	56.5	55.6	57.9	54.2	64.0	66.2	65.1	54.0
3時台	67.6	66.3	65.2	63.6	62.7	60.8	59.2	58.2	57.3	58.3	55.3	55.5	54.2	54.9	57.8	53.8	63.5	67.4	64.7	53.9
4時台	71.3	70.7	68.9	67.4	65.8	64.3	63.1	61.1	59.7	59.4	56.5	55.8	54.9	55.3	57.9	55.0	63.6	66.9	65.2	54.6
5時台	66.9	66.1	65.0	63.8	62.4	59.4	58.1	57.6	57.7	58.4	58.1	56.5	56.0	58.0	60.7	56.0	63.3	66.0	63.8	53.2
6時台	64.7	63.6	61.8	60.4	58.8	57.5	56.5	56.1	55.1	57.0	55.1	55.7	55.8	57.3	60.3	59.8	63.2	66.5	60.1	54.1
7時台	61.2	59.2	58.2	55.7	54.5	53.7	52.6	53.3	53.9	56.9	55.0	55.6	56.6	60.0	61.1	60.4	66.0	67.2	60.8	56.2
8時台	68.8	68.1	67.5	65.4	64.2	62.1	59.8	58.1	57.2	58.3	56.6	57.0	58.0	61.4	61.7	61.2	65.4	65.4	60.0	57.4
9時台	64.5	63.4	62.2	60.6	59.2	57.8	56.5	55.7	55.3	57.6	56.2	56.7	58.0	59.3	61.9	60.6	65.0	66.8	60.5	57.0
10時台	61.8	60.7	59.2	58.2	56.8	55.8	54.3	54.0	54.6	57.1	56.1	56.9	58.7	61.5	62.7	61.6	65.3	67.3	61.0	56.7
11時台	66.6	65.3	63.1	61.7	60.6	59.7	57.5	57.0	56.4	58.1	56.6	57.7	58.9	60.8	62.5	63.6	68.9	66.4	63.3	59.2
パワー平均値	72.8	72.1	71.3	69.9	68.3	66.4	64.7	63.2	61.8	61.2	59.2	58.2	57.9	60.2	60.4	59.9	65.0	65.5	63.2	57.0

備考：測定値は時間帯毎にエネルギー平均した値を示す。

ウ. 現工場と破碎工場ともに稼働時

測定地点：近接施設側敷地境界（西）

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	81.9	81.5	80.8	79.8	78.9	78.1	76.4	75.1	72.7	72.4	68.9	66.7	67.1	65.5	71.0	67.9	68.8	66.2	63.2	60.8
13時台	81.1	80.3	79.4	79.0	77.9	76.5	74.8	73.3	71.3	71.3	66.9	65.0	64.8	66.3	71.5	68.1	69.3	68.8	64.7	61.6
14時台	81.5	81.0	79.9	79.1	78.0	77.1	75.2	73.1	71.3	71.4	66.7	65.2	64.6	66.9	71.5	68.3	69.8	66.8	65.5	62.0
15時台	83.0	82.6	82.0	80.5	79.9	78.5	77.1	75.6	73.6	72.9	69.3	67.1	66.2	65.7	71.1	68.3	69.0	66.1	63.2	60.8
16時台	83.8	84.0	83.2	82.1	81.2	79.8	78.3	77.1	75.3	74.1	71.7	69.1	68.1	67.5	71.7	69.3	69.2	67.1	65.1	62.9
17時台	80.1	80.0	79.2	78.9	78.4	76.8	75.5	73.7	72.1	71.8	68.0	66.2	67.0	68.8	72.0	69.5	69.8	67.3	64.8	62.3
18時台	77.5	77.1	75.9	76.0	74.6	73.5	72.2	70.4	68.5	70.0	65.3	63.1	66.4	67.3	71.1	68.9	69.2	66.9	63.7	61.3
19時台	74.2	73.5	73.1	72.1	71.0	69.6	68.2	66.2	64.5	68.4	62.0	60.8	64.4	63.8	71.1	68.2	68.5	66.5	63.6	60.5
20時台	67.6	66.9	64.7	63.4	61.8	59.9	58.1	57.4	57.8	67.5	59.7	59.1	62.6	63.0	70.8	67.5	68.3	65.9	63.5	60.1
21時台	66.7	65.3	63.6	62.0	60.2	57.9	56.2	55.1	55.5	64.5	59.2	58.4	59.1	62.0	69.7	65.8	67.4	65.0	62.5	59.4
22時台	67.2	66.2	64.6	63.2	61.5	59.3	56.8	55.6	54.6	56.6	55.3	54.9	54.4	55.3	57.9	56.0	61.4	58.6	58.0	55.2
23時台	61.7	60.4	58.6	56.9	55.6	53.6	51.4	51.6	52.6	55.9	54.0	54.6	54.2	55.3	55.8	55.0	61.0	62.2	57.4	54.6
0時台	46.3	45.2	44.5	45.1	46.8	48.1	48.0	51.0	52.9	56.1	54.0	54.7	54.0	55.3	55.9	54.4	61.2	62.9	60.9	56.7
1時台	45.7	45.2	44.8	45.9	47.0	48.3	48.2	51.4	52.9	56.2	54.0	54.7	54.2	55.1	56.1	54.3	60.9	63.4	60.7	56.2
2時台	46.8	46.0	45.5	45.9	47.1	48.6	48.3	51.6	53.0	56.2	54.2	54.9	54.3	55.3	56.2	54.3	60.9	63.5	60.0	55.8
3時台	46.3	45.3	44.7	45.3	46.8	48.5	48.2	51.6	53.3	56.3	53.9	54.5	54.1	54.7	56.2	54.2	60.4	62.4	61.0	55.9
4時台	54.4	52.8	51.8	50.4	50.4	50.3	49.7	51.8	52.9	56.4	54.0	54.5	54.2	54.5	56.1	54.1	60.3	62.3	61.0	56.1
5時台	50.8	50.2	49.5	49.0	49.5	50.2	49.3	51.5	53.0	56.7	54.3	54.7	54.7	54.8	56.0	53.9	61.0	62.8	60.3	55.5
6時台	47.0	45.2	44.5	45.4	47.2	48.7	48.4	51.7	53.3	56.4	54.1	54.5	54.4	55.2	56.6	54.3	59.9	62.0	60.8	55.6
7時台	51.4	49.3	47.5	47.3	48.1	49.5	49.0	51.7	53.3	57.1	54.1	54.6	55.2	56.0	56.2	55.8	60.1	61.6	61.2	56.3
8時台	53.1	51.1	49.5	49.4	50.0	50.8	50.2	53.0	54.1	57.3	54.6	55.7	56.0	58.1	60.4	63.1	64.9	67.0	61.7	55.1
9時台	58.5	56.7	55.2	54.1	53.7	53.8	53.1	54.1	54.6	57.5	55.3	56.0	57.4	61.1	61.0	59.4	63.5	62.7	59.5	55.8
10時台	62.2	60.7	58.5	57.6	56.9	56.1	55.1	54.9	55.4	57.9	55.9	56.7	57.9	61.5	62.3	61.6	65.1	62.9	60.6	56.9
11時台	62.1	61.2	59.5	58.1	57.7	56.8	55.2	55.1	55.3	57.9	56.5	57.3	59.1	61.0	63.2	61.2	64.2	63.4	60.3	57.8
パワー平均値	61.5	59.4	57.5	56.2	55.8	55.5	54.4	54.4	54.9	57.8	56.5	57.2	59.3	61.3	64.9	63.0	65.6	66.4	63.2	58.7

備考：測定値は時間帯毎にエネルギー平均した値を示す。

3) 近接施設側敷地境界(北)

ア. 現工場と破碎工場ともに停止時

測定地点：近接施設側敷地境界(北)

測定日時：2025年6月10日(火)12時～11日(水)12時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	85.8	85.4	83.8	82.8	81.5	80.3	79.0	77.6	76.4	74.9	73.4	72.0	69.9	70.8	71.2	68.7	68.2	67.7	64.8	63.3
13時台	86.3	85.2	83.9	82.5	81.8	80.2	79.1	77.7	76.1	74.8	73.4	72.3	70.2	70.2	69.2	67.1	67.3	69.3	64.2	61.6
14時台	85.9	84.7	84.2	83.1	82.0	80.6	79.3	78.0	76.6	74.8	73.0	71.3	69.2	68.9	68.3	68.2	67.6	69.0	65.0	61.5
15時台	79.8	79.2	77.7	76.3	75.0	73.8	72.8	71.4	70.4	68.8	67.3	65.9	64.9	67.7	67.2	66.1	68.4	69.4	64.7	62.0
16時台	73.8	71.3	69.8	68.3	67.4	66.7	65.0	64.0	63.1	61.4	61.8	62.0	63.7	67.2	66.3	64.8	66.4	68.8	64.5	62.5
17時台	73.3	71.4	69.4	68.2	66.4	65.3	64.0	63.0	62.2	60.6	60.5	60.4	61.9	65.1	66.2	65.0	71.9	68.7	63.7	62.7
18時台	67.0	63.6	61.2	58.5	56.6	56.5	55.6	56.4	57.6	56.6	59.1	59.3	60.3	61.6	61.3	61.6	71.8	64.5	61.5	62.3
19時台	65.9	62.5	60.1	58.6	57.4	56.9	56.0	56.7	57.1	56.3	58.3	58.4	58.4	60.6	61.2	59.9	75.5	65.9	59.1	59.6
20時台	59.4	56.4	54.4	53.1	52.7	53.6	53.4	55.4	56.5	55.4	57.5	56.6	56.8	57.9	57.9	61.9	75.6	66.4	60.3	58.5
21時台	61.8	60.0	58.0	57.5	56.4	55.9	55.6	56.6	57.5	56.3	58.3	58.0	56.9	58.8	59.0	62.2	74.6	71.2	60.9	58.3
22時台	70.6	68.9	66.9	65.0	63.4	62.1	60.8	60.0	58.9	57.5	58.2	56.9	55.0	57.3	58.6	62.0	75.0	72.8	60.5	57.8
23時台	74.2	72.5	71.4	69.6	67.5	65.7	64.0	62.5	61.6	59.5	59.6	58.8	56.6	59.0	60.0	65.4	76.4	73.1	61.9	61.5
0時台	76.0	74.8	73.8	72.4	70.6	68.7	67.0	65.8	64.5	62.3	61.5	60.2	57.8	60.3	60.7	62.9	76.6	73.2	60.6	61.5
1時台	70.7	69.3	68.2	66.4	64.9	64.3	63.1	62.0	60.9	59.8	59.9	58.3	55.7	58.5	60.3	65.9	76.7	73.6	62.5	61.7
2時台	78.4	76.7	75.1	73.5	71.7	69.9	67.7	66.1	64.4	62.3	62.2	60.4	57.1	61.1	62.0	65.1	76.0	75.2	60.7	62.0
3時台	79.4	77.6	76.2	74.6	72.7	70.8	69.3	67.2	65.3	63.2	61.9	60.4	58.2	61.2	62.1	61.1	76.0	74.3	60.4	62.2
4時台	79.2	77.6	76.2	74.6	72.5	70.7	69.0	67.4	64.9	62.8	61.8	60.4	58.3	61.3	63.3	65.4	73.0	73.8	61.3	60.1
5時台	78.6	76.8	75.2	73.7	71.7	69.9	68.0	66.7	64.6	62.4	61.4	61.0	58.6	61.6	64.4	64.5	70.8	72.8	62.4	59.8
6時台	80.2	78.6	77.1	75.6	73.9	71.8	70.2	68.1	66.3	64.4	64.1	62.7	62.3	64.6	66.5	64.4	69.3	73.5	62.7	59.5
7時台	78.7	77.1	75.9	74.0	72.8	70.7	68.5	67.4	65.4	63.6	63.4	63.2	63.3	65.6	67.7	66.7	67.3	73.5	63.5	61.6
8時台	74.6	73.2	71.3	69.4	67.7	66.3	64.5	63.1	61.6	60.3	61.1	61.8	62.9	65.8	66.1	65.7	66.9	71.3	64.2	61.7
9時台	75.3	73.7	72.2	70.3	68.6	67.0	65.3	64.0	63.0	61.9	62.0	62.9	63.2	66.0	66.6	65.3	67.1	68.5	64.0	61.8
10時台	77.7	76.3	74.7	73.1	71.0	68.9	66.8	65.0	63.9	62.1	61.8	62.1	63.5	65.8	66.7	65.6	66.5	67.7	63.4	61.1
11時台	79.2	77.5	75.9	74.4	73.1	71.5	69.3	67.5	66.2	64.0	63.6	63.7	64.6	67.9	67.1	65.9	67.4	70.1	64.7	62.2
パワー平均値	79.5	78.3	77.0	75.7	74.5	73.0	71.6	70.2	68.8	67.2	66.0	64.9	63.6	65.3	65.6	65.2	73.0	71.5	62.9	61.3

備考：測定値は時間帯毎にエネルギー平均した値を示す。

イ. 現工場のみ稼働時

測定地点：近接施設側敷地境界(北)

測定日時：2025年7月3日(木)12時～4日(金)12時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	78.7	76.8	75.4	74.2	72.5	70.6	68.5	66.8	65.3	63.6	64.4	65.1	65.0	70.1	71.3	68.0	67.3	67.6	65.0	62.9
13時台	77.9	76.7	74.9	73.8	71.6	70.0	68.4	67.5	65.6	63.7	63.2	63.7	64.9	69.2	71.1	67.2	68.5	69.9	64.8	62.2
14時台	75.9	74.1	72.5	70.8	69.2	68.2	66.7	65.4	64.6	62.5	62.7	64.1	65.7	69.8	70.5	69.7	69.8	70.7	67.5	63.4
15時台	78.4	77.2	75.5	73.8	72.1	70.8	69.2	68.2	66.9	65.1	65.9	65.2	65.7	68.7	71.0	69.8	68.6	73.2	68.8	63.5
16時台	84.3	83.0	81.8	80.0	78.2	76.4	74.3	73.0	71.5	70.1	68.5	67.9	66.5	67.2	68.6	68.6	72.0	69.3	65.5	63.2
17時台	78.1	76.0	75.1	73.1	71.4	69.2	67.8	66.2	65.0	63.8	63.6	63.1	63.6	65.9	67.8	66.4	72.1	69.2	65.1	64.6
18時台	78.3	77.0	75.4	74.3	72.8	69.6	68.4	67.0	65.7	63.7	63.0	62.9	61.9	63.2	66.3	63.7	71.3	67.8	63.6	61.9
19時台	80.4	78.9	77.0	75.1	73.2	71.5	69.9	68.3	66.7	65.1	64.4	63.9	62.1	63.6	66.4	63.1	71.1	65.9	64.7	61.1
20時台	78.5	76.4	75.1	72.7	71.5	69.4	67.9	66.2	64.2	62.8	62.2	62.5	60.2	61.7	66.2	62.0	65.9	63.8	58.7	57.4
21時台	80.0	78.3	77.9	75.7	73.6	72.4	70.6	69.2	68.1	66.3	65.4	65.0	62.0	62.6	66.5	62.4	66.5	68.7	60.7	58.5
22時台	80.4	79.3	79.7	78.5	76.6	75.9	74.5	73.4	72.4	70.9	70.0	68.8	67.3	66.2	67.7	62.8	67.3	70.6	62.9	58.3
23時台	78.8	78.1	77.0	75.7	74.4	73.8	72.3	71.0	70.0	68.6	67.1	66.1	64.2	64.0	67.4	63.0	66.6	67.9	73.4	59.6
0時台	77.2	75.9	74.6	72.5	71.4	70.0	68.4	67.2	65.2	63.2	62.6	62.3	60.4	63.3	66.9	61.2	66.3	67.8	75.3	59.1
1時台	75.6	75.0	73.3	71.6	69.5	67.9	66.6	65.5	63.7	62.2	62.2	62.1	59.9	63.4	67.0	62.4	67.7	69.7	75.4	59.1
2時台	77.1	75.3	73.4	71.8	69.7	68.1	66.4	65.0	63.5	61.8	61.4	61.7	58.7	60.8	66.6	60.3	67.5	67.6	75.5	58.6
3時台	72.3	70.6	69.0	67.6	65.6	64.2	62.3	61.2	60.0	58.5	59.7	61.3	58.6	60.9	68.6	61.5	68.8	67.6	75.7	59.5
4時台	76.4	75.0	73.5	72.1	70.0	68.3	67.0	65.7	63.7	62.5	62.3	62.4	60.8	63.4	68.7	61.9	68.9	68.5	75.6	59.2
5時台	71.0	69.3	68.6	66.9	65.7	64.2	63.0	62.6	61.4	59.8	60.4	61.3	60.1	62.9	67.9	64.9	68.6	67.3	74.7	60.1
6時台	70.6	69.4	67.5	66.1	64.8	63.8	62.8	62.2	61.3	59.7	61.2	62.6	61.8	64.5	66.0	63.7	68.3	67.0	67.3	59.9
7時台	69.7	67.5	65.6	63.9	62.9	61.5	60.5	61.2	59.8	59.4	60.9	61.6	62.2	66.0	66.6	65.7	68.4	67.8	63.8	61.6
8時台	73.8	72.5	70.6	68.7	67.6	66.1	64.6	63.8	62.7	61.6	62.3	62.7	63.8	66.8	66.9	66.5	67.4	69.3	64.4	61.9
9時台	73.9	71.7	69.7	67.7	66.2	64.6	63.7	63.4	62.7	61.4	62.5	63.4	64.6	67.7	68.4	66.9	69.0	70.5	64.9	63.2
10時台	68.9	66.6	64.1	62.9	61.4	60.8	59.9	60.1	60.3	59.3	62.1	63.7	65.1	67.0	67.4	66.1	69.3	71.0	64.6	62.7
11時台	70.4	69.1	66.4	65.5	64.3	63.1	61.5	61.7	61.9	61.5	62.0	63.7	64.4	65.8	68.1	66.9	69.6	70.8	64.7	64.1
パワー平均値	77.7	76.3	75.1	73.4	71.7	70.2	68.6	67.4	66.1	64.6	64.2	64.1	63.6	66.0	68.2	65.7	69.0	69.1	70.7	61.5

備考：測定値は時間帯毎にエネルギー平均した値を示す。

ウ. 現工場と破砕工場ともに稼働時

測定地点：近接施設側敷地境界(北)

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	87.3	86.4	85.1	84.0	82.6	81.5	80.2	78.3	77.0	76.7	74.4	72.7	71.8	72.3	75.4	72.4	74.1	74.4	78.3	69.3
13時台	87.8	87.3	86.5	84.9	83.4	82.1	80.6	79.2	77.8	77.0	75.2	73.5	72.6	73.5	75.6	73.0	74.3	74.6	78.0	67.7
14時台	89.0	88.0	87.0	85.4	84.1	82.6	81.5	80.1	78.8	77.8	76.1	74.7	73.3	74.0	76.3	73.2	74.7	73.7	76.5	67.0
15時台	90.8	90.0	88.8	87.4	86.0	84.7	83.3	81.8	80.5	79.3	77.8	76.2	74.9	74.8	76.4	74.2	74.3	71.9	69.2	67.3
16時台	90.2	89.2	88.6	87.3	85.7	84.1	82.7	81.4	79.8	78.6	77.1	75.4	74.0	74.7	76.9	74.4	74.3	72.7	69.6	68.5
17時台	90.9	89.9	88.5	87.3	85.8	84.5	82.8	81.2	79.3	77.9	76.1	74.1	73.3	75.7	77.6	75.1	75.0	73.4	70.4	68.6
18時台	87.4	85.7	84.1	83.0	81.6	80.0	78.7	77.0	75.4	75.0	73.0	71.5	71.5	74.3	76.4	73.9	74.1	72.5	71.2	68.7
19時台	83.0	81.5	80.1	78.4	77.3	75.3	73.9	72.7	71.2	71.7	69.8	68.6	69.8	72.3	75.6	73.3	73.2	74.9	75.8	70.3
20時台	70.2	67.3	65.6	64.1	62.8	62.0	61.3	61.0	61.0	68.5	65.6	65.3	70.8	71.8	75.6	72.9	72.6	73.5	76.1	70.5
21時台	64.5	61.5	58.9	56.6	56.3	57.1	57.4	58.3	58.5	63.9	64.7	64.5	64.6	71.0	74.5	72.0	71.2	70.2	77.1	70.8
22時台	65.0	62.3	60.4	57.8	56.1	55.8	56.1	57.3	57.5	57.1	60.2	60.9	59.6	64.2	66.6	66.2	72.6	66.3	77.1	70.1
23時台	63.7	61.1	58.6	57.3	56.8	57.2	56.7	57.7	57.9	57.2	59.8	61.0	59.9	61.1	64.3	63.9	74.6	67.1	75.0	69.1
0時台	55.7	52.2	49.7	49.0	50.9	53.7	54.5	56.9	57.7	57.4	59.7	60.4	58.7	62.6	64.8	62.8	74.8	74.7	74.6	71.3
1時台	52.1	49.4	48.5	48.9	50.8	53.8	54.5	56.7	57.4	56.9	59.2	59.6	58.0	61.5	64.1	64.3	73.3	72.5	75.2	71.2
2時台	55.2	51.3	49.9	49.9	51.3	54.1	54.5	56.6	57.2	56.8	59.6	60.4	58.6	61.4	63.9	65.9	72.0	69.4	78.0	72.1
3時台	51.6	49.9	48.7	48.5	50.6	53.9	54.3	56.7	57.5	57.0	58.9	59.8	58.6	62.4	64.1	63.8	72.7	68.5	74.6	70.4
4時台	55.9	53.7	52.2	51.6	52.4	54.7	54.9	56.9	57.2	56.7	59.2	59.4	58.4	61.8	63.3	62.5	72.7	74.0	74.9	70.0
5時台	58.5	57.5	56.0	54.2	54.4	55.7	55.2	57.1	57.6	57.4	59.1	59.5	59.8	61.6	63.7	63.1	72.2	71.6	75.4	70.2
6時台	53.5	51.5	49.5	50.0	51.4	54.4	54.9	57.6	57.9	57.3	60.4	60.4	59.9	62.4	63.7	62.4	72.2	73.5	73.1	69.1
7時台	59.9	56.2	51.7	49.9	51.3	54.6	54.9	57.2	58.0	57.3	59.5	60.1	60.4	62.8	63.5	64.0	72.2	72.1	76.2	70.6
8時台	63.6	60.7	57.2	54.5	54.2	56.0	55.9	57.4	58.0	57.8	60.3	61.0	62.6	66.7	66.4	62.9	68.4	71.3	75.3	68.7
9時台	67.0	63.6	60.3	58.5	57.1	57.7	57.3	58.2	58.4	58.0	60.1	61.5	62.7	67.8	68.5	65.5	66.7	71.1	73.6	67.8
10時台	66.6	64.5	63.0	60.9	59.6	59.8	59.2	59.4	59.6	59.3	62.2	63.0	63.9	69.3	70.1	65.9	66.7	67.6	64.1	64.2
11時台	68.4	66.5	64.7	63.2	62.5	61.8	60.9	61.0	61.0	60.5	62.7	63.7	64.8	69.5	69.3	67.8	68.6	68.5	65.8	63.8
パワー平均値	68.7	66.6	64.9	62.9	61.9	61.8	60.7	60.6	60.4	59.6	61.2	62.4	64.6	68.8	68.5	69.3	69.3	69.5	67.2	65.0

備考：測定値は時間帯毎にエネルギー平均した値を示す。

4) 事務所側敷地境界(南)

ア. 現工場と破碎工場ともに停止時

測定地点：事務所側敷地境界(南)

測定日時：2025年6月10日(火)12時～11日(水)12時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	81.9	81.1	80.5	79.4	78.0	76.7	74.9	73.4	72.0	70.5	69.2	67.4	65.2	66.5	66.5	64.1	68.4	63.2	60.2	58.6
13時台	79.8	79.1	78.3	77.2	75.9	74.2	72.4	71.0	69.6	68.2	66.9	65.2	63.1	64.1	62.8	62.3	67.9	62.7	60.5	57.6
14時台	81.3	80.4	79.7	78.9	77.3	75.9	74.4	72.5	70.7	69.3	67.8	65.9	63.8	64.0	62.0	63.6	69.8	63.8	61.9	58.1
15時台	73.8	72.7	71.2	69.8	68.2	66.5	64.9	63.5	62.4	61.2	59.9	59.6	59.0	58.9	59.9	60.1	62.2	61.3	59.3	55.9
16時台	65.5	64.7	62.5	61.1	59.8	58.8	58.0	56.7	57.1	57.6	57.2	57.8	56.8	56.9	58.1	56.6	59.9	59.1	55.8	52.8
17時台	66.4	65.4	63.6	62.5	60.3	59.2	57.9	56.9	56.9	57.4	57.1	57.6	56.3	56.2	57.7	57.4	63.2	62.0	60.1	58.5
18時台	55.8	53.6	50.8	50.2	50.2	50.3	50.4	50.9	54.0	56.1	56.3	56.9	55.1	53.3	54.8	54.4	61.3	57.2	56.2	52.8
19時台	56.4	54.7	53.0	51.5	51.1	50.3	50.1	50.6	53.8	55.9	56.2	56.6	54.6	51.3	52.7	52.4	57.5	53.3	53.9	49.7
20時台	58.8	57.9	56.5	55.0	53.9	52.7	51.7	51.5	54.0	55.9	56.2	56.5	54.4	49.9	50.5	50.7	54.8	52.8	54.2	49.1
21時台	60.8	59.4	58.4	57.3	56.5	55.0	53.4	52.4	54.3	56.0	56.2	56.4	54.3	50.0	50.2	50.4	54.9	54.9	55.4	48.8
22時台	70.9	69.1	68.4	67.3	65.5	64.6	63.3	62.1	61.1	60.3	59.8	58.6	56.3	53.4	52.9	52.0	56.0	59.2	58.0	51.3
23時台	76.2	74.9	74.4	73.2	71.5	70.3	69.0	67.8	66.5	65.2	64.3	62.2	59.6	56.5	55.3	55.1	57.7	60.4	58.3	51.6
0時台	79.3	78.5	77.2	76.3	75.5	74.2	72.8	71.2	70.0	68.8	68.0	66.2	63.8	61.1	59.1	58.0	59.4	60.0	58.3	52.3
1時台	74.0	73.3	72.4	71.5	70.4	69.1	67.7	66.4	65.3	64.2	63.3	61.3	58.9	55.8	54.9	55.3	57.8	59.9	60.1	53.1
2時台	80.2	79.2	77.8	77.1	76.3	74.6	72.8	71.5	70.0	68.5	67.3	65.3	63.0	60.1	58.4	56.9	57.7	60.0	58.7	51.2
3時台	81.0	80.3	79.2	78.1	76.7	75.3	74.1	72.4	71.1	69.4	68.0	65.8	63.3	60.4	58.5	57.0	58.5	58.9	60.7	52.3
4時台	81.1	80.6	79.6	78.5	76.9	75.6	73.8	72.1	70.5	68.7	66.7	64.7	61.9	58.9	57.9	57.5	58.2	60.9	59.9	54.4
5時台	77.0	75.7	74.8	73.3	72.1	70.4	68.5	66.8	65.2	63.7	61.6	59.8	57.3	54.4	56.8	55.6	56.5	54.8	54.9	49.6
6時台	78.0	77.7	76.5	75.8	74.0	72.3	70.3	68.8	67.1	65.5	64.3	61.7	60.8	58.0	64.3	58.0	65.5	57.4	57.2	59.2
7時台	77.1	76.5	75.1	74.0	72.3	71.3	69.7	68.1	66.5	65.0	63.5	61.7	59.6	59.8	61.4	59.4	59.7	60.3	57.9	53.6
8時台	72.6	71.7	71.2	70.3	68.7	67.2	65.4	64.3	63.1	62.3	61.2	59.9	58.7	59.2	60.1	59.0	61.9	61.5	61.6	55.1
9時台	75.8	75.1	74.3	73.2	71.6	70.4	69.2	67.7	66.6	65.3	64.4	62.5	60.9	60.4	62.1	60.9	61.9	62.5	59.7	56.5
10時台	77.8	76.2	75.4	74.0	72.7	71.5	69.9	68.5	66.9	65.8	64.4	62.6	61.1	60.9	65.1	61.0	61.9	59.6	57.6	54.3
11時台	77.8	76.8	75.4	74.4	73.0	72.5	71.1	68.7	67.2	66.0	64.7	63.3	62.1	62.5	64.2	62.3	64.1	61.2	58.4	55.4
パワー平均値	77.3	76.5	75.5	74.5	73.1	71.7	70.1	68.5	67.1	65.7	64.5	62.8	60.7	60.0	60.6	59.0	62.9	60.3	58.8	54.9

備考：測定値は時間帯毎にエネルギー平均した値を示す。

イ. 現工場のみ稼働時

測定地点：事務所側敷地境界 (南)

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	78.5	77.8	76.8	76.1	75.2	74.1	72.7	71.5	70.2	68.6	67.0	65.6	63.7	63.9	64.4	62.7	63.1	62.3	61.4	56.8
13時台	77.5	76.8	76.5	75.1	74.0	72.7	71.7	70.6	69.3	67.5	65.7	64.2	62.8	63.0	62.5	61.1	64.7	62.9	60.3	56.3
14時台	76.2	75.5	74.3	73.6	73.0	71.8	70.4	69.5	68.6	66.8	64.9	63.8	62.3	61.9	63.0	62.9	66.8	63.5	62.4	57.6
15時台	78.0	77.7	76.6	76.0	75.2	74.6	73.9	73.1	72.1	70.9	69.7	68.1	66.3	64.9	63.9	63.2	64.5	64.2	62.6	58.4
16時台	78.4	77.7	77.1	76.9	75.9	75.4	74.6	73.7	72.7	71.4	70.3	69.0	67.0	64.9	63.5	62.5	64.7	65.0	61.0	56.6
17時台	77.3	76.9	76.6	75.5	75.4	74.2	73.4	72.3	71.9	71.1	69.9	69.0	67.4	65.5	64.3	62.1	63.4	64.6	63.8	57.7
18時台	76.4	75.4	75.2	74.4	74.1	73.0	72.3	71.4	70.3	69.2	67.9	66.3	64.4	62.3	61.3	59.7	62.4	63.5	58.5	55.2
19時台	74.9	74.5	74.1	73.1	72.9	72.4	71.2	70.2	69.1	67.9	66.3	64.7	62.5	60.2	60.1	59.1	60.4	60.7	64.1	54.7
20時台	77.7	77.4	76.9	76.2	75.5	74.7	74.1	73.5	72.7	71.6	70.2	68.7	66.6	64.0	62.6	60.6	63.2	64.1	57.8	55.4
21時台	76.1	76.2	75.7	74.9	73.9	73.2	72.3	71.6	70.5	69.2	67.8	66.6	64.5	62.3	61.2	59.9	68.8	63.7	56.6	55.4
22時台	73.1	71.2	70.4	69.0	68.2	67.1	66.3	66.2	65.9	64.2	62.3	60.8	58.5	56.8	58.5	57.1	68.4	61.9	59.6	55.0
23時台	71.0	70.3	68.8	67.6	67.5	66.0	65.6	65.4	64.9	63.3	61.4	60.8	58.6	56.6	58.8	56.4	67.3	62.6	62.8	55.4
0時台	76.8	76.5	75.8	74.9	73.8	72.6	71.4	70.6	69.5	68.0	65.6	63.8	61.2	59.0	59.7	57.0	66.9	62.5	62.4	55.2
1時台	76.6	75.7	74.9	74.1	73.1	71.5	69.9	68.9	67.8	66.1	64.3	62.8	60.3	58.3	59.2	56.2	67.0	61.8	63.2	54.9
2時台	77.2	76.4	76.0	74.6	73.3	72.3	70.8	69.6	68.0	66.0	64.5	63.2	60.5	58.3	59.3	55.8	66.7	63.3	62.4	54.7
3時台	73.9	73.5	73.1	72.2	70.7	70.0	68.3	67.1	65.5	63.7	62.3	61.5	59.2	57.5	59.6	56.4	67.3	65.2	62.0	54.6
4時台	75.0	73.9	74.0	73.2	72.5	71.5	70.9	69.6	68.1	66.5	64.8	63.4	61.0	59.3	60.5	58.2	67.3	64.4	63.2	54.2
5時台	67.5	66.7	65.7	64.4	63.7	63.3	62.1	61.0	59.8	58.9	58.4	59.8	57.9	57.1	58.7	55.2	59.7	61.9	61.3	52.2
6時台	68.1	68.0	67.3	66.5	65.9	64.9	64.3	63.1	61.5	60.4	59.7	60.4	58.7	58.5	59.7	57.9	61.7	65.7	58.9	54.0
7時台	65.1	63.7	63.3	63.0	62.3	61.8	60.5	59.3	58.6	58.5	58.3	59.6	58.4	59.9	60.0	59.7	64.8	66.3	58.0	54.9
8時台	71.8	72.1	70.9	70.2	69.5	68.6	68.3	66.9	65.6	64.1	62.9	62.2	60.9	61.0	62.0	61.4	63.8	64.2	58.7	56.8
9時台	69.2	69.2	68.3	67.6	66.6	65.8	64.8	63.7	62.5	61.1	60.1	60.6	59.8	59.5	62.2	60.3	62.4	64.4	59.8	57.6
10時台	62.3	61.0	59.4	57.6	57.2	57.3	56.3	55.3	56.8	57.6	58.3	60.3	60.5	60.9	64.6	62.2	65.7	64.2	60.3	57.0
11時台	69.9	69.5	68.5	68.3	67.1	66.8	65.9	64.8	63.6	62.3	61.4	61.6	61.4	61.9	62.7	62.3	67.9	64.2	61.4	60.5
パワー平均値	75.3	74.7	74.1	73.3	72.5	71.5	70.6	69.7	68.6	67.3	65.9	64.7	62.9	61.6	61.8	60.3	65.6	63.8	61.4	56.2

備考：測定値は時間帯毎にエネルギー平均した値を示す。

ウ. 現工場と破砕工場ともに稼働時

測定地点：事務所側敷地境界(南)

測定日時：2025年9月3日(水)11時～4日(木)11時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	83.2	82.2	81.4	80.3	79.4	78.4	77.0	75.9	74.6	73.5	71.8	70.3	68.9	66.5	67.8	63.7	64.8	62.8	61.6	59.3
13時台	85.6	84.8	84.1	83.1	81.7	80.4	79.0	77.8	76.5	75.3	73.8	72.4	71.0	69.2	69.2	66.3	66.6	67.6	62.8	60.0
14時台	85.7	85.0	83.8	82.9	81.9	81.0	79.5	78.2	76.9	76.0	74.4	72.9	71.5	70.4	70.3	67.2	67.7	66.0	63.8	61.0
15時台	87.5	86.4	85.6	84.4	83.2	82.0	80.4	79.3	78.1	76.8	75.4	74.1	72.5	70.5	69.8	66.2	66.3	65.3	63.9	61.5
16時台	88.1	87.2	86.8	85.4	84.0	82.9	81.9	80.6	79.4	78.1	76.8	75.4	73.9	72.1	71.4	67.9	67.7	66.4	65.3	62.5
17時台	86.4	85.3	84.9	83.8	82.2	81.7	80.1	79.0	77.9	76.9	75.5	74.4	72.9	71.3	70.8	67.3	67.4	66.2	64.2	61.7
18時台	82.6	81.3	80.2	79.4	78.4	77.2	75.8	74.8	73.5	72.3	70.7	69.4	68.1	66.6	68.6	63.3	64.0	62.9	61.9	59.9
19時台	80.0	79.3	77.6	76.2	74.9	73.3	72.2	70.8	69.7	68.7	67.6	66.6	65.7	64.4	68.6	62.2	62.5	62.0	61.0	59.7
20時台	63.1	61.6	60.5	59.4	59.2	58.3	57.0	56.3	57.1	58.2	59.6	60.4	64.1	61.8	68.0	60.7	61.0	60.1	61.6	59.2
21時台	58.7	57.1	55.9	55.1	54.8	54.9	53.9	53.9	55.7	57.5	59.4	60.3	61.9	61.4	67.5	60.2	60.6	59.9	59.1	58.3
22時台	57.2	55.4	54.1	52.8	53.3	53.6	52.6	52.4	55.0	57.1	57.5	59.0	58.2	57.6	58.2	55.2	58.9	57.4	55.6	53.8
23時台	58.3	56.9	55.5	54.3	54.2	54.3	53.0	53.0	55.4	57.2	57.3	59.0	58.1	57.3	56.8	54.5	59.6	58.7	55.0	53.0
0時台	50.7	48.8	48.1	48.1	50.1	52.6	51.3	52.5	55.9	57.1	57.4	59.3	58.2	57.4	57.5	54.8	61.0	59.1	57.0	55.1
1時台	49.3	48.8	48.4	48.6	50.0	52.5	51.4	52.5	55.6	57.0	57.3	59.1	58.2	56.9	57.2	54.5	59.6	58.5	56.1	54.2
2時台	51.3	50.4	50.0	49.7	50.6	52.5	51.5	52.7	55.6	57.1	57.4	59.2	58.3	57.2	57.3	54.6	60.7	58.8	56.1	54.0
3時台	50.6	49.5	48.9	48.7	50.2	52.4	51.3	52.7	55.7	57.2	57.4	59.2	58.1	57.4	57.1	54.0	59.5	58.8	56.4	53.8
4時台	56.9	55.5	55.0	53.8	53.7	54.3	52.8	53.0	55.4	57.1	57.6	59.2	58.0	57.1	56.9	53.9	61.0	59.5	56.3	53.7
5時台	57.2	55.8	55.4	54.3	54.3	55.8	54.1	53.5	55.5	57.5	57.5	59.2	58.3	56.9	56.7	53.9	61.6	59.2	56.4	53.8
6時台	55.4	53.9	53.4	52.8	52.6	53.7	52.2	52.7	55.7	57.1	57.5	59.2	58.2	57.6	57.1	54.1	59.9	60.0	55.5	53.1
7時台	57.5	56.2	54.5	53.4	53.1	54.2	52.7	53.0	55.6	57.5	57.6	59.3	58.4	57.6	56.5	54.9	59.6	59.7	57.8	54.1
8時台	60.3	57.7	56.4	55.3	54.6	54.9	53.9	54.3	56.3	57.7	57.9	59.8	59.1	58.9	59.1	58.7	60.7	58.9	57.7	54.4
9時台	64.1	62.9	61.2	60.2	59.4	59.0	57.9	57.2	57.3	58.2	58.0	59.7	59.8	60.9	60.7	58.6	61.5	61.1	57.5	54.6
10時台	65.9	64.5	62.7	61.8	60.5	59.6	58.7	57.7	58.0	58.6	58.2	60.3	59.9	61.4	62.9	60.9	62.2	60.7	57.8	55.0
11時台	66.7	65.1	64.0	62.6	61.1	60.8	59.3	58.4	58.5	58.8	58.8	60.4	61.0	61.2	62.2	60.4	61.9	62.0	59.0	56.9
パワー平均値	64.6	63.2	62.6	61.2	60.8	60.8	59.0	57.6	58.1	59.0	59.1	60.8	61.3	61.3	63.6	61.3	62.9	64.3	60.8	57.8

備考：測定値は時間帯毎にエネルギー平均した値を示す。

5) 最寄住居 1 (北側)

ア. 現工場と破碎工場ともに停止時

測定地点：最寄住居 1 (北側)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	50.9	52.2	53.9	54.3	55.9	55.6	55.2	54.8	54.2	54.2	55.8	57.7	60.0	70.6	73.3	68.0	69.6	69.6	64.4	59.2
13時台	48.4	49.6	50.7	51.5	52.1	52.2	52.0	51.8	52.1	53.7	56.1	57.6	59.4	68.0	72.3	70.0	66.6	68.0	64.6	60.4
14時台	47.3	49.0	49.8	51.6	53.2	53.1	52.4	52.5	52.8	54.1	56.7	58.9	61.1	67.5	69.1	70.4	66.2	67.8	63.3	59.4
15時台	39.5	41.0	42.3	43.2	43.5	46.4	47.4	48.7	50.6	51.9	55.6	58.4	59.7	68.6	68.3	67.8	67.6	67.3	63.9	59.8
16時台	32.1	34.2	35.0	36.7	39.1	44.1	45.5	48.3	50.4	51.5	54.2	57.2	58.6	64.4	66.3	63.3	64.8	66.4	61.4	58.2
17時台	33.3	35.1	37.0	37.4	37.9	42.2	43.6	46.6	49.2	50.9	53.5	56.8	56.9	62.5	70.0	65.4	73.9	66.3	61.5	60.5
18時台	25.6	27.6	29.1	31.1	35.0	40.6	41.9	45.3	48.4	49.6	52.2	53.6	55.1	61.4	62.0	64.6	75.5	62.1	60.4	60.7
19時台	23.6	25.4	27.1	29.5	34.1	40.1	41.5	45.0	48.1	50.5	51.8	52.2	54.5	62.3	63.8	61.6	77.5	63.9	59.5	61.1
20時台	25.7	27.2	29.1	30.5	34.2	39.8	41.2	44.9	48.0	50.0	51.2	51.2	52.6	60.0	61.3	70.3	78.5	66.7	60.7	60.8
21時台	25.4	27.0	28.9	30.5	34.2	39.8	41.3	45.0	48.0	51.5	51.5	51.0	51.5	58.4	62.9	69.6	80.2	74.1	63.2	62.1
22時台	35.3	36.6	38.2	39.5	39.8	42.0	43.0	45.7	48.4	52.5	52.2	52.3	51.7	60.1	63.8	65.2	81.2	74.3	61.2	63.6
23時台	43.9	45.4	46.5	47.2	47.7	47.7	47.6	48.5	50.1	52.6	52.9	55.4	51.9	60.3	63.9	68.1	82.0	75.0	64.8	64.0
0時台	49.1	50.9	52.7	54.0	54.2	53.7	53.3	52.8	53.1	54.4	54.9	56.1	52.7	60.2	64.1	65.4	82.0	74.5	61.2	63.8
1時台	39.9	41.8	44.3	45.6	45.4	46.2	46.4	47.6	49.4	52.4	53.2	55.2	52.2	62.0	65.1	68.7	82.0	77.0	68.7	64.2
2時台	46.7	47.4	49.2	50.5	49.5	50.1	49.9	50.1	51.1	53.3	55.1	56.0	53.4	65.0	67.7	68.1	80.2	75.2	63.1	63.9
3時台	42.4	42.0	45.0	45.7	45.3	45.5	46.5	47.8	49.3	52.8	52.6	54.9	52.4	65.0	68.0	67.6	79.8	75.6	63.7	64.1
4時台	37.3	38.5	42.0	42.4	42.3	43.9	44.9	47.1	49.2	53.4	54.4	55.0	53.6	64.9	68.4	69.5	78.2	74.2	64.9	64.7
5時台	41.3	43.7	46.6	48.5	49.5	50.1	50.9	50.8	51.3	54.1	55.1	55.6	55.0	65.7	69.4	68.4	77.1	76.4	68.7	64.1
6時台	41.3	43.4	46.0	48.2	48.3	49.6	50.6	50.6	51.2	54.3	56.4	56.2	56.5	66.1	70.4	68.8	73.3	75.1	65.2	62.6
7時台	41.0	42.5	44.1	45.8	46.4	47.9	47.9	49.3	50.7	54.0	55.7	57.3	58.2	66.0	72.5	67.5	72.6	73.3	63.9	63.8
8時台	42.5	44.2	46.0	47.0	48.8	50.1	50.0	50.8	51.3	52.7	55.2	57.1	59.8	64.7	67.3	69.8	68.0	74.5	65.1	60.3
9時台	48.4	49.7	50.0	51.0	51.6	52.3	52.3	53.1	52.9	54.5	55.2	57.2	59.0	63.1	66.6	63.4	64.5	65.1	61.6	60.4
10時台	46.9	48.6	50.3	50.7	52.0	52.8	52.8	52.8	52.9	54.2	55.4	57.6	59.3	63.2	69.3	64.8	64.6	65.5	64.1	61.7
11時台	47.2	47.6	49.8	50.9	51.4	53.3	52.5	52.6	53.3	54.5	56.3	59.0	60.2	65.9	69.0	67.3	67.0	66.8	63.7	61.1
パワー平均値	44.5	45.9	47.5	48.5	49.3	49.8	49.8	50.2	51.1	53.0	54.6	56.3	57.2	65.1	68.5	67.8	77.3	72.6	64.1	62.3

備考：測定値は時間帯毎にエネルギー平均した値を示す。

イ. 現工場のみ稼働時

測定地点：最寄住居 1 (北側)

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	70.1	69.2	67.5	66.9	65.6	64.5	62.5	60.0	58.2	57.3	59.5	62.0	60.7	70.5	72.4	72.2	67.6	66.4	63.5	59.8
13時台	65.2	64.0	63.3	62.1	60.3	59.6	57.9	57.1	56.3	55.7	58.7	59.9	60.1	69.4	72.6	70.8	67.7	68.7	62.7	59.8
14時台	70.5	69.7	67.7	66.8	66.5	65.7	64.2	62.0	60.3	58.5	59.0	59.5	61.9	70.1	71.9	71.9	69.0	68.2	65.3	60.2
15時台	75.7	74.2	72.5	71.2	70.1	68.4	66.9	65.1	63.3	61.8	61.1	60.9	62.2	68.0	70.9	72.2	68.5	72.4	67.9	60.5
16時台	76.5	75.9	74.7	73.9	72.4	71.0	68.4	66.6	64.3	62.5	61.4	62.0	60.1	62.4	69.3	68.3	71.4	68.7	64.7	60.3
17時台	69.2	69.3	67.9	67.6	66.4	65.0	62.2	60.5	58.8	57.7	58.1	59.8	58.7	63.2	66.4	64.7	72.0	67.3	62.3	60.4
18時台	74.7	73.8	72.1	70.8	69.3	67.9	66.0	64.2	62.4	60.7	60.2	60.6	58.5	61.0	67.5	62.1	71.9	67.9	60.6	59.5
19時台	72.9	71.9	70.1	69.2	67.5	65.6	63.6	61.9	60.4	59.2	58.6	60.4	56.9	64.1	69.1	61.7	73.2	66.9	60.0	59.7
20時台	71.1	70.0	68.7	67.5	66.1	64.5	62.9	60.6	58.7	58.1	59.0	60.9	56.1	60.4	69.5	60.3	68.7	64.6	58.7	58.3
21時台	72.8	72.2	70.8	69.4	67.5	66.2	64.0	61.5	60.0	58.8	58.9	61.9	55.7	61.1	69.5	61.5	69.9	78.3	68.4	59.7
22時台	73.7	72.1	70.9	69.2	67.4	66.1	65.4	62.7	60.5	58.6	59.3	62.5	59.8	59.9	68.9	62.9	70.8	77.8	68.1	60.2
23時台	69.5	68.6	66.6	64.6	62.7	61.2	58.1	57.7	56.1	55.7	57.4	61.8	54.7	59.4	68.1	62.5	71.4	77.3	69.8	63.4
0時台	66.7	65.5	65.2	63.1	60.3	59.0	57.2	56.3	55.0	54.8	57.5	62.2	54.8	60.7	68.0	60.9	71.2	77.5	69.6	59.1
1時台	71.4	70.1	69.2	67.9	66.9	64.3	62.3	60.9	58.6	57.2	58.1	62.3	55.0	61.4	68.1	61.2	71.2	78.0	69.5	59.8
2時台	59.5	59.2	59.1	57.4	55.2	53.5	52.5	53.3	52.9	54.0	56.8	62.0	54.4	61.2	68.9	61.9	73.1	77.6	68.8	60.6
3時台	59.3	58.8	59.6	57.1	55.2	54.3	53.1	52.9	52.9	53.7	57.4	62.3	54.0	59.7	72.9	65.2	77.5	77.4	68.1	62.9
4時台	65.1	63.9	62.7	60.7	58.2	56.5	55.3	55.1	54.2	54.8	57.3	62.2	54.6	60.7	72.8	64.5	77.4	79.5	69.5	63.1
5時台	61.8	60.5	59.4	58.3	57.1	55.3	53.5	53.5	53.3	54.1	56.7	61.3	55.9	61.5	72.0	65.7	75.7	71.8	63.0	60.7
6時台	60.3	59.4	59.1	58.1	56.1	55.9	54.5	54.5	53.8	54.4	57.2	61.4	58.4	65.2	69.7	63.6	71.2	72.0	62.5	59.5
7時台	56.9	55.4	55.0	52.8	51.6	53.5	52.7	53.7	53.4	54.1	57.2	61.1	62.0	69.6	70.5	64.9	69.1	70.9	62.4	60.5
8時台	68.9	67.1	65.6	64.4	62.9	62.0	59.8	58.7	57.0	56.4	58.0	59.9	60.4	65.8	71.2	66.9	65.8	67.5	61.9	59.1
9時台	66.5	65.2	64.0	62.0	60.1	58.7	57.2	56.8	56.0	55.6	57.6	59.5	60.0	66.4	73.9	67.9	66.7	71.8	63.7	62.8
10時台	54.3	52.6	51.4	50.6	50.8	53.6	52.9	54.1	54.3	54.9	57.2	60.7	60.3	66.3	69.8	64.9	67.9	69.8	62.0	59.7
11時台	66.0	64.7	63.1	61.4	60.1	58.7	57.2	56.5	55.9	56.2	57.9	61.7	60.6	67.7	75.0	69.3	68.4	70.7	64.5	62.6
パワー平均値	70.5	69.5	68.1	66.9	65.5	64.0	62.1	60.4	58.7	57.6	58.5	61.3	58.9	65.6	70.9	67.1	71.9	74.3	66.2	60.7

備考：測定値は時間帯毎にエネルギー平均した値を示す。

ウ. 現工場と破碎工場ともに稼働時

測定地点：最寄住居 1 (北側)

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	72.2	69.8	67.9	66.5	64.3	62.6	60.8	59.4	58.7	66.0	60.0	61.6	66.2	68.1	73.1	67.9	68.4	75.1	73.4	61.0
13時台	74.1	72.8	70.5	69.0	67.1	65.3	63.4	61.4	59.7	65.4	59.9	60.0	65.2	68.6	76.2	71.4	67.7	74.6	73.3	60.4
14時台	71.5	70.2	69.0	66.9	65.8	64.8	63.8	61.2	59.3	64.4	59.9	60.0	66.3	71.9	74.3	70.6	71.0	74.0	72.2	62.0
15時台	74.0	72.9	72.1	69.8	68.6	66.8	64.4	62.6	60.9	64.7	60.6	60.2	66.2	71.9	72.7	69.3	69.1	66.0	63.2	60.4
16時台	77.2	75.8	73.5	71.5	68.9	67.0	65.0	63.3	62.0	65.2	65.2	62.2	66.9	70.1	72.7	70.9	69.0	66.7	65.0	60.5
17時台	74.5	73.2	72.2	70.3	68.2	66.2	64.7	62.6	59.9	65.1	63.0	61.4	68.4	72.4	75.1	70.5	69.1	67.3	64.4	60.6
18時台	70.0	68.8	67.6	65.6	63.6	61.5	59.9	59.1	57.8	65.0	59.4	59.9	66.2	70.1	73.8	68.7	68.1	66.7	67.4	61.5
19時台	68.1	66.6	64.1	62.0	60.5	59.2	57.4	56.7	56.3	64.8	59.2	60.4	65.9	66.4	72.8	69.0	68.5	72.7	75.9	65.1
20時台	55.6	53.9	54.3	53.4	51.9	52.8	53.3	54.5	55.1	64.4	59.0	61.3	65.8	66.0	73.4	68.6	67.7	68.5	72.6	64.8
21時台	55.8	54.4	52.9	51.5	50.3	51.6	52.5	53.8	54.0	61.0	58.8	61.7	62.6	66.3	73.9	67.9	67.6	69.1	69.6	63.1
22時台	53.2	51.0	48.8	47.8	49.6	50.4	50.3	51.1	52.0	53.6	55.7	59.7	55.9	62.3	69.9	62.7	68.7	67.4	68.1	61.8
23時台	50.8	48.7	46.7	46.0	46.5	49.8	49.7	51.1	52.0	53.0	56.5	59.9	56.3	61.7	69.0	64.2	70.4	65.5	66.2	61.5
0時台	47.2	45.8	44.6	44.5	45.9	49.6	49.2	51.0	52.3	54.0	55.7	59.7	55.7	61.9	69.6	62.8	77.4	73.7	74.3	71.5
1時台	48.4	47.4	46.4	46.0	46.1	49.7	49.3	50.8	52.2	53.6	56.1	59.8	55.1	62.5	68.4	65.8	75.3	71.3	70.9	67.8
2時台	49.6	48.0	46.8	45.8	46.2	49.6	49.2	51.0	52.2	53.6	56.2	60.1	55.9	63.0	68.2	66.0	73.8	73.2	73.2	65.7
3時台	48.3	46.1	44.7	44.6	45.7	49.6	49.2	51.0	52.4	54.1	55.5	60.0	55.7	63.1	69.7	62.9	73.6	72.2	69.2	63.9
4時台	48.7	47.3	45.9	45.5	46.0	49.9	49.4	51.1	52.3	53.8	56.2	57.5	56.3	63.0	69.9	65.3	71.4	66.0	70.9	65.3
5時台	51.7	49.8	46.7	46.8	47.7	50.5	49.6	51.3	52.5	58.9	55.6	57.1	57.9	64.6	70.3	62.6	71.3	70.4	70.6	64.5
6時台	50.1	47.4	44.8	44.6	46.2	50.4	49.5	51.4	52.8	58.3	56.0	57.8	57.2	62.4	70.0	63.3	71.3	70.5	70.0	64.4
7時台	51.2	47.5	44.4	45.0	46.6	50.7	50.1	51.8	52.9	58.3	55.8	58.2	59.1	63.2	70.2	62.8	71.4	70.6	71.4	64.7
8時台	52.8	50.5	49.0	48.6	49.0	52.0	51.0	52.2	53.1	56.6	55.6	57.2	58.8	64.6	69.7	63.7	69.1	68.5	71.4	64.1
9時台	55.5	53.0	51.5	50.9	50.8	53.0	51.9	52.8	53.5	54.5	56.2	57.9	59.5	66.1	70.3	64.5	69.0	66.3	61.3	60.3
10時台	55.4	54.2	53.5	52.7	51.9	53.6	53.3	54.2	54.4	55.2	57.5	59.0	60.9	66.8	68.1	64.4	67.1	65.7	61.9	60.2
11時台	54.6	54.3	52.8	52.0	51.9	54.3	53.5	54.9	55.1	55.3	58.0	59.3	60.7	66.0	67.1	63.9	66.3	66.5	62.2	63.0
パワー平均値	54.7	52.9	51.5	51.1	51.5	54.0	53.0	54.1	54.6	55.2	58.1	58.0	60.3	65.7	66.1	67.2	65.6	64.1	61.9	58.4

備考：測定値は時間帯毎にエネルギー平均した値を示す。

6) 最寄住居 2 (西側)

ア. 現工場と破碎工場ともに停止時

測定地点：最寄住居 2 (西側)

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	75.7	74.7	73.0	71.6	69.9	68.1	66.8	65.5	64.1	62.0	60.1	59.4	59.9	61.3	61.5	62.8	65.8	64.6	61.9	59.7
13時台	76.0	74.7	73.3	72.0	70.2	68.6	67.1	65.8	63.8	62.1	60.4	59.6	60.5	62.5	60.8	62.6	65.2	64.3	62.0	60.8
14時台	76.4	75.3	74.1	72.9	71.5	69.7	68.2	66.8	64.9	63.2	61.3	60.6	61.1	62.3	61.1	63.2	65.8	64.7	62.6	60.3
15時台	70.0	68.7	67.5	66.2	65.0	63.7	62.3	60.9	59.3	57.8	56.6	58.0	59.8	60.7	61.5	62.9	65.1	64.5	62.0	60.8
16時台	63.7	62.4	60.8	60.4	58.6	57.5	56.4	56.3	55.1	54.6	54.3	56.3	58.9	60.9	60.9	61.4	64.1	64.1	61.5	59.9
17時台	61.3	59.9	58.4	56.8	55.4	54.9	54.8	55.5	54.4	54.0	53.5	55.2	57.9	60.5	60.4	62.1	64.0	63.8	62.1	60.2
18時台	52.2	51.7	49.7	48.0	47.2	47.3	47.3	48.3	49.6	52.5	52.1	52.9	55.3	58.3	59.6	60.7	63.2	62.0	60.3	57.9
19時台	53.0	51.7	50.1	49.3	48.1	47.4	47.2	48.4	49.4	52.5	51.8	52.3	54.9	56.1	56.7	59.0	61.3	61.8	62.9	57.1
20時台	57.8	56.0	53.5	50.4	48.5	47.3	46.5	47.7	49.1	52.4	51.8	51.6	52.7	55.3	53.8	57.4	59.5	58.2	58.3	55.9
21時台	55.2	51.6	49.4	48.2	47.0	46.5	46.2	47.5	48.6	52.2	51.2	49.3	51.1	54.6	52.1	56.2	58.5	57.1	53.9	53.1
22時台	68.8	66.5	64.6	62.5	60.6	58.5	55.5	54.3	52.9	53.5	51.7	49.7	50.5	52.1	51.4	54.1	56.7	57.4	55.4	56.0
23時台	75.2	73.5	72.6	71.0	68.9	66.9	64.8	62.7	61.1	59.0	56.6	53.6	52.8	52.8	51.9	54.1	56.9	57.7	55.5	52.3
0時台	79.4	78.7	76.7	74.7	72.6	71.1	68.9	67.0	64.5	62.3	59.8	56.7	55.5	54.6	51.6	53.4	55.8	56.3	53.8	50.3
1時台	76.3	75.6	73.7	72.5	70.8	69.1	67.0	64.9	62.8	60.9	58.6	55.3	53.2	52.8	51.1	51.9	54.8	56.3	51.8	51.4
2時台	76.1	74.5	72.5	70.4	68.4	66.2	64.3	62.0	59.3	57.8	55.7	52.8	52.9	52.6	50.2	51.7	54.7	56.4	52.7	48.6
3時台	76.3	74.8	73.5	71.4	69.4	67.4	65.3	63.0	61.2	59.0	56.9	53.3	51.6	50.6	50.1	51.9	54.9	55.9	51.3	50.1
4時台	76.4	74.8	73.0	71.3	69.1	67.7	65.7	63.2	60.8	59.0	56.8	54.7	54.0	54.0	52.4	53.8	56.8	56.7	53.0	53.4
5時台	77.0	75.0	73.5	71.4	69.4	67.4	64.8	62.9	61.2	58.9	56.6	54.6	55.9	55.3	54.3	56.0	59.7	59.1	55.8	52.8
6時台	78.1	76.6	74.2	72.5	70.8	68.5	66.2	64.6	61.8	60.1	58.0	56.8	57.5	58.4	61.0	61.3	65.6	67.2	60.7	59.5
7時台	74.3	72.9	71.2	69.7	67.6	65.4	64.0	62.9	59.7	58.2	57.1	57.4	59.5	61.3	61.2	62.5	64.9	65.2	64.1	61.0
8時台	71.4	70.7	68.4	67.0	65.2	62.9	61.4	60.3	58.4	57.4	56.5	58.9	61.2	63.0	61.2	63.4	66.6	68.4	65.0	60.7
9時台	76.4	75.0	73.4	71.7	70.4	68.5	67.0	65.7	63.6	61.4	60.0	60.0	61.2	62.1	60.8	62.6	65.8	65.7	64.5	61.7
10時台	76.2	74.3	73.3	71.8	70.0	68.0	65.4	63.4	61.6	59.6	58.2	59.3	60.5	60.7	59.8	61.9	64.4	63.9	62.0	59.4
11時台	75.6	74.8	73.0	71.2	69.8	66.9	65.6	63.9	61.7	60.2	58.9	60.5	61.7	61.4	61.5	63.9	64.9	65.3	63.4	60.5
パワー平均値	74.7	73.4	71.7	70.1	68.3	66.4	64.5	62.9	60.8	59.1	57.4	56.9	58.0	59.2	58.8	60.5	63.1	63.2	60.8	58.3

備考：測定値は時間帯毎にエネルギー平均した値を示す。

イ. 現工場のみ稼働時

測定地点：最寄住居 2 (西側)

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	74.7	73.4	71.8	70.3	68.0	65.6	63.4	61.0	59.2	57.3	57.1	57.5	60.3	61.1	61.0	62.5	64.2	65.9	66.6	59.6
13時台	75.0	72.7	70.4	68.6	66.6	65.0	62.6	60.8	58.7	57.3	56.5	57.9	60.5	60.8	61.3	63.2	66.1	65.3	68.9	59.6
14時台	75.2	73.3	72.1	69.9	67.6	65.9	64.0	62.3	59.8	58.2	57.0	58.1	60.5	61.0	61.6	63.6	65.8	66.2	69.8	59.9
15時台	78.7	77.6	75.3	74.5	72.8	71.0	69.0	67.8	66.0	63.2	61.7	60.3	60.6	60.4	60.6	63.0	65.1	65.7	70.4	59.1
16時台	75.5	74.7	72.9	71.7	70.3	70.0	67.0	65.4	63.7	62.1	60.2	60.2	60.0	60.6	62.5	63.8	67.9	68.6	65.3	61.2
17時台	72.0	70.9	69.6	69.0	66.7	64.5	63.1	61.8	60.5	59.2	58.1	57.1	58.0	59.6	61.1	62.9	65.9	66.9	62.9	60.3
18時台	75.7	74.2	73.5	72.6	70.7	69.1	67.7	66.0	64.0	61.7	59.6	57.9	57.8	59.0	59.9	62.3	67.1	66.6	61.2	59.7
19時台	77.5	75.5	74.5	73.1	72.0	69.8	68.3	66.8	64.5	62.8	60.5	58.4	57.7	56.9	57.7	60.7	62.6	62.5	63.6	58.3
20時台	73.3	72.8	71.9	71.6	70.1	67.8	66.5	64.7	62.2	61.3	59.0	57.0	56.6	55.4	55.9	57.9	62.1	63.9	57.8	58.3
21時台	61.1	59.6	58.7	57.1	55.5	54.5	52.6	51.5	50.9	52.8	52.5	50.8	50.8	51.6	53.2	55.6	61.5	64.1	56.9	55.8
22時台	66.4	64.0	62.9	62.3	59.7	58.2	56.6	55.3	54.1	53.8	53.4	51.6	51.8	52.3	53.0	55.3	60.4	61.8	57.7	54.7
23時台	64.9	63.5	61.4	60.5	59.0	57.8	55.2	54.9	53.7	53.6	53.1	51.5	53.0	54.3	53.4	53.8	61.0	63.6	55.0	54.5
0時台	62.5	61.2	60.5	58.7	57.5	56.7	54.2	53.7	53.4	53.6	53.4	51.9	52.6	54.7	53.1	55.5	60.9	64.5	54.5	54.3
1時台	73.4	71.5	69.7	67.1	65.1	63.2	61.2	59.5	57.4	56.7	54.8	52.6	51.9	52.6	52.5	53.4	60.5	61.3	56.9	54.4
2時台	73.1	71.1	69.7	67.2	65.0	62.7	60.4	58.6	56.4	56.3	54.3	51.8	51.4	52.4	52.9	52.7	59.2	61.6	53.0	54.0
3時台	66.2	64.7	63.6	61.5	59.2	58.1	55.4	54.8	53.3	54.5	53.1	51.4	52.0	53.6	53.4	53.6	59.8	62.4	52.3	53.3
4時台	74.6	72.8	71.1	69.8	68.5	66.8	65.4	63.4	61.8	60.1	57.4	55.4	54.8	58.5	56.6	55.8	61.4	62.1	58.1	54.6
5時台	63.9	63.0	61.1	59.1	57.5	56.2	55.2	55.0	54.4	55.0	53.8	53.5	55.2	55.8	56.7	57.8	61.5	63.5	56.3	55.5
6時台	63.2	62.3	60.0	58.4	56.8	55.5	54.4	54.0	53.2	54.2	54.4	55.5	57.5	58.0	59.2	62.1	64.3	67.7	62.7	58.5
7時台	59.6	58.5	56.3	55.6	53.5	53.2	53.3	54.2	53.5	54.2	55.1	56.7	59.1	61.4	62.0	63.9	68.5	69.8	66.5	63.5
8時台	72.5	70.1	69.1	67.3	65.0	63.6	62.1	61.0	58.8	57.5	56.7	58.0	60.2	61.3	61.4	63.8	67.0	67.7	63.0	61.4
9時台	70.0	68.0	66.7	64.9	63.4	61.8	60.1	58.8	57.2	56.5	56.2	58.2	60.2	61.3	61.2	63.7	66.8	68.0	63.3	61.1
10時台	55.7	54.5	53.1	54.7	53.6	53.4	53.7	55.0	54.5	54.8	55.6	58.1	60.6	61.8	62.1	63.7	66.7	68.1	64.1	60.3
11時台	60.0	59.0	56.5	55.3	54.0	53.9	53.5	55.0	54.5	55.4	56.5	59.6	62.6	62.5	62.9	63.2	66.6	65.9	63.8	61.4
パワー平均値	72.8	71.3	69.7	68.5	66.7	65.0	63.2	61.7	59.8	58.4	57.0	56.8	58.2	59.0	59.5	61.3	64.8	65.8	64.1	59.0

備考：測定値は時間帯毎にエネルギー平均した値を示す。

ウ. 現工場と破碎工場ともに稼働時

測定地点：最寄住居 2 (西側)

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	76.2	75.0	73.5	72.0	70.4	68.9	67.6	66.2	64.5	63.4	62.1	61.1	62.8	60.7	64.5	63.5	64.8	64.5	62.4	59.7
13時台	77.8	76.9	75.2	73.7	72.1	70.9	69.3	67.9	66.1	64.7	62.6	60.9	61.3	61.0	64.4	63.7	64.9	64.5	61.6	59.3
14時台	78.1	76.8	75.4	73.6	72.4	71.0	69.3	68.3	66.7	65.3	62.9	61.5	61.6	61.8	64.3	63.6	65.7	64.2	61.3	59.0
15時台	79.8	78.6	77.6	76.0	74.6	72.8	71.5	70.3	68.7	67.7	65.5	63.8	63.3	62.0	64.1	63.3	64.6	64.2	62.3	60.1
16時台	78.7	78.2	76.3	74.6	73.1	71.4	70.1	68.6	67.3	66.5	64.2	62.6	63.1	62.3	64.4	64.3	65.8	64.9	64.3	59.5
17時台	78.3	77.2	75.8	74.1	72.3	71.4	69.8	68.2	66.8	65.8	63.4	61.9	63.0	62.5	64.5	63.6	65.5	64.8	62.3	60.0
18時台	74.1	72.8	71.3	69.9	68.5	67.3	65.7	63.9	62.2	62.8	59.2	58.3	61.4	60.9	63.7	62.9	64.4	64.1	61.4	58.8
19時台	70.6	68.2	67.0	64.9	63.4	62.0	60.2	58.3	57.2	62.0	55.7	56.0	59.8	59.9	64.0	63.0	64.3	64.2	63.0	61.3
20時台	58.8	57.6	56.7	55.2	54.1	52.9	51.7	52.1	52.9	61.1	54.0	54.5	60.6	58.3	63.7	62.3	63.2	62.7	61.2	60.0
21時台	53.7	52.9	51.6	50.3	49.7	49.4	48.8	50.2	51.3	58.0	53.3	53.4	56.7	57.0	62.6	60.7	61.7	61.9	60.4	59.2
22時台	53.4	50.8	49.4	48.1	47.5	47.3	47.6	48.9	49.7	51.8	51.9	51.7	53.3	53.2	54.1	57.2	59.1	58.0	54.5	54.0
23時台	48.2	46.2	45.0	44.2	44.4	45.5	46.6	49.1	48.8	51.4	51.5	51.1	53.3	54.7	53.7	56.5	58.9	59.0	54.5	53.1
0時台	45.1	43.3	42.7	43.0	44.2	46.4	46.4	49.3	50.0	51.8	51.6	50.4	51.3	54.4	54.4	54.6	58.5	58.5	60.8	57.3
1時台	46.6	45.0	44.9	44.9	44.8	47.1	47.5	50.6	50.5	51.9	51.7	51.4	51.9	54.4	54.7	53.9	58.9	58.9	60.2	55.6
2時台	48.4	47.0	45.8	45.0	45.0	47.5	47.1	50.8	50.7	52.1	52.3	51.6	51.5	54.4	54.8	54.0	57.1	59.0	58.3	54.3
3時台	46.6	44.7	44.2	44.0	44.6	47.5	47.8	51.1	50.9	52.0	51.7	50.6	51.3	51.7	54.7	52.2	55.8	58.6	60.6	55.4
4時台	48.3	46.3	45.2	44.9	45.5	48.3	48.2	51.3	51.0	52.2	51.7	50.0	50.4	50.3	54.8	54.8	56.2	59.7	59.9	55.4
5時台	50.9	48.6	47.3	45.8	46.0	48.5	48.0	50.9	50.7	52.8	52.5	52.2	53.1	51.3	54.8	53.6	57.6	59.8	58.0	54.9
6時台	48.7	45.7	43.6	43.7	44.8	48.1	48.0	51.3	51.3	52.2	51.8	51.5	51.9	52.8	54.8	56.4	57.8	60.5	60.0	55.4
7時台	51.1	48.1	46.0	45.5	46.0	49.3	49.2	51.9	51.7	53.3	52.3	52.2	54.7	54.7	55.8	56.9	60.4	60.6	61.5	57.4
8時台	50.0	47.0	45.5	46.3	47.1	50.3	50.8	53.3	52.6	53.7	53.3	53.9	55.6	56.7	60.4	60.9	62.9	65.4	63.6	58.0
9時台	55.3	53.9	51.9	52.2	50.1	51.6	51.3	53.3	53.1	54.2	54.7	56.1	58.6	60.4	60.5	62.7	64.9	64.9	61.4	59.3
10時台	56.7	55.0	52.6	54.6	52.4	52.0	52.2	53.5	53.1	53.7	54.6	57.0	59.6	60.6	60.5	62.9	65.8	65.1	61.8	59.6
11時台	57.6	55.3	53.4	54.2	52.4	53.0	52.9	54.2	53.6	53.6	55.8	57.8	60.0	60.3	59.4	62.3	64.8	63.8	61.7	58.8
パワー平均値	60.6	59.1	57.4	56.2	54.8	54.4	53.7	54.4	53.5	53.7	54.9	56.5	59.1	59.3	59.6	62.3	65.0	64.1	61.1	59.2

備考：測定値は時間帯毎にエネルギー平均した値を示す。

7) 現工場近傍

ア. 現工場と破碎工場ともに停止時

測定地点：現工場近傍

測定日時：2025 年 6 月 10 日(火)12 時～11 日(水)12 時

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	68.2	67.6	65.3	63.6	62.5	61.5	61.8	61.8	62.3	65.4	68.3	68.3	65.9	64.7	64.8	64.9	63.5	63.3	63.1	64.2
13時台	69.6	68.2	66.4	64.9	63.5	62.4	63.0	62.7	62.8	65.7	68.3	68.4	65.9	64.9	64.0	64.4	64.7	63.6	63.8	64.0
14時台	69.2	68.1	66.8	65.3	63.9	62.6	63.3	62.8	62.9	65.5	68.5	68.5	66.1	64.8	63.7	64.5	65.8	64.3	64.1	63.6
15時台	64.1	63.1	61.7	60.1	59.7	60.4	61.5	61.8	62.8	66.8	69.3	68.0	66.8	65.7	64.9	64.3	65.0	63.2	64.1	64.7
16時台	59.4	58.3	56.8	56.0	56.8	58.1	61.6	62.4	63.4	67.7	69.8	67.6	66.6	65.6	63.1	62.9	64.9	61.6	64.7	65.5
17時台	56.8	56.2	54.7	54.3	55.1	56.4	60.4	62.0	63.1	67.9	69.8	67.5	66.5	65.4	63.0	62.4	63.4	61.5	64.7	65.4
18時台	51.6	52.4	51.6	51.9	53.6	55.4	60.1	61.8	63.2	67.7	69.9	67.6	66.5	65.0	62.5	61.7	61.7	60.4	64.6	65.5
19時台	50.2	51.5	51.1	51.4	53.1	55.2	59.9	61.7	63.0	67.7	69.7	67.5	66.4	64.9	62.0	61.4	59.4	58.8	64.1	65.2
20時台	59.5	58.7	57.4	56.1	56.2	56.4	60.2	61.9	63.0	67.6	69.7	67.4	66.3	64.8	61.7	60.8	57.3	58.3	64.2	65.0
21時台	64.4	63.7	62.2	60.5	59.2	58.3	60.7	62.1	63.0	67.6	69.7	67.5	66.3	64.9	61.3	60.8	57.3	60.4	65.9	65.1
22時台	74.6	73.7	73.6	72.5	72.2	70.7	69.2	67.3	66.2	68.5	69.9	67.9	66.6	65.4	61.9	61.2	57.7	60.0	65.2	65.4
23時台	80.9	80.2	79.6	78.9	78.0	77.2	76.2	74.6	72.4	71.7	71.6	69.5	67.9	65.9	62.1	61.6	57.9	60.3	66.0	65.8
0時台	84.9	83.4	83.7	82.2	81.2	81.0	79.8	78.3	76.4	75.0	73.7	71.9	69.9	67.9	64.0	62.8	59.2	61.5	66.7	65.9
1時台	77.4	76.3	75.6	75.3	74.8	74.2	72.1	69.7	68.5	69.2	70.2	68.3	66.8	65.4	61.4	61.0	57.1	60.2	66.5	66.2
2時台	84.0	83.6	83.2	83.3	82.5	81.8	79.9	78.1	76.3	74.7	73.3	71.2	69.0	66.8	62.6	61.7	57.9	60.2	66.8	66.2
3時台	85.4	84.8	84.4	83.9	83.0	82.2	81.3	80.0	78.0	76.0	74.4	72.3	70.1	67.8	63.8	62.1	58.9	60.0	66.5	66.3
4時台	86.4	85.4	85.4	84.6	84.1	83.8	82.7	81.1	78.8	77.1	75.6	73.4	71.0	68.5	64.5	62.7	59.5	60.5	66.3	66.3
5時台	84.3	83.7	82.7	81.9	81.2	80.3	79.2	77.3	75.5	74.2	73.5	71.2	69.3	67.0	63.2	62.3	58.9	59.7	65.7	66.1
6時台	84.2	84.0	83.8	82.8	82.0	81.4	80.2	78.9	77.0	75.5	73.9	71.7	69.7	67.5	64.2	62.8	60.4	60.8	66.3	66.5
7時台	82.7	82.8	81.8	81.6	80.4	79.9	78.4	77.1	75.7	73.7	72.7	70.5	68.5	66.9	64.5	62.9	60.5	61.4	66.2	66.6
8時台	77.4	77.2	76.2	75.0	74.4	73.6	72.2	70.1	68.3	68.9	70.0	68.7	67.4	66.1	64.0	63.9	63.1	63.5	65.1	66.2
9時台	81.0	80.4	79.8	79.4	78.5	77.5	76.6	74.7	72.5	71.9	71.6	70.1	68.4	66.9	64.9	64.0	63.7	63.9	65.5	66.4
10時台	81.3	81.4	80.6	79.6	78.3	77.5	75.9	74.3	72.8	71.2	71.2	69.6	68.0	66.4	64.4	63.8	64.0	63.1	64.9	65.8
11時台	82.6	82.1	81.7	80.8	80.4	79.6	78.3	76.4	75.1	73.0	72.3	70.7	68.8	66.9	65.1	64.1	64.0	63.1	65.1	65.9
パワー平均値	80.7	80.1	79.6	78.9	78.1	77.5	76.3	74.7	72.9	71.9	71.6	69.8	68.0	66.2	63.6	62.9	62.0	61.7	65.4	65.6

備考：測定値は時間帯毎にエネルギー平均した値を示す。

イ. 現工場のみ稼働時

測定地点：現工場近傍

測定日時：2025 年 7 月 3 日(木)12 時～4 日(金)12 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	81.7	80.7	80.2	79.4	78.9	77.7	76.8	75.3	73.5	73.0	72.4	70.7	69.0	70.0	65.3	65.6	65.0	64.8	68.6	65.2
13時台	82.1	80.6	80.0	79.3	78.4	77.3	75.9	74.8	72.6	71.9	71.9	70.1	68.5	67.9	65.1	66.4	65.6	63.7	64.8	65.7
14時台	80.2	79.2	78.0	76.6	75.4	73.8	72.9	70.9	69.5	69.9	70.7	69.0	68.0	67.2	64.3	65.1	66.7	64.5	65.1	65.7
15時台	80.0	79.4	78.1	78.2	77.6	76.2	75.1	73.3	71.7	70.8	71.5	69.6	68.4	67.4	64.6	65.5	67.5	66.6	66.4	65.6
16時台	74.5	73.1	71.7	69.7	68.4	66.8	66.0	65.2	65.1	67.6	70.1	68.2	67.6	66.4	63.5	64.0	64.4	64.6	65.0	65.2
17時台	78.6	77.0	75.2	74.2	72.8	70.4	68.6	67.6	66.8	68.3	70.4	68.5	67.6	66.5	63.5	63.1	61.6	62.5	63.8	65.1
18時台	72.6	71.6	70.4	68.8	67.2	65.5	64.9	64.7	64.6	67.6	69.8	68.2	67.0	66.2	62.7	62.1	60.5	60.9	63.4	65.2
19時台	75.4	72.9	72.7	71.5	70.0	69.3	67.4	66.5	65.7	68.0	70.0	68.4	66.9	66.0	62.4	61.2	59.6	60.2	63.4	65.2
20時台	77.8	76.3	75.4	74.9	74.0	73.1	72.2	70.0	68.8	69.4	70.6	68.9	67.2	66.2	62.8	61.2	59.6	60.4	63.0	65.0
21時台	74.7	72.3	71.6	69.3	67.0	66.0	65.0	64.7	64.9	67.5	70.0	68.2	66.8	65.9	62.3	60.8	59.7	60.0	63.0	65.4
22時台	77.2	74.7	72.8	71.2	69.8	67.8	66.6	65.2	65.1	67.6	70.2	68.3	67.1	66.3	62.4	61.4	59.6	60.3	63.6	65.9
23時台	77.1	74.9	73.3	71.4	70.4	69.1	67.5	66.7	66.0	67.9	70.3	68.4	67.1	66.1	62.0	61.1	59.5	60.3	63.3	65.7
0時台	73.3	70.7	68.1	64.9	62.6	61.1	61.3	62.6	63.6	67.4	70.1	68.1	66.9	66.1	62.0	61.1	59.4	60.0	63.2	65.4
1時台	75.1	72.1	70.5	68.4	67.2	65.0	63.7	63.9	64.2	67.4	70.2	68.3	66.8	66.1	62.1	61.1	59.1	59.5	63.3	65.4
2時台	83.2	82.5	81.4	80.4	79.6	78.4	76.8	75.1	73.3	72.1	72.1	70.0	68.2	66.9	62.4	61.1	59.6	60.6	63.1	65.0
3時台	78.5	77.3	76.6	75.6	74.4	73.2	71.2	69.9	68.3	69.1	70.7	68.6	67.2	66.1	61.5	60.7	59.8	61.5	63.1	65.2
4時台	79.5	79.1	78.6	78.0	77.1	76.1	75.2	73.6	71.5	71.4	71.7	69.7	67.8	66.6	62.1	61.2	60.3	61.4	63.1	64.4
5時台	69.0	68.2	67.8	66.2	65.2	64.1	62.9	63.1	64.0	67.5	70.3	68.2	67.1	66.3	61.7	61.1	60.5	60.7	63.1	65.1
6時台	67.4	66.9	66.1	65.0	64.5	62.8	62.4	63.2	63.9	67.4	70.2	68.1	67.1	66.3	64.0	62.3	60.7	61.3	63.2	64.9
7時台	70.5	69.6	69.7	69.0	68.0	65.7	65.0	64.9	64.8	67.6	70.3	68.3	67.1	67.0	68.6	65.3	63.3	63.0	64.9	63.3
8時台	71.8	70.5	70.2	69.6	69.1	67.5	66.5	66.1	65.5	68.1	70.1	68.7	67.5	68.4	69.6	69.2	67.4	65.0	69.2	64.0
9時台	68.6	67.9	66.4	65.4	63.9	63.7	64.0	64.0	64.1	67.1	70.1	68.3	67.7	67.0	65.2	65.5	67.7	65.9	65.7	66.1
10時台	62.9	61.0	59.6	58.3	58.9	60.0	61.3	62.4	63.6	66.9	70.0	68.5	67.5	67.1	64.9	65.0	66.0	64.7	66.0	66.6
11時台	71.4	70.7	69.4	68.9	67.3	65.9	65.2	65.1	64.8	67.6	70.0	68.7	67.6	67.7	66.4	66.6	67.2	65.6	67.5	67.1
パワー平均値	77.5	76.3	75.3	74.4	73.5	72.2	71.0	69.7	68.3	69.1	70.6	68.8	67.5	66.9	64.4	64.0	63.7	63.0	65.0	65.4

備考：測定値は時間帯毎にエネルギー平均した値を示す。

ウ. 現工場と破碎工場ともに稼働時

測定地点：現工場近傍

測定日時：2025 年 9 月 3 日(水)11 時～4 日(木)11 時

単位：dB

時刻	周波数																			
	1Hz	1.25Hz	1.6Hz	2Hz	2.5Hz	3.15Hz	4Hz	5Hz	6.3Hz	8Hz	10Hz	12.5Hz	16Hz	20Hz	25Hz	31.5Hz	40Hz	50Hz	63Hz	80Hz
12時台	70.6	69.1	68.3	65.3	64.3	63.6	63.4	63.9	63.5	67.4	70.1	68.8	69.4	68.5	66.2	67.8	65.2	63.6	65.3	66.1
13時台	77.0	75.9	75.1	73.4	72.8	71.3	68.9	67.7	65.7	68.3	70.3	68.9	69.7	68.0	64.4	64.3	63.9	63.9	64.7	65.4
14時台	74.5	73.8	72.4	70.4	67.6	66.5	65.6	65.5	64.8	67.9	69.9	68.9	69.3	69.2	66.0	68.2	66.1	64.6	66.6	66.2
15時台	75.0	74.0	71.9	70.6	68.6	67.3	66.7	65.8	64.7	67.7	70.1	68.9	69.1	68.3	64.6	64.6	64.7	63.4	64.5	65.9
16時台	73.3	71.4	69.9	68.9	67.6	65.9	65.3	64.7	64.2	67.8	70.1	68.8	69.2	68.3	64.6	65.1	65.4	64.0	64.9	66.0
17時台	72.1	70.4	68.9	67.1	65.8	64.9	64.4	64.3	63.6	67.6	70.3	68.8	69.4	68.0	64.0	64.9	64.4	64.0	65.0	65.7
18時台	71.5	70.2	68.5	66.7	65.3	63.9	63.5	63.7	63.6	67.8	70.2	68.7	69.5	67.9	63.4	63.8	64.0	64.8	64.7	65.8
19時台	75.4	74.1	73.0	71.2	69.0	67.3	65.5	65.1	64.0	67.9	70.0	68.6	69.5	67.7	63.1	62.7	62.2	62.1	63.3	65.4
20時台	79.4	78.4	76.3	74.1	72.1	70.1	68.3	66.5	65.2	68.1	70.1	68.5	69.6	67.6	62.7	62.3	61.7	61.1	62.7	64.9
21時台	78.7	77.2	75.6	73.5	71.2	69.1	67.3	66.0	64.6	68.1	70.2	68.5	69.5	67.5	62.4	62.1	61.2	60.5	62.5	64.6
22時台	78.9	77.8	75.6	73.9	71.7	69.6	68.1	66.3	65.0	68.1	70.3	68.5	69.1	67.4	62.1	61.1	60.2	60.3	62.1	64.0
23時台	77.3	75.8	74.1	71.7	69.4	67.3	65.7	64.8	64.0	67.9	70.4	68.6	68.9	67.4	62.1	60.8	61.1	60.5	62.0	63.6
0時台	67.4	65.7	63.7	62.2	60.5	59.8	60.6	62.7	62.9	67.7	70.0	68.5	68.9	67.7	62.2	61.1	61.8	59.8	61.9	63.2
1時台	53.2	53.5	53.2	52.7	53.8	57.1	59.5	62.4	62.7	67.6	70.0	68.5	69.0	67.4	61.9	60.9	61.6	59.9	61.8	62.8
2時台	59.7	58.2	56.8	55.6	55.2	57.5	59.8	62.5	62.8	67.7	69.9	68.5	69.0	67.6	62.1	61.2	61.8	60.5	61.9	62.7
3時台	50.4	52.3	52.3	52.0	53.4	57.0	59.5	62.4	62.7	67.7	70.0	68.5	69.0	67.7	61.9	61.0	60.8	60.1	61.7	62.6
4時台	55.3	55.0	53.8	53.7	54.2	57.0	59.6	62.4	62.6	67.7	70.0	68.5	68.9	67.5	61.7	60.8	60.9	59.6	61.8	62.7
5時台	51.2	52.5	52.6	52.2	53.7	57.0	59.7	62.5	62.6	67.8	70.0	68.6	69.0	67.4	61.7	60.9	61.8	59.6	61.8	62.7
6時台	53.3	53.5	53.2	52.9	53.9	57.1	59.7	62.4	62.6	67.7	69.8	68.4	68.9	67.4	61.9	61.0	60.7	59.0	61.9	62.7
7時台	53.2	53.4	53.0	52.8	54.2	57.3	59.8	62.6	62.6	67.7	69.9	68.5	69.1	67.5	62.0	61.4	60.6	59.4	62.1	62.8
8時台	54.8	54.6	54.2	53.6	55.0	57.9	59.9	62.8	62.9	67.7	70.2	68.5	68.8	67.4	62.3	62.1	61.2	60.0	62.2	63.0
9時台	60.5	58.7	57.1	56.6	56.7	58.8	60.1	62.7	63.0	67.8	70.2	68.4	68.6	67.7	63.4	63.6	62.9	61.2	63.0	63.5
10時台	59.8	59.0	57.3	56.5	57.2	59.3	60.6	62.8	62.8	67.7	70.4	68.6	68.6	67.4	64.3	64.2	63.6	62.1	63.7	63.6
11時台	59.2	58.1	57.3	56.0	56.9	60.1	61.4	63.2	63.3	67.8	70.2	68.9	69.1	67.9	64.6	65.5	66.4	65.4	65.1	65.2
パワー平均値	58.3	58.0	57.2	56.5	57.5	60.1	60.9	62.9	63.3	67.6	69.8	69.1	69.2	67.8	64.4	65.8	66.2	64.8	65.9	65.4

備考：測定値は時間帯毎にエネルギー平均した値を示す。