

平成 29 年度 土木工事積算基準の新旧対照表（平成 29 年 6 月単価使用設計書より適用）

平成 29 年 4 月基準（現行）	平成 29 年度 4 月基準（一部改訂）	備 考																																																																																																																																																												
<p>02-02 機械運転費</p> <p>1 ホイールローダ運転費 [D10190000004] [02-02-010] (1h 当り)</p> <table border="1"> <thead> <tr> <th>名称</th> <th>単位</th> <th>排出ガス対策型（第 1 次基準値）（1.9~2.1m³ 級）</th> </tr> </thead> <tbody> <tr> <td>軽油</td> <td>L</td> <td>14</td> </tr> <tr> <td>特殊運転手</td> <td>人</td> <td>0.21</td> </tr> <tr> <td>ホイールローダ</td> <td>h</td> <td>1.0</td> </tr> <tr> <td>諸雑費</td> <td>式</td> <td>1</td> </tr> <tr> <td>計</td> <td></td> <td></td> </tr> </tbody> </table> <p>※注 1：主として積み込みに使用する。</p> <p>2 バックハウ運転費 [D10190000005] [02-02-020] (1h 当り)</p> <table border="1"> <thead> <tr> <th rowspan="2">名称</th> <th rowspan="2">単位</th> <th>山積 0.45 m³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）</th> <th>山積 0.8 m³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）</th> <th>山積 0.45 m³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）</th> <th>山積 0.8 m³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）</th> </tr> </thead> <tbody> <tr> <td>軽油</td> <td>L</td> <td>9.2</td> <td>16</td> <td>9.2</td> <td>16</td> </tr> <tr> <td>特殊運転手</td> <td>人</td> <td>0.16</td> <td>0.16</td> <td>0.16</td> <td>0.16</td> </tr> <tr> <td>バックハウ</td> <td>h</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> </tr> <tr> <td>諸雑費</td> <td>式</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td>計</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>※注 1：主として土工一般等に使用する。</p> <p>3 ブルドーザ運転費 [D10190000002] [02-02-030] (1h 当り)</p> <table border="1"> <thead> <tr> <th rowspan="2">名称</th> <th rowspan="2">単位</th> <th>排出ガス対策型（第 1 次基準 値） ブルドーザ 3t 級</th> <th>排出ガス対策型（第 1 次基準 値） ブルドーザ 11t 級</th> </tr> </thead> <tbody> <tr> <td>軽油</td> <td>L</td> <td>5.1</td> <td>14.0</td> </tr> <tr> <td>特殊運転手</td> <td>人</td> <td>0.20</td> <td>0.20</td> </tr> <tr> <td>ブルドーザ</td> <td>h</td> <td>1.0</td> <td>1.0</td> </tr> <tr> <td>諸雑費</td> <td>式</td> <td>1</td> <td>1</td> </tr> <tr> <td>計</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>※注 1：主として土工一般等に使用する。</p>	名称	単位	排出ガス対策型（第 1 次基準値）（1.9~2.1m ³ 級）	軽油	L	14	特殊運転手	人	0.21	ホイールローダ	h	1.0	諸雑費	式	1	計			名称	単位	山積 0.45 m ³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）	山積 0.8 m ³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）	山積 0.45 m ³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）	山積 0.8 m ³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）	軽油	L	9.2	16	9.2	16	特殊運転手	人	0.16	0.16	0.16	0.16	バックハウ	h	1.0	1.0	1.0	1.0	諸雑費	式	1	1	1	1	計						名称	単位	排出ガス対策型（第 1 次基準 値） ブルドーザ 3t 級	排出ガス対策型（第 1 次基準 値） ブルドーザ 11t 級	軽油	L	5.1	14.0	特殊運転手	人	0.20	0.20	ブルドーザ	h	1.0	1.0	諸雑費	式	1	1	計				<p>02-02 機械運転費</p> <p>1 ホイールローダ運転費 [D10190000004] [02-02-010] (1h 当り)</p> <table border="1"> <thead> <tr> <th>名称</th> <th>単位</th> <th>排出ガス対策型（第 1 次基準値）（1.9~2.1m³ 級）</th> </tr> </thead> <tbody> <tr> <td>軽油</td> <td>L</td> <td>14</td> </tr> <tr> <td>特殊運転手</td> <td>人</td> <td>0.21</td> </tr> <tr> <td>ホイールローダ</td> <td>h</td> <td>1.0</td> </tr> <tr> <td>諸雑費</td> <td>式</td> <td>1</td> </tr> <tr> <td>計</td> <td></td> <td></td> </tr> </tbody> </table> <p>※注 1：主として積み込みに使用する。</p> <p>2 バックハウ運転費 [D10190000005] [02-02-020] (1h 当り)</p> <table border="1"> <thead> <tr> <th rowspan="2">名称</th> <th rowspan="2">単位</th> <th>山積 0.45 m³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）</th> <th>山積 0.8 m³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）</th> <th>山積 0.45 m³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）</th> <th>山積 0.8 m³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）</th> </tr> </thead> <tbody> <tr> <td>軽油</td> <td>L</td> <td>9.2</td> <td>16</td> <td>9.2</td> <td>16</td> </tr> <tr> <td>特殊運転手</td> <td>人</td> <td>0.16</td> <td>0.16</td> <td>0.16</td> <td>0.16</td> </tr> <tr> <td>バックハウ</td> <td>h</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> <td>1.0</td> </tr> <tr> <td>諸雑費</td> <td>式</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td>計</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>※注 1：主として土工一般等に使用する。</p> <p>3 ブルドーザ運転費 [D10190000002] [02-02-030] (1h 当り)</p> <table border="1"> <thead> <tr> <th rowspan="2">名称</th> <th rowspan="2">単位</th> <th>排出ガス対策型（第 1 次基準 値） ブルドーザ 3t 級</th> <th>排出ガス対策型（第 1 次基準 値） ブルドーザ 11t 級</th> </tr> </thead> <tbody> <tr> <td>軽油</td> <td>L</td> <td style="color: red;">4.4</td> <td style="color: red;">12.0</td> </tr> <tr> <td>特殊運転手</td> <td>人</td> <td>0.20</td> <td>0.20</td> </tr> <tr> <td>ブルドーザ</td> <td>h</td> <td>1.0</td> <td>1.0</td> </tr> <tr> <td>諸雑費</td> <td>式</td> <td>1</td> <td>1</td> </tr> <tr> <td>計</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>※注 1：主として土工一般等に使用する。</p>	名称	単位	排出ガス対策型（第 1 次基準値）（1.9~2.1m ³ 級）	軽油	L	14	特殊運転手	人	0.21	ホイールローダ	h	1.0	諸雑費	式	1	計			名称	単位	山積 0.45 m ³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）	山積 0.8 m ³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）	山積 0.45 m ³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）	山積 0.8 m ³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）	軽油	L	9.2	16	9.2	16	特殊運転手	人	0.16	0.16	0.16	0.16	バックハウ	h	1.0	1.0	1.0	1.0	諸雑費	式	1	1	1	1	計						名称	単位	排出ガス対策型（第 1 次基準 値） ブルドーザ 3t 級	排出ガス対策型（第 1 次基準 値） ブルドーザ 11t 級	軽油	L	4.4	12.0	特殊運転手	人	0.20	0.20	ブルドーザ	h	1.0	1.0	諸雑費	式	1	1	計				<p>燃料消費率の改定 に伴う 1 時間当 たりの軽油量の変更</p>
名称	単位	排出ガス対策型（第 1 次基準値）（1.9~2.1m ³ 級）																																																																																																																																																												
軽油	L	14																																																																																																																																																												
特殊運転手	人	0.21																																																																																																																																																												
ホイールローダ	h	1.0																																																																																																																																																												
諸雑費	式	1																																																																																																																																																												
計																																																																																																																																																														
名称	単位	山積 0.45 m ³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）	山積 0.8 m ³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）	山積 0.45 m ³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）	山積 0.8 m ³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）																																																																																																																																																									
		軽油	L	9.2	16	9.2	16																																																																																																																																																							
特殊運転手	人	0.16	0.16	0.16	0.16																																																																																																																																																									
バックハウ	h	1.0	1.0	1.0	1.0																																																																																																																																																									
諸雑費	式	1	1	1	1																																																																																																																																																									
計																																																																																																																																																														
名称	単位	排出ガス対策型（第 1 次基準 値） ブルドーザ 3t 級	排出ガス対策型（第 1 次基準 値） ブルドーザ 11t 級																																																																																																																																																											
		軽油	L	5.1	14.0																																																																																																																																																									
特殊運転手	人	0.20	0.20																																																																																																																																																											
ブルドーザ	h	1.0	1.0																																																																																																																																																											
諸雑費	式	1	1																																																																																																																																																											
計																																																																																																																																																														
名称	単位	排出ガス対策型（第 1 次基準値）（1.9~2.1m ³ 級）																																																																																																																																																												
軽油	L	14																																																																																																																																																												
特殊運転手	人	0.21																																																																																																																																																												
ホイールローダ	h	1.0																																																																																																																																																												
諸雑費	式	1																																																																																																																																																												
計																																																																																																																																																														
名称	単位	山積 0.45 m ³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）	山積 0.8 m ³ 排出ガス対策型 （第 1 次基準値） （第 2 次基準値）	山積 0.45 m ³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）	山積 0.8 m ³ 排出ガス対策型 （第 1 次基準値） （クレーン機能付 2.9t 吊）																																																																																																																																																									
		軽油	L	9.2	16	9.2	16																																																																																																																																																							
特殊運転手	人	0.16	0.16	0.16	0.16																																																																																																																																																									
バックハウ	h	1.0	1.0	1.0	1.0																																																																																																																																																									
諸雑費	式	1	1	1	1																																																																																																																																																									
計																																																																																																																																																														
名称	単位	排出ガス対策型（第 1 次基準 値） ブルドーザ 3t 級	排出ガス対策型（第 1 次基準 値） ブルドーザ 11t 級																																																																																																																																																											
		軽油	L	4.4	12.0																																																																																																																																																									
特殊運転手	人	0.20	0.20																																																																																																																																																											
ブルドーザ	h	1.0	1.0																																																																																																																																																											
諸雑費	式	1	1																																																																																																																																																											
計																																																																																																																																																														

平成 29 年度 土木工事積算基準の新旧対照表（平成 29 年 6 月単価使用設計書より適用）

平成 29 年 4 月基準（現行）					平成 29 年度 4 月基準（一部改訂）					備 考
4 不整地運搬車運転費 [D10190000001] [02-02-040]（クローラ型）（1 h 当り）					4 不整地運搬車運転費 [D10190000001] [02-02-040]（クローラ型）（1 h 当り）					燃料消費率の改定に伴う 1 時間当たりの軽油量の変更
		クレーン付 3.5t 車	油圧ダンプ式 排対型（1 次基準）				クレーン付 3.5t 車	油圧ダンプ式 排対型（1 次基準）		
			4.0～5.0 t 車	6.3～7.0 t 車				4.0～5.0 t 車	6.3～7.0 t 車	
名称	単位				名称	単位				
軽油	L	5.8	15	24	軽油	L	5.0	13	20	
特殊運転手	人	0.14	0.14	0.14	特殊運転手	人	0.14	0.14	0.14	
損料	h	1	1	1	損料	h	1	1	1	
諸雑費	式	1	1	1	諸雑費	式	1	1	1	
計					計					
※注 1：主として現場内運搬に使用する。					※注 1：主として現場内運搬に使用する。					
5 モータグレーダ運転費 [D10141140101] [02-02-050]（1 日当り）					5 モータグレーダ運転費 [D10141140101] [02-02-050]（1 日当り）					
名称	単位	排出ガス対策型（第 1 次基準値）ブレード幅 3.1m			名称	単位	排出ガス対策型（第 1 次基準値）ブレード幅 3.1m			
軽油	L	54			軽油	L	54			
特殊運転手	人	1.0			特殊運転手	人	1.0			
モータグレーダ	供用日	1.45			モータグレーダ	供用日	1.45			
諸雑費	式	1			諸雑費	式	1			
計					計					